

B-3348
Bridge #54 on US 264 over Kitty Creek

HOLE #	SAMPLE #	PASS 10	PASS 40	PASS 200	CSESAND	FINESAND	SI	CL	LL	PI	CLASS	DEPTH	MOIST.	ORG.
B1-A	SS-1	52	51	26	2.2	57.0	14.7	26.1	32	14	A-2-6(0)	1.90-3.40	31.1	
	SS-2	100	99	55	1.6	50.8	23.6	24.1	23	7	A-4(1)	11.90-13.40		
	SS-3	100	96	25	19.1	59.6	9.3	12.0	18	2	A-2-4(0)	16.90-18.40		
	SS-4	100	99	88	1.6	21.3	41.0	36.1	33	17	A-6(14)	21.90-23.40		
	SS-5	89	55	7	48.5	45.1	2.3	4.0	22	NP	A-3(0)	26.90-28.40		
	SS-6	100	98	15	3.4	85.3	5.3	6.0	24	NP	A-2-4(0)	41.90-43.40		
	SS-7	86	80	17	9.2	73.2	7.5	10.0	20	NP	A-2-4(0)	56.90-58.40		
	SS-8	100	99	64	2.2	48.9	28.8	20.1	32	10	A-4(5)	61.90-63.40		
	SS-9	81	62	25	33.7	40.5	9.7	16.0	26	6	A-2-4(0)	71.90-73.40		
B2-A	SS-10	99	95	42	8.8	55.2	15.9	20.1	20	4	A-4(0)	19.20-20.40		
	SS-11	98	80	8	64.8	29.1	2.1	4.0	15	NP	A-3(0)	24.20-25.70		
	SS-12	100	99	88	1.8	21.5	42.6	34.1	29	13	A-6(10)	29.20-30.70		
	SS-13	97	88	40	13.6	55.0	17.4	14.0	27	6	A-4(0)	74.20-75.70		
	SS-14	100	99	28	1.4	85.1	7.5	6.0	24	NP	A-2-4(0)	84.20-85.70		
B3-A	SS-15	100	96	84	5.4	17.7	48.8	28.1	70	36	A-7-5(35)	4.50-5.00		
	SS-16	100	99	94	1.2	17.5	39.2	42.1	35	19	A-6(17)	29.00-30.50		
	SS-17	100	97	13	3.4	87.1	3.5	6.0	24	NP	A-2-4(0)	44.00-45.50		
	SS-18	100	99	55	1.6	55.8	24.6	18.1	29	7	A-4(2)	69.00-70.50		
	SS-19	100	97	10	8.0	83.9	4.1	4.0	19	NP	A-3(0)	79.00-80.50		
	SS-20	100	100	81	0.8	43.3	43.8	12.0	27	3	A-4(2)	89.00-90.50		
EB1-A	SS-21	100	100	30	0.6	80.4	10.9	8.0	24	NP	A-2-4(0)	8.50-10.00		
	SS-22	100	98	54	3.8	51.6	24.6	20.1	22	6	A-4(1)	18.50-20.00		
	SS-23	88	75	12	20.1	69.4	2.5	8.0	22	NP	A-2-4(0)	33.50-35.00		
	SS-24	80	75	17	9.2	72.2	8.5	10.0	21	NP	A-2-4(0)	63.50-65.00		
	SS-25	100	98	52	2.6	58.2	21.2	18.1	28	6	A-4(1)	68.50-70.00		
	SS-26	95	80	14	21.5	66.4	4.1	8.0	20	NP	A-2-4(0)	78.50-80.00		
	SS-27	100	99	68	1.2	61.4	31.4	6.0	24	NP	A-4(0)	93.50-95.00		
EB2-A	SS-28	100	100	80	0.4	29.5	30.1	40.1	38	21	A-6(16)	8.00-9.50	36.7	
	SS-29	100	96	51	7.6	50.1	20.2	22.0	23	6	A-4(0)	18.00-19.50		
	SS-30	100	99	81	1.4	33.7	34.9	30.1	26	11	A-6(7)	28.00-29.50		
	SS-31	78	49	6	49.7	43.5	0.8	6.0	22	NP	A-1-b(0)	33.00-34.50		
	SS-32	100	98	14	2.6	87.0	4.4	6.0	24	NP	A-2-4(0)	43.00-44.50		
	SS-33	95	71	13	43.1	46.1	2.8	8.0	20	NP	A-2-4(0)	53.00-54.00		
	SS-34	58	32	12	57.7	23.4	4.8	14.0	26	5	A-1-b(0)	58.00-59.50		
	SS-35	86	80	18	9.6	72.1	6.2	12.0	20	NP	A-2-4(0)	63.00-64.50		
	SS-36	97	87	42	14.0	52.9	17.0	16.0	28	7	A-4(0)	73.00-74.50		
	SS-37	100	99	88	1.4	14.6	25.9	58.1	51	27	A-7-6(26)	83.00-84.50		
	SS-38	100	99	34	1.4	84.8	7.8	6.0	27	NP	A-2-4(0)	88.00-89.50		
	SS-39	100	100	91	0.8	19.4	45.7	34.1	32	15	A-6(13)	98.00-99.50		
	SS-40	100	100	68	0.6	45.7	25.7	28.1	23	6	A-4(2)	108.00-109.50		