

286
285
284
283
282
281
280
279
278
277
276
275
274
273
272
271
270
269
268
267
266
265
264
263
262
261
260
259
258
257
256
255
254
253
252
251
250
249
248
247
246
245
244
243
242
241
240
239
238
237
236

CONST. REV.
R / W REV.

PROJECT REFERENCE NO. **R-291a**
ROADWAY DESIGN ENGINEER

SHEET NO. **35**
HYDRAULICS ENGINEER

INCOMPLETE PLANS
DO NOT USE FOR R/W ACQUISITION
PRELIMINARY PLANS
DO NOT USE FOR CONSTRUCTION

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.L.I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-11	CL	32+58	0.15-0.45	A-4(1)	29	7	9.3	48.4	20.0	22.3	100	96	47	-	-
SS-12	CL	32+58	1.05-1.50	A-2-4(0)	26	NP	46.8	32.0	11.0	10.1	100	67	25	-	-
S-13	20 LT	33+60	0.00-2.00	A-7-6(10)	44	20	23.7	20.3	15.5	40.5	100	86	59	-	-
S-14	20 LT	33+60	2.00-3.00	A-6(3)	38	11	32.4	25.3	20.0	22.3	100	77	47	-	-
SS-15	6 RT	34+40	0.15-0.45	A-4(0)	23	4	25.3	37.9	16.5	20.3	100	94	40	-	-
SS-16	6 RT	34+40	1.30-1.60	A-2-4(0)	28	NP	60.2	22.1	9.6	8.1	100	53	20	-	-

PVC 35+19.95B EL. 261.207
PIT 33+90.00B EL. 256.407

