



PROJECT REFERENCE NO. B-3629	SHEET NO. EC-3/CONST.4
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

NOTE:  
TEMPORARY SILT FENCE SHALL BE INSTALLED A MINIMUM OF 3 FEET FROM TOE OF FILL IN WETLAND AREAS

NOTE:  
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE-B AND TEMPORARY ROCK SILT CHECKS TYPE-A AT DRAINAGE OUTLETS.



-L-  
PI Sta. 18+09.49  
 $\Delta = 0' 11' 12.6" (RT)$   
 $D = 0' 17' 11.3"$   
 $L = 65.22'$   
 $T = 32.61'$   
 $R = 20,000.00'$   
SE=NC



STA. 13+75 -L- TO STA. 14+00 -L- LT., DDE= 2CY  
STA. 14+25 -L- TO STA. 15+60 -L- RT., DDE= 18CY  
STA. 14+20 -L- TO STA. 16+00 -L- LT., DDE= 199CY

SHOULDER BERM CUTTER  
STA. 14+93.00 -L- TO STA. 17+98.00 -L- LT.  
STA. 19+26.50 -L- TO STA. 20+50.00 -L- LT.  
STA. 14+05.50 -L- TO STA. 18+94.50 -L- RT.  
STA. 20+22.00 -L- TO STA. 20+50.00 -L- RT.  
SEE SHEET 2 AND STD. DRAWINGS

-L- STA. 11+50.00 BEGIN STATE PROJECT B-3629  
-L- STA. 11+50.00 BEGIN F.A. PROJECT BRZ-1565(3)



CLEARING AND GRUBBING  
EROSION CONTROL FOR  
CONSTRUCTION SHEET 4

MATCHLINE -L- STA. 20 + 50, SEE SHEET 5

DAVID W. SIMS  
DB 239 PG 454

1

RONALD L. DANIEL  
DB 197 PG 6

3

SEE SHEET 8 FOR -L- LINE PROFILE  
SEE SHEETS C-1 THRU C- FOR CULVERT PLANS