



PI = 27+25.000
 EL = 98.500 m
 VC = 360 m
 K = 62



SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-104	12M LT	28+20	1.28-1.73	A-6(12)	34	13	1.8	11.3	42.4	44.4	100	99	92	-	-
S-105	10M LT	28+80	0.20-1.60	A-6(13)	30	11	5.5	43.2	14.9	36.4	94	92	52	-	-
S-106	10M LT	28+80	1.60-2.10	A-4(11)	27	6	3.6	37.4	34.7	24.2	76	74	56	-	-
S-107	8M LT	29+60	0.20-2.90	A-6(13)	39	17	2.2	8.3	39.0	50.5	86	85	80	-	-
S-14A	11M LT	30+60	0.10-2.30	A-6(13)	35	13	2.0	4.3	43.1	50.7	100	98	96	-	-
S-15	11M LT	30+60	2.30-4.26	A-6(19)	40	19	2.8	2.6	33.7	60.8	98	96	93	-	-

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
S-16	11M LT	31+60	0.10-4.10	A-6(12)	34	12	4.3	4.7	38.4	52.7	100	97	94	-	-
S-17	11M LT	32+60	0.10-2.55	A-4(9)	30	10	1.6	6.9	61.1	30.4	100	99	95	-	-
S-18	11M LT	32+60	2.55-4.36	A-4(6)	30	6	1.8	5.5	48.1	44.6	99	98	95	-	-

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-19	11M LT	33+60	1.51-1.96	A-6(24)	39	28	4.5	8.9	36.0	50.7	99	96	90	-	-
SS-20	11M LT	33+60	4.55-5.00	A-6(17)	39	17	4.7	3.4	41.2	50.7	100	96	93	-	-
S-22	11M LT	34+20	2.10-3.75	A-4(6)	29	8	1.4	21.7	48.5	28.4	100	99	88	-	-
S-23	11M LT	34+20	3.75-4.44	A-6(12)	34	15	5.1	7.5	44.9	42.6	95	91	87	-	-
S-21	11M LT	34+60	0.10-1.10	A-6(12)	36	12	5.5	8.1	39.8	46.6	100	95	91	-	-



PI = 32+82.000
 EL = 86.200 m
 VC = 155 m
 K = 48