



UTILITIES BY OTHERS

NOTE:
ALL PROPOSED UTILITY WORK SHOWN ON THIS SHEET WILL BE DONE BY OTHERS

DATUM DESCRIPTION
 THE LOCALIZED COORDINATE SYSTEM DEVELOPED FOR THIS PROJECT IS BASED ON THE STATE PLANE COORDINATES ESTABLISHED BY NCSS FOR MONUMENT "GROWERS"
 WITH NAD 83 STATE PLANE GRID COORDINATES OF NORTHING: 2041029269m) EASTING: 627793989m)
 THE AVERAGE COMBINED GRID FACTOR USED ON THIS PROJECT (GROUND TO GRID) IS: 0.999874900
 THE N.C. LAMBERT GRID BEARING LOCALIZED HORIZONTAL GROUND DISTANCE FROM "GROWERS" TO L- STA 10+20.000 IS
 S 29° 05' 09.33" W 40.3537 m
 ALL LINEAR DIMENSIONS ARE LOCALIZED HORIZONTAL DISTANCES VERTICAL DATUM USED IS NGVD 29



BEGIN STATE PROJECT B-3256
-L- POC STA. 10+20.000




10-MAR-2004 07:23
 R:\Utilities\Projects\B3256\B3256-04_UO2_ut_psh.dgn
 b3256-04_UO2

-L-
 $PI = 10+61.014$
 $\Delta = 4' 53'' 12.2'' (RT)$
 $L = 149.257$
 $T = 74.674$
 $R = 1,750.000$
 $SE = NC$

- NOTES:**
- FOR -L- PROFILE SEE SHEET NO. 6
 - ALL RADII = 2 METERS ON 200 X 450 CHANNELIZATION CURB UNLESS NOTED OTHERWISE.

BRIDGE SKETCH



MATCHLINE SHEET UO-3 -L- 13+40.000