


BM #2: 8" PK NAIL IN NW CORNER OF CONCRETE PAD FOR TELEPHONE BOX -BY 1-
STA. 8+66.41, 8.79' RIGHT



NOTES:

ASSUMED LIVE LOAD = HS 20 OR ALTERNATE LOADING.

FOR OTHER DESIGN DATA AND GENERAL NOTES, SEE SHEET SN.

THIS BRIDGE HAS BEEN DESIGNED BY THE STRENGTH DESIGN METHOD AS SPECIFIED IN AASHTO STANDARD SPECIFICATIONS.

PRESTRESSED CONCRETE DECK PANELS MAY BE USED IN LIEU OF METAL STAY-IN-PLACE FORMS IN ACCORDANCE WITH ARTICLE 420-3 OF THE STANDARD SPECIFICATIONS.

REMOVAL OF THE EXISTING BRIDGE SHALL BE PERFORMED SO AS NOT TO ALLOW DEBRIS TO FALL INTO THE WATER. THE CONTRACTOR SHALL REMOVE THE BRIDGE AND SUBMIT PLANS FOR DEMOLITION IN ACCORDANCE WITH ARTICLE 402-2 OF THE STANDARD SPECIFICATIONS.

THE MATERIAL SHOWN IN THE CROSS-HATCHED AREA SHALL BE EXCAVATED FOR A DISTANCE OF 40 FT. EACH SIDE OF CENTERLINE ROADWAY AS DIRECTED BY THE ENGINEER. THIS WORK WILL BE MEASURED AND PAID FOR AS UNCLASSIFIED STRUCTURE EXCAVATION.

THE CLASS AA CONCRETE IN THE BRIDGE DECK SHALL CONTAIN FLY ASH OR GROUND GRANULATED BLAST FURNACE SLAG AT THE SUBSTITUTION RATE SPECIFIED IN ARTICLE 1024-1 AND IN ACCORDANCE WITH ARTICLES 1024-5 AND 1024-6 OF THE STANDARD SPECIFICATIONS. NO PAYMENT WILL BE MADE FOR THIS SUBSTITUTION AS IT IS CONSIDERED INCIDENTAL TO THE COST OF THE REINFORCED CONCRETE DECK SLAB.

THIS STRUCTURE HAS BEEN DESIGNED IN ACCORDANCE WITH HEC 18, 'EVALUATING SCOUR AT BRIDGES', NOVEMBER, 1995.

THIS BRIDGE HAS BEEN DESIGNED IN ACCORDANCE WITH THE REQUIREMENTS OF THE AASHTO STANDARD SPECIFICATIONS FOR SEISMIC DESIGN OF HIGHWAY BRIDGES FOR SEISMIC PERFORMANCE CATEGORY A.

THE CONTRACTOR SHALL PROVIDE INDEPENDENT ASSURANCE SAMPLES OF REINFORCING STEEL AS FOLLOWS: FOR PROJECTS REQUIRING UP TO 400 TONS OF REINFORCING STEEL, ONE 30 INCH SAMPLE OF EACH SIZE BAR USED, AND FOR PROJECTS REQUIRING OVER 400 TONS OF REINFORCING STEEL, TWO 30 INCH SAMPLES OF EACH SIZE BAR USED. THE BARS FROM WHICH THE SAMPLES ARE TAKEN MUST THEN BE SPLICED WITH REPLACEMENT BARS OF THE SIZE AND LENGTH OF THE SAMPLE, PLUS A MINIMUM LAP SPLICE OF THIRTY BAR DIAMETERS.

INASMUCH AS THE PAINT SYSTEM ON THE EXISTING STRUCTURAL STEEL CONTAINS LEAD, THE CONTRACTOR'S ATTENTION IS DIRECTED TO ARTICLE 107-1 OF THE STANDARD SPECIFICATIONS. ANY COSTS RESULTING FROM COMPLIANCE WITH APPLICABLE STATE OR FEDERAL REGULATIONS PERTAINING TO HANDLING OF MATERIALS CONTAINING LEAD BASED PAINT SHALL BE INCLUDED IN THE BID PRICE FOR 'REMOVAL OF EXISTING STRUCTURE.'

NEEDLE BEAMS WILL NOT BE ALLOWED UNLESS OTHERWISE CALLED FOR ON THE PLANS OR APPROVED BY THE ENGINEER.

FOR SUBMITTAL OF WORKING DRAWINGS, SEE SPECIAL PROVISIONS.

FOR FALSEWORK AND FORMWORK, SEE SPECIAL PROVISIONS.

AFTER SERVING AS A TEMPORARY STRUCTURE, THE EXISTING 3 SPAN (1 @ 40'-3", 1 @ 40'-0", 1 @ 40'-3") CONSISTING OF A REINFORCED CONCRETE FLOOR WITH A 2 1/2" WEARING SURFACE ON STEEL I-BEAMS WITH A CLEAR ROADWAY WIDTH OF 26', ON A SUBSTRUCTURE CONSISTING OF REINFORCED CONCRETE END BENTS AND REINFORCED CONCRETE POST AND BEAM INTERIOR BENTS AND LOCATED APPROXIMATELY 20' DOWNSTREAM FROM THE PROPOSED STRUCTURE SHALL BE REMOVED.

FOR EROSION CONTROL MEASURES SEE EROSION CONTROL PLANS.

REMOVABLE FORMS MAY BE USED IN LIEU OF METAL STAY-IN-PLACE FORMS IN ACCORDANCE WITH ARTICLE 420-3 OF THE STANDARD SPECIFICATIONS.

THE SUBSTRUCTURE OF THE EXISTING BRIDGE INDICATED ON THE PLANS IS FROM THE BEST INFORMATION AVAILABLE. SINCE THIS INFORMATION IS SHOWN FOR THE CONVENIENCE OF THE CONTRACTOR, THE CONTRACTOR SHALL HAVE NO CLAIM WHATSOEVER AGAINST THE DEPARTMENT OF TRANSPORTATION FOR ANY DELAYS OR ADDITIONAL COST INCURRED BASED ON DIFFERENCES BETWEEN THE EXISTING BRIDGE SUBSTRUCTURE SHOWN ON THE PLANS AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

THE DRILLED PIERS AT END BENT NO.2 HAVE BEEN DESIGNED FOR BOTH SKIN FRICTION AND TIP BEARING. THE REQUIRED TIP BEARING IS 30 TSF.

THE REQUIRED TIP BEARING CAPACITY AT END BENT NO.2 SHALL BE VERIFIED.

DRILLED PIERS FOR END BENT NO.2 HAVE BEEN DESIGNED FOR AN APPLIED LOAD OF 223 TONS EACH AT THE TOP OF THE COLUMN.

PERMANENT STEEL CASING IS NOT REQUIRED FOR DRILLED PIERS AT END BENT NO.2.

DRILLED PIERS AT END BENT NO.2 (LEFT) SHALL EXTEND TO AN ELEVATION NO HIGHER THAN 2758.0' AND SATISFY THE REQUIRED TIP BEARING CAPACITY.

DRILLED PIERS AT END BENT NO.2 (RIGHT) SHALL EXTEND TO AN ELEVATION NO HIGHER THAN 2754.0', SATISFY THE REQUIRED TIP BEARING CAPACITY, AND HAVE A MINIMUM PENETRATION OF 5 FEET INTO ROCK AS DEFINED BY THE DRILLED PIERS SPECIAL PROVISION.

SLURRY CONSTRUCTION SHALL NOT BE USED FOR THIS PROJECT.

CSL TUBES ARE REQUIRED AND CSL TESTING MAY BE REQUIRED FOR THE DRILLED PIERS AT END BENT NO.2. SEE SPECIAL PROVISION FOR CROSSHOLE SONIC LOGGING.

SID INSPECTIONS ARE REQUIRED TO DETERMINE THE BOTTOM CLEANLINESS OF THE DRILLED PIERS AT END BENT NO.2. SEE DRILLED PIERS SPECIAL PROVISION.

SPT TESTING IS NOT REQUIRED TO DETERMINE THE TIP BEARING CAPACITY OF THE DRILLED PIERS AT END BENT NO.2.

FOR DRILLED PIERS, SEE SPECIAL PROVISIONS.

PILES FOR END BENT NO.1 SHALL BE DRIVEN TO A MINIMUM BEARING CAPACITY OF 50 TONS EACH.

STEEL PILE POINTS ARE REQUIRED FOR PILES AT END BENT NO.1. SEE SPECIAL PROVISION FOR STEEL PILE POINTS.

WHEN DRIVING PILES, THE MAXIMUM BLOW COUNT SHALL NOT BE EXCEEDED.

FOR CRANE SAFETY, SEE SPECIAL PROVISIONS.

FOR FABRICATED METAL STAY-IN-PLACE FORMS, SEE SPECIAL PROVISIONS.

AT THE CONTRACTOR'S OPTION, AND UPON REMOVAL OF THE CAUSEWAY, THE CLASS II RIP RAP USED IN THE CAUSEWAY MAY BE PLACED IN AS RIP RAP SLOPE PROTECTION. SEE SPECIAL PROVISIONS FOR CONSTRUCTION, MAINTENANCE, AND REMOVAL OF TEMPORARY ACCESS.



PROJECT NO. B-3300
ASHE COUNTY
STATION: 17+36.00 -L-

SHEET 3 OF 3

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH
GENERAL DRAWING
BRIDGE OVER
BUFFALO CREEK
ON NC 88 BETWEEN
SR 1131 AND SR 1198

REVISIONS					SHEET NO.
NO.	BY:	DATE:	NO.	DATE:	S-3
1			3		TOTAL SHEETS 23
2			4		

HYDRAULIC DATA

DESIGN DISCHARGE = 3600 CFS
FREQUENCY OF DESIGN FLOOD = 50 YRS
DESIGN HIGH WATER ELEVATION = 2785.2
DRAINAGE AREA = 12.6 SQ.MI.
BASIC DISCHARGE (Q100) = 4300 CFS
BASIC HIGH WATER ELEVATION = 2786.5

OVERTOPPING FLOOD DATA

OVERTOPPING DISCHARGE = 9500 CFS
FREQUENCY OF OVERTOPPING FLOOD = 500+ YRS.
OVERTOPPING FLOOD ELEVATION = 2793.0

TOTAL BILL OF MATERIAL

	CONSTRUCTION, MAINTENANCE & REMOVAL OF TEMPORARY ACCESS	REMOVAL OF EXISTING STRUCTURE	3'-0" Ø DRILLED PIER IN SOIL	3'-0" Ø DRILLED PIER NOT IN SOIL	SID INSPECTION	CROSSHOLE SONIC LOGGING	CSI TUBES	UNCLASSIFIED STRUCTURE EXCAVATION	REINFORCED CONCRETE DECK SLAB	GROOVING BRIDGE FLOORS	CLASS A CONCRETE	BRIDGE APPROACH SLABS	REINFORCING STEEL	SPIRAL COLUMN REINFORCING STEEL	63" MODIFIED PRESTRESSED CONCRETE GIRDERS	HP 12 X 53 STEEL PILES	STEEL PILE POINTS	CONCRETE BARRIER RAIL	PLAIN RIP RAP CLASS II (2'-0" THICK)	FILTER FABRIC FOR DRAINAGE	ELASTOMERIC BEARINGS	EVAZOTE JOINT SEALS		
	LUMP SUM	LUMP SUM	LIN. FT.	LIN. FT.	EA.	EA.	LIN. FT.	CU. YDS.	SQ.FT.	SQ.FT.	CU.YDS.	LUMP SUM	LBS.	LBS.	NO.	LIN.FT.	NO.	LIN.FT.	EA.	LIN.FT.	TONS	SQ. YDS.	LUMP SUM	LUMP SUM
SUPERSTRUCTURE									5178	5310		LUMP SUM			6	641.50			219.19			LUMP SUM	LUMP SUM	
END BENT 1								62			43.8		6366			13	195	13		205	225			
END BENT 2			48.00	60.00	2	2	472	483			50.2		15525	2314						400	445			
TOTAL	LUMP SUM	LUMP SUM	48.00	60.00	2	2	472	545	5178	5310	94.0	LUMP SUM	21891	2314	6	641.50	13	195	13	219.19	605	670	LUMP SUM	LUMP SUM

DRAWN BY : CR LEWIS DATE : 11/03
CHECKED BY : MG CHEEK DATE : 01-04

07-JAN-2005 15:15
#squadry\b3300\clewis\MICROS2\B3300GD.dgn
clewis