


NOTE: UNDER GROUND POWER LINES WERE NOT FIELD LOCATED, THEREFORE, LOCATION IS APPROXIMATE.

NOTE: UNDER GROUND TELEPHONE LINES WERE NOT FIELD LOCATED, THEREFORE, LOCATION IS APPROXIMATE.

NOTE: UNDER GROUND TELEVISION LINES WERE NOT FIELD LOCATED, THEREFORE, LOCATION IS APPROXIMATE.

- NOTES:
- FOR SPECIAL DETAIL OF TRANSITION OF SHOULDER BERM GUTTER TO 2'-6\"/>
 - FOR STRUCTURE PLANS, SEE SHEETS S-1 THRU S-3.
 - FOR CULVERT PLANS, SEE SHEETS C-1 THRU C-4.
 - FOR DRAINAGE DETAILS SEE SHEET 2-B.
 - FOR ACCURATE APPROACH SLAB LOCATIONS SEE STRUCTURE PLAN SHEETS S-1 TO S-3.
 - ALL 26\"/>
 - UNLESS OTHERWISE NOTED.
 - NO SCUPPERS REQUIRED.



PLAN SUMMARY DATA

DRAINAGE AREA	= 35.8 MI ²
DESIGN FREQUENCY	= 50 YRS
DESIGN DISCHARGE	= 540 CFS
DESIGN HW ELEVATION	= 261.22 FT
100 YEAR DISCHARGE	= 550 CFS
100 YEAR HW ELEVATION	= 261.28 FT
OVERTOPPING FREQUENCY	= 500 YRS+
OVERTOPPING DISCHARGE	= 1450 CFS
OVERTOPPING ELEVATION	= 269.60 FT

PLAN SUMMARY DATA

DRAINAGE AREA	= 35.8 MI ²
DESIGN FREQUENCY	= 50 YRS
DESIGN DISCHARGE	= 6000 CFS
DESIGN HW ELEVATION	= 272.11 FT
100 YEAR DISCHARGE	= 7700 CFS
100 YEAR HW ELEVATION	= 272.58 FT
OVERTOPPING FREQUENCY	= 500 YRS+
OVERTOPPING DISCHARGE	= 13075+CFS
OVERTOPPING ELEVATION	= 274.00 FT

BM *1
CHISELED SQUARE ON FOUNDATION OF CONCRETE PLAQUE 39.50' LEFT OF BL STATION 26+08
ELEV. 272.88'

12/20/2004 10:05:05 AM
C:\Roadway\Proj\B3375\RDY_P\RDY4.DGN