



395

395

11+145  
7.5 LT  
SS-7  
SS-8  
ALLOVIUM: SILTY CLAYEY SAND AND GRAVEL  
EOP  
393.16

SAPROLITE: GREY SILTY SAND  
68

WEATHERED ROCK

11+20

ALLOVIUM: STIFF SANDY CLAY  
TO DENSE CLAYEY SAND

395

395

393.83  
EOP  
395.29

11+00

400

400

ALLOVIUM: STIFF SANDY CLAY  
TO DENSE CLAYEY SAND

395

395

10+80

WEATHERED ROCK  
SAPROLITE: SILTY SAND

WEATHERED ROCK

395

395

10+60

390

390

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.L.I.	% BY WEIGHT						
							C. SAND	F. SAND	SILT	CLAY	% PASSING SIEVES		
											10	40	200
SS-7	7.5 LT	11+145	0.94-1.9	A-1-M(0)	29	NP	44	32	14	10	49	34	17
SS-8	7.5 LT	11+145	2.46-2.76	A-2-4(0)	28	NP	36	51	9	4	98	86	19

20

15

10

5

CL

5

10