


PROJECT REFERENCE NO.	SHEET NO.
R-2322B	31
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	
CONST. REV. _____	
R/W REV. _____	

BM BL-3 PAINTED WHITE SPOT TOP WEST CORNER OF SOUTHERN, INNERMOST CONCRETE FOOTING FOR GUY WIRES OF TV TOWER
163.261m LT -BL- 98+76.574 EL. 94.251m

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL. I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
S-308	CL	93+00	0.00-0.91	A-4(0)	21	4	21.4	44.8	9.5	24.2	96	83	39		
S-309	CL	93+00	1.75-2.00	A-7-5(17)	63	15	1.6	26.9	25.2	46.5	100	99	78		
S-113	CL	94+40	0.00-1.70	A-7-5(14)	57	16	8.1	24.4	25.2	42.3	98	93	68		
S-114	CL	94+40	2.00-3.50	A-5(10)	51	10	11.1	23.6	46.0	22.2	98	93	72		
S-250	CL	95+60	0.70-1.00	A-6(3)	34	15	18.8	33.3	19.8	28.3	85	75	45		
S-112	CL	95+60	1.10-3.50	A-7-5(15)	52	22	7.5	31.5	26.8	34.3	99	94	74		




L- STA 93+95.000 L.B. =
L-LT STA 93+95.000 L.A. (10.5 OFFSET LEFT)
L-RT STA 93+95.000 L.A. (10.5 OFFSET RIGHT)
EL. 79.922

L-LT STA 93+95.000 L.A. (10.5 OFFSET LEFT) =
L- STA 93+95.000 L.B.
EL. 79.922

S-308
S-309

S-113
S-114

S-250
S-112



L-RT STA 93+95.000 L.A. (10.5 OFFSET RIGHT) =
L- STA 93+95.000 L.B.
EL. 79.922

S-251

S-249

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	PL. I.	% BY WEIGHT				% PASSING SIEVES			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
S-251	CL	95+00	1.50-2.00	A-7-5(15)	56	19	4.6	29.5	17.5	48.4	99	96	72		
S-249	CL	96+20	1.20-1.70	A-7-5(37)	79	28	1.4	8.3	25.7	64.6	100	99	93		

(A) COASTAL PLAIN: RED-BROWN, SOFT TO MEDIUM STIFF, MOIST, SILTY AND SANDY CLAY, MEDIUM TO HIGH PLASTICITY

\$\$\$\$\$SYTIME\$\$\$\$\$
\$\$\$\$\$DGN\$\$\$\$\$
\$\$\$\$\$NAME\$\$\$\$\$