



### SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	LL	P.I.	% BY WEIGHT				% PASSING (SIEVES)			% MOISTURE	% ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-323	CL	17+60	0.89-1.34	A-7-5(16)	61	22	15.9	25.8	24.0	34.3	100	91	67	-	-
SS-324	CL	17+60	2.56-2.89	A-5(4)	45	9	20.8	35.9	27.2	16.1	100	90	56	-	-
SS-325	CL	17+60	3.93-4.38	A-2-4(0)	35	NP	42.1	31.9	17.9	8.1	97	70	31	-	-
S-326	CL	16+87	0.50-1.00	A-7-6(8)	49	22	30.6	22.8	14.3	32.3	100	82	50	-	-
S-327	CL	16+87	3.70-4.00	A-6(2)	38	13	35.7	26.2	20.0	18.1	100	80	43	-	-
S-328	CL	16+10	0.30-1.07	A-6(3)	37	13	38.1	21.6	12.0	28.3	100	75	44	-	-
S-329	CL	16+10	3.60-4.11	A-4(0)	30	8	39.2	25.2	15.4	20.2	100	78	38	-	-
SS-450	CL	15+30	0.26-0.60	A-4(0)	20	NP	36.1	33.1	18.7	12.0	100	79	37	-	-
SS-451	CL	15+30	2.57-3.02	A-2-5(0)	42	NP	47.6	20.5	23.9	8.0	96	61	34	-	-
SS-452	CL	15+30	4.09-4.59	A-2-4(0)	20	NP	45.6	20.7	19.7	14.1	89	56	34	-	-
SS-453	CL	14+60	1.00-1.45	A-4(0)	35	NP	38.6	26.3	23.1	12.0	100	75	40	-	-
SS-454	CL	14+60	4.04-4.49	A-4(0)	38	NP	37.3	28.9	25.7	8.0	99	77	39	-	-
SS-455	CL	13+90	0.15-1.00	A-4(1)	26	10	40.2	23.9	15.9	20.1	100	76	40	-	-
SS-456	CL	13+90	1.80-2.50	A-7-6(9)	49	22	32.9	16.9	18.1	32.1	100	77	53	-	-
SS-457	CL	13+90	3.50-4.03	A-7-6(5)	41	20	38.6	18.7	20.7	22.1	98	71	44	-	-