



SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.L.	% BY WEIGHT				% PASSING SIEVES			MOISTURE	ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-70	70 LT	52+20	4.40-5.90	A-7-5(4)	46	13	26.4	28.3	19.1	26.2	98	82	49		
SS-71	70 LT	52+20	9.40-10.90	A-2-4(0)	40	9	35.7	33.5	12.6	18.2	93	73	33		
SS-72	70 LT	52+20	11.90-13.40	A-7-5(2)	45	12	27.9	34.3	19.7	18.2	97	81	43		
MS-73	70 LT	52+20	14.40-15.90											36.1	
SS-73	70 LT	52+20	14.40-15.90	A-7-5(3)	44	13	26.6	30.7	18.5	24.2	95	80	46		
SS-74	70 LT	52+20	16.90-18.40	A-6(5)	37	18	28.9	24.1	14.8	32.4	98	81	49		
SS-75	70 LT	52+20	21.90-23.40	A-7-6(12)	63	43	32.2	26.5	10.9	30.4	98	79	43		
SS-76	70 LT	52+20	24.40-25.90	A-6(2)	37	20	38.7	27.5	9.5	24.3	97	74	36		
SS-77	70 LT	52+20	26.90-28.40	A-2-5(0)	43	NP	22.7	48.8	18.4	10.1	95	84	34		
SS-78	70 LT	52+20	29.40-30.90	A-5(4)	56	10	14.2	47.6	28.1	10.1	100	94	50		

SOIL TEST RESULTS

SAMPLE NO.	OFFSET	STATION	DEPTH INTERVAL	AASHTO CLASS.	L.L.	P.L.	% BY WEIGHT				% PASSING SIEVES			MOISTURE	ORGANIC
							C. SAND	F. SAND	SILT	CLAY	10	40	200		
SS-61	110 LT	51+70	1.00-2.50	A-7-6(5)	44	18	27.0	27.6	17.1	28.3	92	77	46		
SS-62	110 LT	51+70	4.30-5.80	A-7-5(5)	46	13	24.6	26.4	16.6	32.3	94	80	50		
SS-63	110 LT	51+70	8.80-9.30	A-7-5(7)	52	22	24.4	28.9	16.4	30.3	94	81	48		
SS-64	110 LT	51+70	9.30-10.80	A-7-5(3)	45	13	25.6	36.1	16.0	22.2	96	83	43		
SS-65	110 LT	51+70	14.30-16.80	A-6(3)	33	15	28.9	27.9	11.0	32.3	97	81	45		
SS-66	110 LT	51+70	16.80-18.30	A-7-6(6)	43	20	29.3	24.0	12.4	34.3	99	81	49		
SS-67	110 LT	51+70	19.30-20.80	A-7-6(7)	44	18	25.4	24.6	13.6	36.3	99	84	53		
SS-68	110 LT	51+70	21.80-24.20	A-7-6(15)	61	32	21.2	23.2	15.2	40.4	98	87	58		
SS-69	110 LT	51+70	29.30-30.80	A-7-6(1)	46	13	28.3	37.5	18.1	16.1	94	80	37		