



STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

MICHAEL F. EASLEY  
GOVERNOR

LYNDO TIPPETT  
SECRETARY

July 9, 2008

**Addendum No. 3**

RE: Contract ID: C202107

WBS# 34445.4.1, 34445.4.2 (Combined Proposal No. 3)

**Madison, Yancey Counties (R-2518A, R-2518B)**

US-19 From I-26 in Madison County to  
SR-1336 (Jack's Creek Road)

**July 15, 2008 Letting**

To Whom It May Concern:

Reference is made to the proposal form recently furnished to you on this project.

The following revisions have been made to the Proposal:

New Page No. 112-A has been added to include the project special provision entitled “\_\_ MM Pipe Liner” and “Grout for Pipe Liner”. Please staple new Page No. 112-A after existing Page No. 112 in your proposal.

On Page No. 19 and 20 of the new item sheets, by copy of this addendum, the following five new pay items are hereby added:

- 387-0986000000-M-SP-600 MM Pipe Liner (Quantity = 67M)
- 388-0986000000-M-SP-750 MM Pipe Liner (Quantity = 47M)
- 389-0986000000-M-SP-900 MM Pipe Liner (Quantity = 76M)
- 390-0986000000-M-SP-1050 MM Pipe Liner (Quantity = 90M)
- 391-2495000000-M-SP- Grout (Quantity = 64M3)

The Contractor's bid price must include these new pay items.

**MAILING ADDRESS:**  
NC DEPARTMENT OF TRANSPORTATION  
CONTRACTS & PROPOSALS  
1591 MAIL SERVICE CENTER  
RALEIGH NC 27699-1591

TELEPHONE: 919-250-4124  
FAX: 919-250-4127

WEBSITE: [WWW.NCDOT.ORG](http://WWW.NCDOT.ORG)

**LOCATION:**  
CENTURY CENTER COMPLEX  
BUILDING B - ENTRANCE B15  
1020 BIRCH RIDGE DRIVE  
RALEIGH NC 27610

Page 2


RE: Contract ID: C202107

**Madison-Yancey Counties (R-2518A,R-2518B)**

On Page No. 21 of the item sheets, by copy of this addendum, the quantity for line item "339-8801000000-M-SP- MSE Retaining Wall" is hereby increased from 2,783 M2 to 4,152 M2. The Contractor's bid must be based on the revised pay item quantity. The contract will be prepared accordingly.

The Expedite file has been updated to reflect these revisions. Please download the Expedite addendum file and follow the instructions for applying the addendum. Bid Express will not accept your bid unless the addendum has been applied.

Sincerely,



R. A. Garris, PE  
Contract Officer

RAG/jag

Cc: Mr. W. S. Varnedoe, PE  
Mr. E. C. Powell, PE  
Mr. J. J. Swain, Jr., PE  
Ms. D.M. Barbour, PE  
Mr. Art McMillan, PE  
Mr. J. V. Barbour, PE  
Mr. Stuart Bourne, PE  
Mr. Njorge Wainaina, PE  
Mr. Mark Staley (2)  
Mr. Robert Memory  
Mr. R. E. Davenport, Jr., PE

Ms. Marsha Sample  
Mr. Ronnie Higgins  
Mr. Larry Strickland  
Ms. Lori Strickland  
Ms. Norma Smith  
Project File (2)

**MM PIPE LINER:**

(6-15-04)

SPI

**Description**

Furnish, haul and install all pipe, fittings, couplings and other material; construct joint connections; and clean out the existing pipe for \_\_\_ MM Pipe Liner inside the existing \_\_\_ MM CS Pipe as shown in the plans.

**Materials**

<b>Item</b>	<b>Section</b>
Corrugated Steel Culvert Pipe	1032-3(A)

Alternate methods of pipe lining may be approved. Alternate methods shall provide increased structural capacity as well as increased protection from infiltration/exfiltration.

**Construction Methods**

Install the pipe liner in accordance with the applicable requirements of Section 310 of the *Standard Specifications*. Pipe liner size shall be verified in the field. Provide the largest diameter pipe liner that will fit inside the existing pipe.

**Measurement and Payment**

\_\_\_ *MM Pipe Liner* will be measured and paid as the actual number of linear meters of pipe, that has been installed and accepted. Measurement will be made by counting the number of joints used and multiplying the length of the joint. Where partial joints are used, measurement will be made along the longest length of the partial joint to the nearest 0.1 of a meter.

Payment will be made under:

<b>Pay Item</b>	<b>Pay Unit</b>
___ MM Pipe Liner	Linear Meter

**GROUT FOR PIPE LINER:**

(6-15-04)

SPI

**Description**

Furnish and install grout between the \_\_\_ MM Pipe Liner and the existing CS Pipe as shown in the plans.

**Materials**

Use a grout which has a minimum compressive strength of 3,000 psi at three days and which meets the applicable requirements of Subarticle 1054-6 of the *Standard Specifications*.

**Construction Methods**

Place the grout by pumping, pouring or other approved method.

**Measurement and Payment**

*Grout* will be measured and paid for as the number of cubic meters that has been acceptably placed in the pipe liner.

Payment will be made under:

<b>Pay Item</b>	<b>Pay Unit</b>
Grout	Cubic Meters