

PROJECT SPECIAL PROVISIONS

## Utility Construction

All proposed utility construction shall meet the applicable requirements of the NC Department of Transportation's Standard Specifications for Roads and Structures dated January 2012.

Revise the *2012 Standard Specifications* as follows:

**Utility Owners' contact Information:**

**Page 15-1, Subarticle 1500-2 Cooperation with the Utility Owner**, paragraph 2, add the following sentences:

All water lines on this project belong to Town of Nashville Utilities.

The Contractor shall provide access for the owner's representatives during construction. A preconstruction meeting shall be held with Town of Nashville Utilities, the Utility Contractor and the D.O.T prior to any work beginning. The Contractor shall notify the owner two weeks before commencement of any work and three weeks before service interruption.

The contact person for Town of Nashville Utilities is Mr. Jamey Baines, he can be contacted at 252-459-4511.

The contractor shall provide a set of as-built plans to Town of Nashville Utilities after all the work shown on the Utility Construction Plans is completed.

**Page 15-9, Subarticle 1515-2 Materials**, add the following sentence:

In addition to the water line materials specified under Section 1036, the water line can be High Density Polyethylene (HDPE) pipe conforming to AWWA C906 with an SDR of 9 and pressure rating of 200 # WP and the inside diameter shall be greater than or equal to the inside diameter of 6" DI pipe.

Project: B-4588  
County: Nash

October 4, 2011

PROJECT SPECIAL PROVISIONS  
Utilities by Others

General:

The following utility companies have facilities that will be in conflict with the construction of this project:

- A. CenturyLink
- B. UC Synergetic (Progress Energy)
- C. SuddenLink

The conflicting facilities of these concerns will be adjusted prior to the date of availability, unless otherwise noted and are therefore listed in these special provisions for the benefit of the Contractor. All utility work listed herein will be done by the utility owners. All utilities are shown on the plans from the best available information.

The Contractor's attention is directed to Article 105.8 of the Standard Specifications.

Utilities Requiring Adjustment:

A. CenturyLink

- 1. See "Utilities by Others Plans" for utility conflicts.  
The contact person is Ghislaine Keator at (252) 246-1502

B. UC Synergetic (Progress Energy) (Power)

- 1. See "Utilities by Others Plans" for utility conflicts.  
The contact person is Bob Campbell at (919) 787-7000 Ext. 236

C. SuddenLink

- 1. See "Utilities by Others Plans" for utility conflicts.  
The contact person is Jonathan Carter at (252) 757-2256