



PREPARED IN OFFICE OF



January 28, 2013

Project: C-4901B
 County: Davidson

PROJECT SPECIAL PROVISIONS
Utility Construction

Revise the 2012 Standard Specifications as follows:

Utility Owner's Contact Information:

Page 15-1; Sub-article 1500-2 Cooperation with the Utility Owner, paragraph 2, add the following sentences:

The utility owner is the Davidson Water, Inc.. The contact person is Robert Walters and he can be reached by phone at (336) 475-8229

Page 15-6; Subarticle 1510-3 (B) Testing and Sterilization, replace paragraph 3, Lines 20 and 21 with the following: "All water mains shall be pressure tested with a test pressure at her high point of the main twice the working pressure or 200 psi, whichever is greater. Test pressure shall be maintained for a minimum of 3 hours. Make up water shall not exceed 1.65 gallons per 1000 feet of 6" main."

Page 15-6; Subarticle 1510-3 (B) Line 32 Testing and Sterilization; seventh paragraph delete the words "may be performed concurrently or" and replace with "shall be performed".

PROJECT SPECIAL PROVISIONS

Utility

UTILITIES BY OTHERS:

The following utility companies have facilities that will be in conflict with the construction of this project.

- A) Duke Energy - Power (Distribution)
- B) North State Communications - Telephone
- C) City of Lexington Gas Department – Natural Gas

The conflicting facilities of these concerns will be adjusted prior to the date of availability, unless otherwise noted and are therefore listed in these special provisions for the benefit of the Contractor. All utility work listed herein will be done by the utility owner. All utilities are shown on the plans from the best available information.

The Contractor's attention is directed to Article 105-8 of the Standard Specifications.

Utilities Requiring Adjustment:

A) Duke Energy - Power (Distribution)

- 1) Duke Energy will relocate its poles and lines within the project limits to the locations shown on the Utilities by Others Plans completing relocation by project availability date.
- 2) Contact person for Duke Energy is Mr. Larry Robinson at 336-632-3738 or 336-209-6631 (cell).

B) North State Communications - Telephone

- 1) North State will abandon in place all existing facilities within the project construction limits for the duration of the construction project.
- 2) Contact person for North State Communications is Mr. Brad Wright 336-886-3968 or 336-848-2375 (cell).

C) City of Lexington Gas Department

- 1) City of Lexington Gas Department will leave all existing gas facilities in place during the construction of this project. Any minor adjustments will be coordinated during construction through the Resident Engineer's office.
- 2) Contact person for The City of Lexington Gas Department is Mr. Andy Thomas at 336-248-3945 or 336-240-1972 (cell).