



March 5, 2013

North Carolina Department of Transportation
Geotechnical Engineering Unit
GeoEnvironmental Section
1589 Mail Service Center
Raleigh, North Carolina 27699-1589

Attention: Mr. Terry Fox, L.G. email: twfox@ncdot.gov

Reference: **Preliminary Site Assessment Report**
NCDOT Project U-2525B. WBS Element 34821.1.1
Greensboro Eastern Loop from North of US 70 Relocation to US 29 North
of Greensboro
Parcel No. 116, Red Bird Assoc (Cardinal Lawn & Garden)
4715 Grifton Road (US 29 N.)
Greensboro, Guilford County, North Carolina
S&ME Project No. 1054-13-008

Dear Mr. Fox,

S&ME, Inc. (S&ME) is submitting this Preliminary Site Assessment (PSA) Report to the North Carolina Department of Transportation (NCDOT). This report presents the background information, field activities, findings, conclusions, and recommendations. These services were performed in general accordance with S&ME Proposal No. P218-12V, Revision 1, dated January 10, 2013, and Contract Number 7000012210 dated June 2, 2011, between NCDOT and S&ME, and authorized by NCDOT in its January 11, 2013 Notice to Proceed Letter.

1.0 INTRODUCTION

1.1 Background Information

Based on the NCDOT's December 17, 2012, *Request for Technical and Cost Proposal*, and additional information from the NCDOT's file transfer site, the PSA was conducted within the NCDOT right-of-way (ROW) and/or up to the permanent utility easement at the following property:

Parcel #116 Red Bird Assoc. (Cardinal Lawn and Garden)
4715 Grifton Road, Greensboro, Guilford County, North Carolina

Additional information provided from the NCDOT's file transfer site included:

- CADD and PDF files which were used as a base map for preparation of this PSA.

The PSA included a preliminary geophysical site assessment, and subsequent limited soil

sampling (18 borings up to 15 feet below ground surface (ft. bgs.)), within the designated ROW/Easement assessment area. **Figure 1** shows the vicinity and site location, and **Figure 2** shows the site and boring locations. Soil sampling results are shown on **Figure 3**.

Project Information

A site specific Health and Safety Plan was prepared prior to field activities. Underground utilities were located and marked by the North Carolina One-Call Service. A private utility locator, Superior Locate of Greensboro, North Carolina, was also used to mark on site buried utilities and the potential locations of underground storage tanks (USTs) and associated utilities.

S&ME was requested to investigate the existing NCDOT right-of-way (ROW) and/or up to the permanent utility easement in preparation for construction.

2.0 GEOPHYSICAL SITE ASSESSMENT

2.1 Methods and Field Testing

On January 17, 2013, S&ME personnel performed time domain electromagnetic (TDEM) and ground penetrating radar (GPR) surveys within the proposed right-of-way and/or easement of the accessible areas of Parcel #116. These technologies were used in conjunction with each other in order to detect the presence of potential USTs at the site. A brief description of each technology is presented in Section 2.2 and 2.3.

2.2 Time Domain Electromagnetic Methodology

TDEM methods measure the electrical conductivity of shallow subsurface materials. The conductivity is determined by transmitting a time-varying magnetic pulse into the ground and measuring the amplitude and phase shift of the secondary magnetic field. The secondary magnetic field is created when the conductive materials become an inductor as the primary magnetic field is passed through them.

The TDEM surveys were performed with a Geonics EM-61 MKII system, which has a 1.0-meter by 0.5-meter coil system. The EM-61 TDEM system allows discrimination between moderately conductive subsurface materials and very conductive metallic targets as the secondary electromagnetic response from metallic targets are of longer duration than those created by moderately conductive subsurface materials. Accordingly, only the later EM arrivals are recorded so that only the very conductive metallic features are targeted. The surveys were designed to locate metallic tanks within depths of about 5 feet; the assumed maximum depth at which we anticipated the top of a UST to be present. These data were acquired with GPS support and the results were used in Surfer Version 10.0 to geostatistically grid and plot the data. **Figure 4** shows the TDEM location plan.

TDEM data were collected along a grid spaced at approximate 5-foot intervals. **Figures 5 and 6** provide the TDEM dataset collected at the subject Parcel.

2.3 Ground Penetrating Radar

GPR is an electromagnetic method that detects interfaces between subsurface materials with differing dielectric constants. The transmitter radiates electromagnetic waves into the earth from an antenna moving across the ground surface. Electromagnetic waves are reflected back to the receiver by interfaces between materials with differing dielectric constants. The intensity of the reflected signal is a function of the contrast in the dielectric constant at the interface, the conductivity of the material that the wave is traveling through, and the frequency of the signal.

The GPR surveys were performed with a GSSI SIRS-3000 unit equipped with a 400 MHz shielded antenna. The depth of GPR wave penetration at a site is a function of the conductivity of the subsurface materials and signal frequency. The average maximum depth of penetration for the GPR survey was approximately six feet below ground surface. **Figure 7** shows the GPR test locations. **Figure 8** presents the GPR profiles of the anomalies.

3.0 SOIL ASSESSMENT

3.1 Soil Sampling

On January 29, 2013, S&ME advanced 18 soil borings on the subject property within the specified NCDOT ROW/Easement. The soil boring locations were placed along the proposed ROW (**Figures 2 and 3**). S&ME utilized a track mounted Geoprobe® rig to perform the borings and to collect soil samples. S&ME's drill crew advanced the Geoprobe® borings to depths ranging from approximately nine to 15 ft.-bgs. S&ME's photographs taken February 11, 2013 are presented in the photographic log in **Appendix I**. Soil samples were continuously collected in five foot long disposable acetate-plastic sleeves that line the hollow stainless-steel sample probes. Soil recovered from the sleeves was classified on-site by S&ME personnel and screened with a Photoionization Detector (PID) at approximately two foot intervals to measure relative headspace concentrations of volatile organic compounds (VOCs).

VOC headspace readings were obtained from an aliquot of each soil sample that was placed in a re-sealable bag. Another portion of the sample was placed in a separate re-sealable bag and stored in an insulated container with ice for possible laboratory analyses. After waiting approximately 15 minutes to allow the sample to reach ambient temperature and headspace equilibrium, the PID probe was inserted into the bag to obtain a headspace reading. A summary of the PID readings and logs of the soil borings are included in **Appendix II**.

Based upon the field screening results and visual observations, a total of 21 soil aliquots were provided to QROS, LLC (QROS) for on-site analysis of gasoline range organics (TPH-GRO) and diesel range organics (TPH-DRO) by ultra-violet fluorescence spectroscopy. Samples exhibiting elevated results based upon the data provided by QROS

were then placed directly into laboratory supplies containers and shipped to Pace Analytical Services (Pace) a North Carolina certified laboratory, under standard chain-of-custody procedure. Soil samples were analyzed for TPH-GRO by EPA Method 8015B/5030B and TPH-DRO by EPA Method 8015B/3546.

In addition, 14 soil samples were submitted to Pace to be analyzed for pesticides by EPA Method 8081, and for herbicides by EPA Method 8151.

Borings were backfilled with bentonite pellets and soil. Used gloves were bagged and disposed off-site.

3.2 Soil Sample Analytical Results

The approximate soil boring locations are shown in **Figures 2 and 3**. The soil sampling laboratory results are summarized in **Table 1** and shown on **Figure 3**, and a copy of the laboratory analytical report is included as an **Appendix III**.

Concentrations of TPH-GRO and TPH-DRO were detected in four of the 21 soil samples provided to QROS. In the samples with detectable concentrations, concentrations of TPH-GRO ranged from 8.8 milligrams per kilogram (mg/Kg) to 30 mg/kg and concentrations of TPH-DRO ranged from 2.2 mg/kg to 28.3 mg/Kg. Based upon the QROS results, four soil samples were submitted to Pace for further analysis of TPH-GRO and TPH-DRO.

The laboratory analytical results reported by Pace indicated that TPH-GRO was detected in soil samples 116-16-10 (63.8 mg/Kg) and 116-16-12 (120 mg/Kg) at concentrations exceeding the North Carolina Action Level of 10 mg/Kg. TPH –DRO was detected in soil samples 116-16-10 (148 mg/Kg) and 116-16-12 (17.0 mg/Kg) at concentrations exceeding the North Carolina Action Level of 10 mg/Kg. No other samples submitted exhibited concentrations of TPH-GRO or TPH-DRO above the laboratory method reporting limits.

No concentrations of pesticides or herbicides were detected at concentrations above the laboratory method reporting limits in any of the samples submitted.

4.0 CONCLUSIONS AND RECOMMENDATIONS

4.1 Geophysical Assessment

No TDEM anomalies were identified in the TDEM dataset (**Figures 4 and 5**). A total of three GPR profiles were however collected at the site to verify several identified underground utilities (**Figure 7**). Example GPR profiles are located in **Figure 8**.

4.2 Soil Assessment

On January 29, 2013, S&ME advanced 18 soil borings (116-1 through 116-18) to depths ranging from approximately nine to 15 ft.-bgs, on the subject property at the designated locations illustrated on **Figures 2 and 3**. The laboratory analytical results of soil samples

indicated that TPH-GRO and TPH-DRO were detected in concentrations exceeding the North Carolina Action Level of 10 mg/Kg in the soil samples 116-16-10 and 116-16-12. Concentrations of TPH-DRO and TPH-GRO were below the laboratory's detection limits in the all of the other soil samples collected. In addition, no pesticides or herbicides were detected above the laboratory's detection limits in any of the soil samples submitted.

4.3 Recommendations

It is possible that during construction, NCDOT may encounter soil impacted with petroleum in the vicinity of sample location 116-16, located on the southwestern portion of the site. Assuming that a section of impacted soil approximately 10 feet in diameter at depths between 10 to 14 feet below ground surface may be impacted; up to approximately 11 cubic yards of soil near location 116-16 may be impacted. S&ME recommends maintaining an awareness level for the possible presence of petroleum in the soil in the project area.

5.0 LIMITATIONS

The estimated volumes of petroleum impacted soil stated in Section 4.3 above are based on the limited data points and soil samples collected by S&ME for this preliminary investigation. The actual amount of petroleum impacted soil encountered during roadway expansion activities may vary depending on the actual grading plan for the project within the affected ROW/Easement.

The results of this preliminary investigation are limited to the boring locations presented herein. The results of this Preliminary Site Assessment are not all inclusive and may not represent existing conditions across the entire property. These results only reflect the current conditions at the locations sampled on the date this Preliminary Site Assessment was performed. This report has been prepared in accordance with generally accepted environmental engineering and geophysical practice for specific application to this project. The conclusions and recommendations contained in this report are based upon applicable standards of our practice in this geographic area at the time this report was prepared. No other warranty, expressed or implied, is made.

The conclusions for the geophysical assessment submitted herein are based upon the data obtained from the non-invasive testing. As such, even within the surveyed area, the survey cannot be considered 100 percent accurate due to inherent method limitations, survey limitations, site features, and/or unforeseen site-specific conditions. Accordingly, the possibility exists that not all subsurface, man-made features have been located.

TDEM and GPR are commonly used to locate USTs, however certain limitations exist. Nearby, metallic objects such as vehicles, metal buildings/storage units, heating/air conditioning units, utilities, etc. will interfere with the TDEM survey. Properties of the subsurface materials (e.g., clay content, moisture, etc.) can have a significant impact on the effective depth of penetration of the GPR survey. Accordingly, non-metallic tanks, tanks at depths below about 5 feet, and tanks outside of the survey area may not have

been detected using the geophysical techniques. In addition, due to interference, there may be areas within the proposed survey area where an interpretation of subsurface features was not feasible.

Regardless of the thoroughness of a geophysical study, there is always a possibility that actual conditions may not match the interpretations. The results should be considered accurate only to the degree implied by the methods used and the method's limitations and data coverage. Accordingly, the possibility exists that not all geologic features at a project site will be located due to either subsurface soil conditions or the occurrence of features outside the lateral limits and below the depth of penetration of the methods used. The location and/or determination (or the lack thereof) of potential USTs is based on our review of provided information and of the geophysical survey. Under no circumstances does S&ME assume any responsibility for damages resulting from the presence of subsurface features that may exist but were not identified by our survey.


This Preliminary Site Assessment was performed solely for NCDOT regarding the above-referenced site and assessment area. This report is provided for the sole use of NCDOT. Use of this report by any other parties will be at such party's sole risk. S&ME disclaims liability for any such use or reliance by third parties. The observations presented in this report are indicative of conditions during the time of the assessment and of the specific areas referenced.

CLOSING


S&ME welcomes the opportunity to assist you with your environmental needs. Should you have any questions regarding this report, please call Tom Raymond at (919) 954-6229.

Sincerely,

S&ME, Inc.



Michael W. Pfeifer
Project Manager



Kevin D. Hon
Project Geophysicist



Thomas P. Raymond, P.E.
Senior Consultant

Attachments: Table 1 – Soil Laboratory Analytical Results
Figure 1 – Vicinity Map
Figure 2 – Site Map with Boring Locations
Figure 3 – Soil Sample Results Map
Figure 4 – TDEM Test Location Plan
Figure 5 – TDEM Data Plot
Figure 6 – TDEM Data Plot with CADD Overlay
Figure 7 – GPR Test Location Plan
Figure 8 – GPR Profile Lines 084 and 085
Appendix I – Photographic Log
Appendix II – Boring Logs
Appendix III – Laboratory Analytical Report and Chain of Custody

TABLES

TABLE 1
Summary of Soil Analytical Results
NCDOT Project U2525-B
Parcel 116 - Cardinal Lawn and Garden Center
4715 Grafton Road
Greensboro, Guilford County, North Carolina
S&ME Project No. 1054-13-008

Sample ID	Sample Depth (Ft.-bgs)	Contaminant of Concern	Total Petroleum Hydrocarbons (TPH) Gasoline Range Organics (GRO) and Diesel Range Organics (DRO)				Pesticides by EPA Method 8081	Herbicides by EPA Method 8151
			GRO by Ultraviolet Fluorescence (UVF) Spectrometry Field Screening	DRO by Ultraviolet Fluorescence (UVF) Spectrometry Field Screening	GRO by EPA Method 8015/3550	DRO by EPA Method 8015/5030	Constituent-Specific	Constituent-Specific
		Date						
116-1-6	6.0	1/29/2013	<1.3	<1.3	Samples not Submitted for Additional Analysis		Below Laboratory Detection Limits	Below Laboratory Detection Limits
116-2-2	2.0	1/29/2013	<1.3	<1.3				
116-3-2	2.0	1/29/2013	<1.3	<1.3				
116-4-2	2.0	1/29/2013	<1.3	<1.3				
116-5-2	2.0	1/29/2013	<1.2	<1.2				
116-6-2	2.0	1/29/2013	<1.3	<1.3				
116-7-2	2.0	1/29/2013	<1.3	<1.3				
116-8-9	9.0	1/29/2013	<1.3	<1.3				
116-9-10	10.0	1/29/2013	<1.3	<1.3				
116-10-8	8.0	1/29/2013	<1.3	2.2				
116-11-4	4.0	1/29/2013	<1.3	<1.3				
116-12-4	4.0	1/29/2013	<1.3	<1.3				
116-13-4	4.0	1/29/2013	<1.3	<1.3				
116-14-10	10.0	1/29/2013	<1.3	<1.3	<5.4	<5.5		
116-15	NA	1/29/2013	<i>Sample Not Submitted</i>				Samples not Submitted for Additional Analysis	Samples not Submitted for Additional Analysis
116-16-8	8.0	1/29/2013	<1.3	<1.3	NA	NA		
116-16-10	10.0	1/29/2013	25.4	21.5	63.8	148		
116-16-10 DUP	10.0	1/29/2013	30	28.3	NA	NA		
116-16-12	12.0	1/29/2013	8.8	13.7	120	17.0		
116-16-14	14.0	1/29/2013	<1.3	<1.3	Samples not Submitted for Additional Analysis			
116-17-10	10.0	1/29/2013	<1.3	<1.3				
116-18-4	4.0	1/29/2013	<1.3	<1.3				
116-18-14	14.0	1/29/2013	<1.3	<1.3	<5.2	<6.2		
North Carolina UST Action Levels			10	10	10	10	Constituent-Specific	Constituent-Specific


Notes:

Ultraviolet Fluorescence Spectrometry (UVF) analysis performed with QED HC-1 Analyzer

1. Concentrations are reported in milligrams per kilogram (mg/Kg).
2. Ft.-bgs - feet below ground surface.
3. Sample concentrations that exceed the North Carolina Action Levels are shown in Shaded and **BOLD** fields.
4. UST: Underground Storage Tank
5. NA: Not analyzed/applicable

6. See Figures 2 and 3 for sample locations.

FIGURES



GRAPHIC SCALE



(IN FEET)

TOPO SOURCE: NCGS DRG
 LAKE BRANDT, DATED 1951, REV 1994
 BROWNS SUMMIT, DATED 1951, REV 1994
 CONTOUR INTERVAL 10 FEET

SCALE: 1" = 2000'

DATE: FEB. 2013

DRAWN BY: BTR

PROJECT NO:
1054-13-008



S&ME

WWW.SMEINC.COM

NC ENGINEER LICENSE #F-0176
3201 SPRING FOREST RD, RALEIGH, NC 27616


VICINITY MAP

PARCEL 116 - CARDINAL LAWN & GARDEN
 4715 GRAFTON RD
 GREENSBORO, NORTH CAROLINA

A-3562

FIGURE NO.

1



LEGEND

Geoenvironmental Boring
 Known Soil Contamination:
 Area or Site



0 100 200



FEET

A-3563

SCALE: 1" = 100'

DATE: FEB. 2013

DRAWN BY: BTR

PROJECT NO:
1054-13-008




NC ENGINEER LICENSE #F-0176
 3201 SPRING FOREST RD, RALEIGH, NC 27616

SITE MAP

PARCEL 116 - CARDINAL LAWN & GARDEN
 4715 GRAFTON RD
 GREENSBORO, NORTH CAROLINA

SHEET NO.

2



LEGEND

- APPROXIMATE SAMPLE LOCATION
- SOIL SAMPLES COLLECTED JANUARY 29, 2013
- mg/Kg - MILLIGRAMS PER KILOGRAM
- GRO - TOTAL PETROLEUM HYDROCARBONS GASOLINE RANGE ORGANICS
- DRO - TOTAL PETROLEUM HYDROCARBONS DIESEL RANGE ORGANICS
- UVF - ULTRAVIOLET FLUORESCENCE FIELD SCREENING
- EPA - METHODS 8015/3550 & 8015/5030
- * INDICATES EXCEEDENCE OF STATE ACTION LEVEL OF 10 mg/Kg
- NO SAMPLES WERE COLLECTED FROM BORING NUMBERS 116-15 AND 116-17




IMAGE SOURCE: NC ONEMAP, DATED 2010

SCALE:	1" = 60'
DATE:	FEB. 2013
DRAWN BY:	BTR
PROJECT NO:	1054-13-008

SOIL CONSTITUENT MAP
 PARCEL 116 - CARDINAL LAWN & GARDEN
 4715 GRAFTON RD
 GREENSBORO, NORTH CAROLINA

A-3564

FIGURE NO.
3



REFERENCE:

- Google Earth Aerial Photograph
- Dated February 2, 2012

LEGEND

— TDEM Path

SCALE: NTS

DRAWN BY: KDH

CHECKED BY: DDB

DATE: 1-23-13



TDEM TEST LOCATION PLAN



NCDOT No. U-2525B – Parcel 116 Cardinal Lawn and Garden

4715 Grafton Road Greensboro, Guilford County, North Carolina

PROJECT NO.: 1054-13-008

FIGURE NO.

4



REFERENCE:
 • Google Earth Aerial Photograph
 • Dated February 2, 2012



SCALE: NTS
 DRAWN BY: KDH
 CHECKED BY: DDB
 DATE: 1-23-13

TDEM DATA PLOT
NCDOT No. U-2525B – Parcel 116 Cardinal Lawn and Garden
 4715 Grafton Road Greensboro, Guilford County, North Carolina
 PROJECT NO.: 1054-13-008

FIGURE NO.
5





FIGURE NO.

6

TDEM DATA PLOT WITH CADD OVERLAY
NCDOT No. U-2525B – Parcel 116 Cardinal Lawn and Garden
 4715 Grafton Road Greensboro, Guilford County, North Carolina

PROJECT NO.: 1054-13-008



SCALE:	NTS
DRAWN BY:	KDH
CHECKED BY:	DDB
DATE:	1-23-13



REFERENCE:

- Google Earth Aerial Photograph
- Dated February 2, 2012

LEGEND

— GPR Line

SCALE: NTS

DRAWN BY: KDH

CHECKED BY: DDB

DATE: 1-23-13



GPR TEST LOCATION PLAN

NCDOT No. U-2525B – Parcel 116 Cardinal Lawn and Garden


4715 Grafton Road Greensboro, Guilford County, North Carolina

PROJECT NO.: 1054-13-008


FIGURE NO.

7

Line 084



Line 085



SCALE: AS SHOWN
DRAWN BY: KDH
CHECKED BY: DDB
DATE: 1-23-13



GPR PROFILE EXAMPLES – LINES 084 AND 085
NCDOT No. U-2525B – Parcel 116 Cardinal Lawn and Garden
4715 Grafton Road Greensboro, Guilford County, North Carolina

PROJECT NO.: 1054-13-008

FIGURE NO.
8

APPENDIX I

Photographic Log



1 View of front of Cardinal Lawn & Garden looking to the northeast.



2 View of entrance area of Cardinal Lawn & Garden looking to the west.



3 View of southeast corner of Cardinal Lawn & Garden facing southwest.



4 View of southwestern portion of Cardinal Lawn & Garden from the entrance.



NCDOT Project U2525B
Parcel 116 Cardinal Lawn & Garden
4715 Grafton Road, Greensboro, Guilford County, North Carolina

S&ME Project No. 1054-13-008
 Taken by: ALB
 Date Taken: 2/11/2013

APPENDIX II

Boring Logs

BORING LOG



Project Name: NCDOT Project U2525-B

Parcel 116

S&ME Project No. 1054-13-008

Boring Number: 116-1
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.4	Gravel and base course			
0.4	2.0	ML: Silt with clay seams, tan brown, dry, possible fill	<1		
2.0	3.0				
3.0	4.0	ML: Fine slightly sandy Silt, tan brown, dry	<1		
4.0	5.0				
5.0	6.0		<1	116-1-6	6.0
6.0	7.0		<1		
7.0	8.0		<1		
8.0	9.0		<1		
9.0	10.0				
		<i>Boring terminated at 10.0 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

Boring Number: 116-2
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.4	Gravel and base course			
0.4	2.0	ML: Silt with clay seams, tan brown, dry, possible fill	<1	116-2-2	2.0
2.0	3.0				
3.0	4.0	ML: Fine slightly sandy Silt, tan brown, dry	<1		
4.0	5.0				
5.0	6.0		<1		
6.0	7.0		<1		
7.0	8.0		<1		
8.0	9.0		<1		
9.0	10.0				
		<i>Boring terminated at 10 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

BORING LOG



Project Name: NCDOT Project U2525-B
 Parcel 116
S&ME Project No. 1054-13-008

Boring Number: 116-3
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.4	Gravel and base course			
0.4	2.0	ML: Silt with clay seams, tan brown, dry, possible fill	1.1	116-3-2	2.0
2.0	3.0	ML: Silt, tan brown, dry			
3.0	4.0		1.0		
4.0	5.0	ML: Fine slightly sandy Silt, tan brown, dry			
5.0	6.0		1.1		
6.0	7.0				
7.0	8.0		<1		
8.0	9.0				
9.0	10.0		<1		
		<i>Boring terminated at 10 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

Boring Number: 116-4
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 7 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.4	Gravel and base course			
0.4	2.0	ML: Clayey Silt, gray orange, dry, with quartz seam	1.2	116-4-2	2.0
2.0	3.5	ML: Silt with clay seams, orange brown, dry			
3.5	5.0	SM: Silty fine Sand, tan brown, dry	<1		
5.0	6.0	SM: Silty fine to course Sand, tan brown, dry, probe refusal at 7 feet			
6.0	7.0		<1		
		<i>Boring terminated at 7 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

BORING LOG



Project Name: NCDOT Project U2525-B
 Parcel 116
S&ME Project No. 1054-13-008

Boring Number: 116-5
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.4	Gravel and base course			
0.4	2.0	ML: Clayey Silt, red and orange brown, dry	<1	116-5-2	2.0
2.0	3.0				
3.0	4.0		<1		
4.0	5.0				
5.0	6.0		<1		
6.0	7.0				
7.0	8.0		<1		
8.0	9.0	ML: Fine slightly sandy Clay; dry			
9.0	10.0		<1		
		<i>Boring terminated at 10 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

Boring Number: 116-6
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.4	Sand, fill			
0.4	2.0	ML: Clayey Silt, tan and orange brown, dry	2	116-6-2	2.0
2.0	2.5				
2.5	4.5		1.9		
4.5	5.0	ML: Fine sandy Silt, orange tan, dry			
5.0	6.0		<1		
6.0	7.0				
7.0	8.0	SM: Silty fine to medium Sand, tan, dry	1.5		
8.0	9.0				
9.0	10.0		1.3		
		<i>Boring terminated at 10 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

BORING LOG



Project Name: NCDOT Project U2525-B
 Parcel 116
S&ME Project No. 1054-13-008

Boring Number: 116-7
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.4	Gravel and base course			
0.4	2.0	ML: Clayey Silt, orange brown, damp	1.5	116-7-2	2.0
2.0	3.0				
3.0	4.0		1.0		
4.0	5.5	ML: Slightly clayey Silt, orange brown, damp			
5.5	6.0	ML: Silt, orange brown, dry	1.7		
6.0	7.0				
7.0	8.5		1.3		
8.5	9.0	ML: Fine slightly sandy Silt; saturated			
9.0	10.0		<1		
		<i>Boring terminated at 10 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

Boring Number: 116-8
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 9 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.4	Gravel and base course			
0.4	2.0	ML: Clayey Silt, tan green, dry	<1		
2.0	3.0				
3.0	4.0	ML: Fine sandy Silt, tan brown, dry	1.1		
4.0	5.0				
5.0	6.0	SM: Silty fine Sand, tan brown, dry, probe refusal at 9 feet	<1		
6.0	7.0				
7.0	8.0		1.1		
8.0	9.0		6.1	116-8-9	9.0
		<i>Boring terminated at 9 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

BORING LOG



Project Name: NCDOT Project U2525-B

Parcel 116

S&ME Project No. 1054-13-008

Boring Number: 116-9
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	1.0	Gravel and base course			
1.0	2.0	ML: Clayey Silt, red tan, dry, possible fill	<1		
2.0	3.0	ML: Clayey Silt, tan and orange brown, dry			
3.0	4.0		<1		
4.0	5.5	ML: Silt, orange tan, damp			
5.5	6.0	SM: Slightly clayey fine Sand, tan green, damp	2.3		
6.0	7.0				
7.0	8.0		1.2		
8.0	9.0				
9.0	10.0	SM: Silty fine to medium Sand, olive green, dry	61	116-9-10	10.0
<i>Boring terminated at 10 ft. bgs</i>					

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

Boring Number: 116-10
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.8	Topsoil			
0.8	1.5	Base course			
1.5	3.0	ML: clayey Silt, red and tan brown, dry			
3.0	4.5		<1		
4.5	5.5	ML: Silt, orange tan, damp			
5.5	6.0	ML: Silty Clay, tan green, moist	<1		
6.0	7.0				
7.0	8.0		1.2	116-10-8	8.0
8.0	9.0	ML: Fine sandy Silt, tan, moist			
9.0	10.0		<1		
<i>Boring terminated at 10 ft. bgs.</i>					

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

BORING LOG



Project Name: NCDOT Project U2525-B
Parcel 116
S&ME Project No. 1054-13-008

Boring Number: 116-11
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.3	Topsoil			
0.3	2.0	ML: Clayey Silt and fine sandy Silt, fill	<1		
2.0	3.0	ML: Silt, tan brown, damp			
3.0	4.0		1.0	116-11-4	4.0
4.0	5.0				
5.0	6.0		1.0		
6.0	7.0				
7.0	8.0		<1		
8.0	9.0	SM: Fine Sand, olive green, dry			
9.0	10.0	ML: Clay, tan and gray green, dry	<1		
		<i>Boring terminated at 10.0 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. *Indicates sample was sent to off-site laboratory for additional analysis

Boring Number: 116-12
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.8	Base course			
0.8	2.0	ML: Silt, tan brown, relict structure, dry	-		
2.0	3.0	ML: Clayey silt, red brown, dry (poor recovery)			
3.0	4.0		1.0	116-12-4	4.0
4.0	5.0				
5.0	6.0		<1		
6.0	7.0		ML: Fine sandy Clay, gray and orange tan, damp		
7.0	8.0		<1		
8.0	9.0				
9.0	10.0		<1		
		<i>Boring terminated at 10 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

BORING LOG



Project Name: NCDOT Project U2525-B
Parcel 116
S&ME Project No. 1054-13-008

Boring Number: 116-13
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 15 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	1.0	SM: Silty fine Sand, orange tan, dry			
0.4	2.0		1.0		
2.0	3.0				
3.0	4.5		1.8	116-13-4	4.0
4.5	5.0	ML: Slightly clayey Silt, yellow tan, dry			
5.0	6.5		<1		
6.5	7.0	ML: Silt, tan brown, dry			
7.0	8.0		1.7		
8.0	9.0				
9.0	10.0	SM: Fine to course Sand, white, dry	1.6		
		<i>Boring terminated at 15 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

Boring Number: 116-14
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 15 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.1	Base course			
0.1	2.5	ML: Clayey Silt, orange brown, dry	1.7		
2.5	3.0	ML: Fine sandy Silt, red brown, dry			
3.0	4.0		<1		
4.0	5.0	ML: Silty Clay, tan brown, dry			
5.0	6.0		1.2		
6.0	7.0	ML: Clayey Silt, tan brown, dry			
7.0	8.0		<1		
8.0	9.0	SM: Silty fine Sand, olive green, dry			
9.0	10.0	ML: Silt, tan brown, dry, fuel odor	38.4	116-14-10*	10.0
10.0	11.0				
11.0	12.0				
12.0	13.0		12.2		
13.0	14.0				
14.0	15.0		<1		
		<i>Boring terminated at 15 ft. bgs.</i>			

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

BORING LOG



Project Name: NCDOT Project U2525-B
Parcel 116
S&ME Project No. 1054-13-008

Boring Number: 116-15
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	1.0	Fill soil and base course		No Sample Collected for Analysis	
1.0	2.0	ML: Clayey Silt and fine sandy Silt, fill	<1		
2.0	3.0	SM: Silty fine Sand with rock fragments, tan green, oxidation staining	<1		
3.0	4.0				
4.0	5.5				
5.5	6.0	ML: Slightly clayey Silt, yellow tan, dry	<1		
6.0	7.0				
7.0	8.0		<1		
8.0	9.0				
9.0	10.0		<1		
<i>Boring terminated at 10 ft. bgs.</i>					

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)

Boring Number: 116-16
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 15 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.2	Base Course			
0.2	2.0	ML: Fine sandy Silt, green, and Clayey Silt, red brown, dry, fill	1.0		
2.0	3.0				
3.0	4.0	ML: Clayey Silt with quartz seam, red brown, dry	<1		
4.0	5.5	ML: Fine sandy Silt, yellow brown, dry			
5.5	6.0	SM: Silty fine Sand with rock fragments, tan green, dry	4.1		
6.0	7.5				
7.5	8.0	ML: Silt, tan brown, dry, fuel odor	18	116-16-8	8.0
8.0	9.0				
9.0	10.0		2,500	116-16-10*	10.0
10.0	11.0				
11.0	12.0		2,145	116-16-12*	12.0
12.0	13.0				
13.0	14.0		10.2	116-16-14	14.0
14.0	15.0				
<i>Boring terminated at 15 ft. bgs.</i>					

Notes:

- 1. Ft-BGS: Feet Below Ground Surface
- 2. PID: Photo-Ionization Detector
- 3. PPM: parts per million (volume/volume)
- 4. * Indicates sample was sent to off-site laboratory for additional analysis.

BORING LOG



Project Name: NCDOT Project U2525-B
Parcel 116
S&ME Project No. 1054-13-008

Boring Number: 116-17
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 10 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.2	Base Course			
0.2	2.0	ML: Fine sandy Silt, green, and Clayey Silt, red brown, dry, fill			
2.0	3.0				
3.0	4.0	ML: Clayey Silt with quartz seam, red brown, dry			
4.0	5.0	ML: Fine sandy Silt, yellow brown, dry			
5.0	6.0	SM: Silty fine Sand with rock fragments, tan green, dry	<1		
6.0	7.0				
7.0	5.0	ML: Silt, tan brown, dry	<1		
5.0	9.0				
9.0	10.0		2.0	116-17-10	10.0
<i>Boring terminated at 10 ft. bgs.</i>					

Notes:

1. Ft-BGS: Feet Below Ground Surface
2. PID: Photo-Ionization Detector
3. PPM: parts per million (volume/volume)

Boring Number: 116-18
Sampling Personnel: Lyndal Butler
Date Drilled: 1/29/2013
Depth to Groundwater: Not Encountered
Total Depth: 15 ft. bgs.

Drilling method: Geoprobe® Direct Push

STRATIFICATION

Depth (Feet)		Soil Description	PID Reading (ppm)	Sample No. and Depth	
From	To			Sample No. analyzed on-site by QROS	Depth (Ft-BGS)
0	0.2	Base Course			
0.2	2.0	ML: Fine sandy Silt, green, and Clayey Silt, red brown, dry, fill			
2.0	3.0				
3.0	4.0	ML: Clayey Silt with quartz seam, red brown, dry			
4.0	5.0	ML: Fine sandy Silt, yellow brown, dry	<1	116-18-4	4.0
5.0	6.0	SM: Silty fine Sand with rock fragments, tan green, dry			
6.0	7.0				
7.0	8.0	ML: Silt, tan brown, dry, fuel odor	2.1		
8.0	9.0				
9.0	10.0		<1		
10.0	11.0				
11.0	12.0		<1		
12.0	13.0				
13.0	14.0		1.3	116-18-14*	14.0
14.0	15.0				
<i>Boring terminated at 15 ft. bgs.</i>					

Notes:

1. Ft-BGS: Feet Below Ground Surface
2. PID: Photo-Ionization Detector
3. PPM: parts per million (volume/volume)
4. * Indicates sample was sent to off-site laboratory for additional analysis.

APPENDIX III

Laboratory Analytical Report and Chain of Custody Form



KB LABS, INC.
6821 SW Archer Road
Gainesville, Florida 32608
Telephone (352) 367-0073
Fax (352) 378-6491
Email: info@kbmobilelabs.com

February 14, 2013

Michael Pfeifer
S&ME
3201 Spring Forest Road
Raleigh, NC 27616

**RE: NCDOT
KB Labs Project # 13-7**

Dear Mr. Pfeifer:

Enclosed is the final report of the on-site analysis performed by KB Labs, Inc. at the above referenced site. Samples were collected and analyzed onsite during January 29-Feb 1. Included are a brief project narrative, data report narrative, final analytical results, and sample chain-of-custody form.

If you have any questions, please do not hesitate to call me or Kelly Bergdoll, President of KB Labs, at (352) 367-0073.

Sincerely,

KB Labs, Inc.

Todd Romero
Director of Operations

PROJECT NARRATIVE

Project Scope

Between January 29 and February 1, 2013, a total of 89 soil samples were analyzed for S&ME in Greensboro. The samples were analyzed for field TPH.

Analytical Procedure

All samples were analyzed using Ultra -violet Fluorescence Spectrometry. For soils, ten grams of soil was extracted in 20 mL of methanol. Extracts were then analyzed on a UV fluorometer. Fluorescence was compared against a series of prepared calibration standards to produce the results. For this project a QED analyzer was used that provides a fluorescence fingerprint image for each sample and uses a spectral library to help identify the dominant hydrocarbon type where possible.

Analytical Results

Laboratory results were provided to the client on an as-completed basis. Final results of the on-site analyses are provided in this report. The data produced and reported in the field has been reviewed and approved for this final report by the Director of Operations for KB Labs and was reviewed by QROS.

Method Blanks: Daily analysis of methanol reagent samples was performed in order to monitor the cleanliness of the analytical system before and during each analytical run.
Continuing Calibration: Following initial standardization with a five point PAH curve, standards were analyzed periodically to determine the stability of the calibration before, during, and after each analytical run.

Data were reported on an as received (wet weight) basis.



Hydrocarbon Analysis Results

Client: S&ME
Address: US-29 Greensboro, NC

Samples taken 1/28/13, 1/29/13
Samples extracted 1/29/13
Samples analysed 1/29/13

Contact: Lyndal Butler

Operator Chris Horrell

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	110-1-2	31.4	<1.6	<1.6	<1.6	<1.6	< 1.57	< 0.16	< 0.078	9.9	24.7	65.4	PAH
s	110-1-4	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	11.2	24.7	64.2	PAH
s	110-1-6	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	11.9	22.8	65.3	PAH
s	110-1-8	24.8	<1.2	<1.2	<1.2	<1.2	< 1.24	< 0.12	< 0.062	11.6	26.4	62	V.Deg Fuel (est) 18.5%
s	110-1-10	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	ID not possible
s	110-2-2	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	0	5.2	94.8	ID not possible
s	110-2-4	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	0	10.3	89.7	ID not possible
s	110-2-6	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	11.6	19.1	69.3	V.Deg Fuel (est) 12.3%
s	110-2-8	24.5	<1.2	<1.2	<1.2	<1.2	< 1.23	< 0.12	< 0.061	12	21.3	66.6	ID not possible
s	116-14-10	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	6.1	55	38.9	V.Deg.PHC 33.2%

Initial Calibrator QC check

Low Range Calibrator Final check

High Range Calibrator Final check

Results generated by a QED HC-1 analyser

Fingerprints are tentative identifications based on operator selected library matches

Concentration values in mg/kg for soil samples and mg/L for water samples.

Fingerprint match abbreviations

Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match

Soil values are not corrected for moisture or stone content

(SBS)= site specific background subtracted (LBS)= Library background subtracted

%=Overall Fingerprint match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: US-29 Greensboro, NC

Samples taken 1/28/13, 1/29/13
Samples extracted 1/29/13
Samples analysed 1/29/13

Contact: Lyndal Butler

Operator Chris Horrell

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	110-2-10	24.5	<1.2	<1.2	<1.2	<1.2	< 1.23	< 0.12	< 0.061	0	0	100	ID not possible
s	116-16-10	24.5	<1.2	25.4	21.5	46.9	9.79	< 0.12	< 0.061	98.9	1	0.1	Deg Kerosene (est) + Deg.Petrol (est) 47.4%
s	116-16-10 dup	24.5	10.8	30	28.3	58.3	11.83	0.19	< 0.061	99	0.7	0.3	Deg Kerosene (est) + Deg.Petrol 67.7%
s	110-3-10	26.0	<1.3	<1.3	12.9	12.9	8.02	< 0.13	< 0.065	57.9	34.5	7.5	Degraded Fuel (est) 87.3%
s	116-17-10	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	0	0	100	ID not possible
s	110-4-10	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	ID not possible
s	110-5-10	25.2	<1.3	<1.3	<1.3	<1.3	< 1.26	< 0.13	< 0.063	0	0	100	ID not possible
s	116-18-4	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	ID not possible
s	155-1-6	24.5	<1.2	<1.2	<1.2	<1.2	< 1.23	< 0.12	< 0.061	0	0	100	ID not possible
s	155-3-8	24.5	<1.2	<1.2	2.4	2.4	< 1.23	< 0.12	< 0.061	5.8	72.4	21.8	V.Deg Diesel + Deg.Fuel (est) 48.8%
Initial Calibrator QC check						Low Range Calibrator Final check						High Range Calibrator Final check	

Results generated by a QED HC-1 analyser	Fingerprints are tentative identifications based on operator selected library matches	
Concentration values in mg/kg for soil samples and mg/L for water samples.	Fingerprint match abbreviations	Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match
Soil values are not corrected for moisture or stone content	(SBS)= site specific background subtracted (LBS)= Library background subtracted	%=Overall Fingerprint match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro, NC

Samples taken 1/28, 1/29, 1/30 2013
Samples extracted 1/30/13
Samples analysed 1/30/13

Contact: Lyndal Butler

Operator CAH

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	116-16-8	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	ID not possible
s	116-16-12	25.5	<1.3	8.8	13.7	22.5	5.99	< 0.13	< 0.064	96.6	2.3	1.1	Deg Kerosene (est) + Deg.Petrol (est) 52%
s	116-16-14	25.0	<1.3	<1.3	<1.3	<1.3	< 1.25	< 0.13	< 0.063	0	3.8	96.2	Background Organics
s	116-18-14	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	76.8	4.4	18.8	Deg Petrol (est) 1.3%
s	155-4-10	25.7	<1.3	4.2	30.6	34.8	14.29	0.23	< 0.064	91.5	7.3	1.2	Deg Kerosene (est) 58.6%
s	155-4-12	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	86.9	2.3	10.8	Deg Kerosene (est) 21.4%
s	155-5-10	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	Background Organics
s	155-6-4	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	9.9	2.4	87.6	Deg Diesel 44.6%
s	155-7-6	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	Background Organics
s	155-8-4	25.0	<1.3	<1.3	<1.3	<1.3	< 1.25	< 0.13	< 0.063	83.8	0	16.2	Background Organics
Initial Calibrator QC check						Low Range Calibrator Final check High Range Calibrator Final check							

Results generated by a QED HC-1 analyser

Fingerprints are tentative identifications based on operator selected library matches

Concentration values in mg/kg for soil samples and mg/L for water samples.

Fingerprint match abbreviations

Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match

Soil values are not corrected for moisture or stone content

(SBS)= site specific background subtracted (LBS)= Library background subtracted

%=Overall Fingerprint match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro, NC

Samples taken 1/28, 1/29, 1/30 2013
Samples extracted 1/30/13
Samples analysed 1/30/13

Contact: Lyndal Butler

Operator CAH

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	116-2-2	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	0	0	100	ID not possible
s	116-1-6	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	ID not possible
s	116-3-2	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	ID not possible
s	116-4-2	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	ID not possible
s	116-5-2	24.8	<1.2	<1.2	<1.2	<1.2	< 1.24	< 0.12	< 0.062	0	0	100	ID not possible
s	116-6-2	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	0	0	100	ID not possible
s	116-7-2	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	ID not possible
s	116-8-9	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	41.2	5.7	53.1	Deg Petrol (est) 1.3%
s	116-9-10	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	80.9	17.3	1.8	Deg Diesel 34.3%
s	116-10-8	25.7	<1.3	<1.3	12.4	12.4	8.22	0.21	< 0.064	55.3	40.8	3.9	+ Deg.Fuel 19.1%

Initial Calibrator QC check

Low Range Calibrator Final check

High Range Calibrator Final check

Results generated by a QED HC-1 analyser

Fingerprints are tentative identifications based on operator selected library matches

Concentration values in mg/kg for soil samples and mg/L for water samples.

Fingerprint match abbreviations

Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match

Soil values are not corrected for moisture or stone content

(SBS)= site specific background subtracted (LBS)= Library background subtracted

%=Overall Fingerprint match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro, NC

Samples taken 1/28, 1/29, 1/30 2013
Samples extracted 1/30/13
Samples analysed 1/30/13

Contact: Lyndal Butler

Operator CAH

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	116-11-4	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	ID not possible
s	116-12-4	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	ID not possible
s	66-2-15	25.7	<1.3	<1.3	17	17	9.76	0.19	< 0.064	82.1	12.8	5.1	Deg Diesel 64.9%
s	66-2-20	26.0	<1.3	<1.3	10.6	10.6	6.57	< 0.13	< 0.065	90.3	7.9	1.9	Deg Diesel 47.3%
s	116-13-4	25.2	<1.3	<1.3	<1.3	<1.3	< 1.26	< 0.13	< 0.063	0	0	100	ID not possible
s	137-1-10	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	ID not possible
s	137-2-10	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	ID not possible
s	137-3-10	25.2	<1.3	<1.3	<1.3	<1.3	< 1.26	< 0.13	< 0.063	0	0	100	ID not possible
s	137-4-10	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	0	0	100	Background Organics
s	137-5-6	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	0	0	100	ID not possible

Initial Calibrator QC check

Low Range Calibrator Final check

High Range Calibrator Final check

Results generated by a QED HC-1 analyser

Fingerprints are tentative identifications based on operator selected library matches

Concentration values in mg/kg for soil samples and mg/L for water samples.

Fingerprint match abbreviations

Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match

Soil values are not corrected for moisture or stone content

(SBS)= site specific background subtracted (LBS)= Library background subtracted

%=Overall Fingerprint match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro NC

Samples taken 1.30, 1.31
Samples extracted 1.31.13
Samples analysed 1/31/13

Contact: Lyndal Butler

Operator Chris Horrell

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	137-9-15	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	95.5	0	4.5	Deg.Fuel 69.1%
s	137-10-15	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	94.5	1.6	3.9	Deg.Fuel 62.6%
s	137-8-15	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	81.8	4.9	13.3	Background Organics
s	137-6-10	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	Deg.Fuel Residue 18.9%
s	137-7-2	25.5	<1.3	<1.3	2.1	2.1	< 1.27	< 0.13	< 0.064	84.4	14.3	1.3	Deg Petrol (est) 48.2%
s	137-11-15	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	Deg.Fuel Residue 19.7%
s	66-6-10	1570.3	<39	2432	31283	33715	16658	198	<2	87.8	10.5	1.7	Deg.Fuel
s	66-6-20	1586.0	<40	<40	<40	<40	< 79	<8	<2	0	0	100	Deg.Fuel Residue 9.7%

Initial Calibrator QC check OK

Low Range Calibrator Final check
 High Range Calibrator Final check

Results generated by a QED HC-1 analyser

Fingerprints provide a tentative hydrocarbon identification based on operator selected library matches

Concentration values in mg/kg for soil samples and mg/L for water samples.

Fingerprint match abbreviations

Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match

Soil values are not corrected for moisture or stone content

(SBS)= site specific background subtracted (LBS)= Library background subtracted

% = match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro, NC

Samples taken
Samples extracted
Samples analysed

Contact: Lyndal Butler

Operator

CAH

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	137-12-15	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	Match not possible
s	137-13-2	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	97.4	1.1	1.6	Deg Diesel
Initial Calibrator QC check			OK		Low Range Calibrator Final check					OK		0.07	
					High Range Calibrator Final check					OK		1.61	

Results generated by a QED HC-1 analyser
 Concentration values in mg/kg for soil samples and mg/L for water samples.
 Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification based on operator selected library matches
 Fingerprint match abbreviations
 (SBS)= site specific background subtracted (LBS)= Library background subtracted

Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match
 % = match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro, NC

Samples taken Thursday, January 31, 2013
Samples extracted Thursday, January 31, 2013
Samples analysed Thursday, January 31, 2013

Contact: Lyndal Butler

Operator CAH

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	66-5-14	25.7	<1.3	<1.3	2.5	2.5	< 1.29	< 0.13	< 0.064	57.6	41.6	0.8	Deg.Fuel Residue 9.9%
s	66-7-19	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	91.7	6.1	2.2	Match not possible
s	137-14-2	25.7	<1.3	<1.3	2.1	2.1	1.89	< 0.13	< 0.064	47.5	36	16.5	V.Deg.PHC (LBS) 74%
s	137-15-2	25.0	<1.3	<1.3	<1.3	<1.3	< 1.25	< 0.13	< 0.063	0	0	100	Match not possible
s	66-1-15	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	96.6	3.4	Deg.Fuel Residue 57.5%
s	66-3-15	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	Match not possible
s	66-4-15	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	74.5	25.5	Match not possible
s	66-7-17	26.0	<1.3	<1.3	2.9	2.9	1.84	< 0.13	< 0.065	45.6	38	16.3	Degraded Fuel (est) 77.6%
s	66-8-15	25.0	<1.3	<1.3	<1.3	<1.3	< 1.25	< 0.13	< 0.063	0	0	100	Match not possible
s	66-9-15	25.7	<1.3	<1.3	4.2	4.2	1.69	< 0.13	< 0.064	42.4	33	24.6	Degraded Fuel (est) 62.8%
Initial Calibrator QC check			OK		Low Range Calibrator Final check					OK		0.08	
High Range Calibrator Final check			OK		High Range Calibrator Final check					OK		1.57	

Results generated by a QED HC-1 analyser

Fingerprints provide a tentative hydrocarbon identification based on operator selected library matches

Concentration values in mg/kg for soil samples and mg/L for water samples.

Fingerprint match abbreviations

Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match

Soil values are not corrected for moisture or stone content

(SBS)= site specific background subtracted (LBS)= Library background subtracted

% = match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro, NC

Samples taken 1.31.13
Samples extracted 1.31.13
Samples analysed 1.31.13

Contact: Lyndal Butler

Operator CAH

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	66-10-9	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	Match not possible
s	66-11-15	25.7	<1.3	<1.3	<1.3	<1.3	< 1.29	< 0.13	< 0.064	0	0	100	Match not possible
Initial Calibrator QC check										OK			
Low Range Calibrator Final check										Low			0.06
High Range Calibrator Final check										OK			1.53

Results generated by a QED HC-1 analyser
 Concentration values in mg/kg for soil samples and mg/L for water samples.
 Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification based on operator selected library matches
 Fingerprint match abbreviations Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match
 (SBS)= site specific background subtracted (LBS)= Library background subtracted % = match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: US-29 Greensboro, NC

Samples taken 2.1.13
Samples extracted 2.1.13
Samples analysed 2.1.13

Contact: Lyndal Butler

Operator Chris Horrell

Project: NCDOT U2525B

Hydrocarbon Analysis Results													
Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	66-19-9	119.6	<6	83.1	915.3	998.4	788.4	9.6	<0.3	96.8	2.6	0.6	Deg Diesel 68.9%
s	66-19-11	119.6	<6	<6	47.1	47.1	25.7	<0.6	<0.3	92.9	6.1	1	V.Deg Diesel 69.9%
s	66-19-13	25.5	<1.3	2.6	43.3	45.9	29.25	0.43	< 0.064	93.2	4.6	2.2	V.Deg Diesel 57.9%
s	66-19-15	60.8	<3	5.8	299.3	305.1	257.31	3.39	< 0.152	90.7	7.6	1.7	V.Deg Diesel 55.4%
s	66-19-11 Duplicate	60.8	<3	<3	49.4	49.4	29.47	0.51	< 0.152	90.6	6.8	2.6	V.Deg Diesel 62.2%
s	66-23-5	25.2	<1.3	2.2	23.7	25.9	13.93	0.23	< 0.063	85.6	10.9	3.5	Deg Diesel + Deg.Fuel (est) 68.8%
s	66-23-15	25.2	<1.3	<1.3	2.8	2.8	2.1	< 0.13	< 0.063	71.5	19.1	9.4	Degraded Fuel (est) 71%
s	66-13-15	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	0	100	Match not possible
s	66-14-8	35.7	<1.8	7.6	190	197.5	145	1.92	< 0.090	90.9	7.8	1.3	Deg.Fuel 56.6%
s	66-14-15	24.8	<1.2	22.9	81.1	104	29.38	0.58	0.07	94.2	3.3	2.5	V.Deg Kerosene (est) (LBS) 60.7%
Initial Calibrator QC check			OK			Low Range Calibrator Final check			OK			0.08	
High Range Calibrator Final check			OK			High Range Calibrator Final check			OK			1.59	

Results generated by a QED HC-1 analyser
 Concentration values in mg/kg for soil samples and mg/L for water samples.
 Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification based on operator selected library matches
 Fingerprint match abbreviations
 (SBS)= site specific background subtracted (LBS)= Library background subtracted

Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match
 % = match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro NC

Samples taken 2.1.13
Samples extracted 2.1.13
Samples analysed 2.1.13

Contact: Lyndal Butler

Operator Chris Horrell

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	66-17-15	24.8	<1.2	<1.2	2	2	< 1.24	< 0.12	< 0.062	78.9	17.4	3.7	Match not possible
s	66-20-11	40.8	<2	<2	67.2	67.2	51.31	0.77	< 0.102	44.6	50.8	4.6	Degraded Fuel (est) 75.9%
s	66-21-15	25.0	<1.3	<1.3	<1.3	<1.3	< 1.25	< 0.13	< 0.063	0	57.9	42.1	Match not possible
s	66-22-7	24.8	<1.2	<1.2	<1.2	<1.2	< 1.24	< 0.12	< 0.062	0	0	100	Match not possible
s	66-24-13	25.2	<1.3	<1.3	<1.3	<1.3	<1.26	<0.13	<0.063	0	0	100	Match not possible
s	66-25-12.5	806.0	<40.3	176.2	4515.8	4692	3242.7	41.5	<2.02	95.7	3.6	0.7	Deg Diesel 49.8%
s	66-26-11	1554.9	<39	54	7184	7238	4779	64	<2	94.7	4.5	0.8	Deg Diesel 54.2%
s	66-6-10 Duplicate	3114.9	<78	976	27695	28671	16407	207	<3	95.6	4.1	0.3	Deg Diesel 55.2%
s	66-27-15	25.7	<1.3	<1.3	7.2	7.2	4.26	< 0.13	< 0.064	72.5	21.9	5.6	Degraded Fuel (est) 90.3%
s	66-28-15	26.0	<1.3	<1.3	<1.3	<1.3	< 1.3	< 0.13	< 0.065	0	28.3	71.7	Match not possible
Initial Calibrator QC check			OK			Low Range Calibrator Final check			Low			0.06	
						High Range Calibrator Final check			Low			1.43	

Results generated by a QED HC-1 analyser
 Concentration values in mg/kg for soil samples and mg/L for water samples.
 Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification based on operator selected library matches
 Fingerprint match abbreviations Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match
 (SBS)= site specific background subtracted (LBS)= Library background subtracted % = match confidence



Hydrocarbon Analysis Results

Client: S&ME
Address: Greensboro NC

Samples taken 2.1.13
Samples extracted 2.1.13
Samples analysed 2.1.13

Contact: Lyndal Butler











Operator Chris Horrell

Project: NCDOT U2525B

Matrix	Sample ID	Dilution used	BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	Ratios			HC Fingerprint Match
										% light	% mid	% heavy	
s	66-29-15	25.5	<1.3	<1.3	<1.3	<1.3	< 1.27	< 0.13	< 0.064	0	0	100	Match not possible
Initial Calibrator QC check			OK			Low Range Calibrator Final check			OK			0.08	
						High Range Calibrator Final check			Low			1.40	


Results generated by a QED HC-1 analyser
 Concentration values in mg/kg for soil samples and mg/L for water samples.
 Soil values are not corrected for moisture or stone content

Fingerprints provide a tentative hydrocarbon identification based on operator selected library matches
 Fingerprint match abbreviations Est = Specific calibrator not used, result estimated (PFM)= Poor library fingerprint match
 (SBS)= site specific background subtracted (LBS)= Library background subtracted % = match confidence




ID not possible


110-2-10



Deg Kerosene (est) + Deg.Petrol (est) 47.4% 116-16-10




Deg Kerosene (est) + Deg.Petrol 67.7% 116-16-10 dup




Degraded Fuel (est) 87.3%

110-3-10




ID not possible

116-17-10




ID not possible

110-4-10




ID not possible

110-5-10




ID not possible

116-18-4




ID not possible

155-1-6




V.Deg Diesel + Deg.Fuel (est) 48.8%

155-3-8




ID not possible

116-16-8




Deg Kerosene (est) + Deg.Petrol (est) 52%

116-16-12




Background Organics

116-16-14




Deg Petrol (est) 1.3%

116-18-14




Deg Kerosene (est) 58.6%

155-4-10




Deg Kerosene (est) 21.4%

155-4-12




Background Organics

155-5-10




Deg Diesel 44.6%

155-6-4




Background Organics











155-7-6





















Background Organics

155-8-4











0%

0

0%

0



0%

0

0%

0

0%

0

0%

0

0%


0

0%

0


Deg.Fuel Residue 9.9%

66-5-14




Match not possible

66-7-19




V.Deg.PHC (LBS) 74%

137-14-2




Match not possible

137-15-2




Deg.Fuel Residue 57.5%

66-1-15




Match not possible

66-3-15




Match not possible

66-4-15




Degraded Fuel (est) 77.6%

66-7-17




Match not possible



66-8-15



Degraded Fuel (est) 62.8%

66-9-15





0%

0

0%

0

0%

0

0%











0











0%

0

0%


0





Project NCDOT U2525B

Date Friday, February 01, 2013



0%

0

0%

0

0%

0

0%

0

0%


0

0%

0

0%

0



25132 SW 1st Avenue
Newberry, FL 32669
TEL (352) 472-5830
FAX (352) 472-5832


200 Quade Drive
Cary, NC 27513
TEL (919) 678-0030

CHAIN-OF-CUSTODY RECORD

MOBILE UNIT #

CLIENT NAME		PROJECT NAME & ADDRESS						SAMPLE MATRIX	NUMBER OF CONTAINERS	IDENTIFY PARAMETERS DESIRED AND NO. OF CONTAINERS	PRESERVATION	
S+ME												
SAMPLERS		CONTACT PERSON				BATCH # (Lab Use Only)		VOLATILES				
Quantex		Lyndah Butler										
SAMPLE FIELD ID \ NUMBER	DATE SAMPLED	TIME SAMPLED	COMP.	GRAB	DATE REC'D	TIME REC'D	STATION LOCATION / No.				COMMENT / SAMPLE PRE FIX	
110-1-2	1/28/13				1/29/13	12:00		5	1		10.29	
↓ 4	↓										10.0	
↓ 6											10.0	
↓ 8											10.5	
↓ 10											10.1	
110-2-2												10.2
↓ 4												10.2
↓ 6												10.2
↓ 8												10.6
↓ 10												10.6
110-3-2												10.4
↓ 4											} Not analyzed	
↓ 6												
↓ 8												
↓ 10											10.0	
Prelined Containers Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	Remarks and Observations				
			CLH					baggies				
Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time					
							1/29/13					

Matrix Types S Soil SW Surface Water GW Ground Water SG Soil Gas



25132 SW 1st Avenue
Newberry, FL 32669
TEL (352) 472-5830
FAX (352) 472-5832

200 Quade Drive
Cary, NC 27513
TEL (919) 678-0030


CHAIN-OF-CUSTODY RECORD

MOBILE UNIT #

CLIENT NAME		PROJECT NAME & ADDRESS						SAMPLE MATRIX	NUMBER OF CONTAINERS	IDENTIFY PARAMETERS DESIRED AND NO. OF CONTAINERS	PRESERVATION	
S+ME												
SAMPLERS		CONTACT PERSON				BATCH # (Lab Use Only)		VOLATILES				
Quantex		Lyndal Butler										
SAMPLE FIELD ID \ NUMBER	DATE SAMPLED	TIME SAMPLED	COMP.	GRAB	DATE REC'D	TIME REC'D	STATION LOCATION / No.				COMMENT / SAMPLE PRE FIX	
110-4-2	1/28/13				1/29/13	12:00		S	1			
↓ 4	↓				↓	↓					} not analyzed as per client 10.0g	
↓ 6	↓				↓	↓						
↓ 8	↓				↓	↓						
↓ 10	↓				↓	↓						
110-5-2											} not analyzed as per client 10.3g	
↓ 4	↓				↓	↓						
↓ 6	↓				↓	↓						
↓ 8	↓				↓	↓						
155-1-6	1/28/13										} 10.6g 10.6g	
3-8												
Prcleaned Containers Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	Remarks and Observations baggies				
Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time					

Matrix Types S Soil SW Surface Water GW Ground Water SG Soil Gas

2



25132 SW 1st Avenue
Newberry, FL 32669
TEL (352) 472-5830
FAX (352) 472-5832


200 Quade Drive
Cary, NC 27513
TEL (919) 678-0030

CHAIN-OF-CUSTODY RECORD

MOBILE UNIT #

CLIENT NAME		PROJECT NAME & ADDRESS						SAMPLE MATRIX	NUMBER OF CONTAINERS	IDENTIFY PARAMETERS DESIRED AND NO. OF CONTAINERS	VOLATILES	PRESERVATION
S+ME		NCDOT U2325B Greensboro NC										
SAMPLERS		CONTACT PERSON				BATCH # (Lab Use Only)		COMMENT / SAMPLE PRE FIX				
Quantex		Lyndal Butler										
SAMPLE FIELD ID# NUMBER	DATE SAMPLED	TIME SAMPLED	COMP.	GRAB	DATE REC'D	TIME REC'D	STATION LOCATION / No.					
116-9-10	1/29/13				1/30/13			S	1		10.1	
116-10-8	↓										10.1	
116-11-4											10.1	
116-12-4											10.1	
116-13-4											10.3	
137-1-10	1/30/13										10.1	
66-2-15 ^{cont}					1/30/13	15:50					10.1	
66-2-18 ²⁰						↓					10.0	
137-2-10											10.0	
137-3-10											10.3	
137-4-10											10.2	
137-5-6											10.2	
Prelabeled Containers Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	Remarks and Observations				
Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time					

Matrix Types S Soil SW Surface Water GW Ground Water SG Soil Gas



25132 SW 1st Avenue
Newberry, FL 32669
TEL (352) 472-5830
FAX (352) 472-5832


200 Quade Drive
Cary, NC 27513
TEL (919) 678-0030

CHAIN-OF-CUSTODY RECORD

MOBILE UNIT #

CLIENT NAME		PROJECT NAME & ADDRESS						SAMPLE MATRIX	NUMBER OF CONTAINERS	IDENTIFY PARAMETERS DESIRED AND NO. OF CONTAINERS	PRESERVATION	
S+ME		NC DOT U2525B Greensboro										
SAMPLERS		CONTACT PERSON				BATCH # (Lab Use Only)		VOLATILES				
Quantex		Lyndal Butler										
SAMPLE FIELD ID \ NUMBER	DATE SAMPLED	TIME SAMPLED	COMP.	GRAB	DATE REC'D	TIME REC'D	STATION LOCATION / No.				COMMENT / SAMPLE PRE FIX	
116-18-14					1/29/13			S	1		10.0	
155-4-12											10.1	
155-5-10											10.0	
155-4-10											10.0	
155-6-4											10.1	
155-7-6											10.0	
155-8-4											10.4	
116-2-2					1/30/13						10.2	
116-1-6											10.0	
116-3-2											10.1	
116-4-2											10.0	
116-5-2											10.5	
116-6-2											10.2	
116-7-2					1/30/13						10.0	
116-8-9											10.1	
Prelined Containers Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	Remarks and Observations				
Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time					

Matrix Types S Soil SW Surface Water GW Ground Water SG Soil Gas



25132 SW 1st Avenue
 Newberry, FL 32669
 TEL (352) 472-5830
 FAX (352) 472-5832


200 Quade Drive
 Cary, NC 27513
 TEL (919) 678-0030

CHAIN-OF-CUSTODY RECORD

MOBILE UNIT #

CLIENT NAME		PROJECT NAME & ADDRESS						SAMPLE MATRIX	NUMBER OF CONTAINERS	IDENTIFY PARAMETERS DESIRED AND NO. OF CONTAINERS	VOLATILES	PRESERVATION C Chilled H HCL Ot Other (see Remarks)
SAMPLERS		CONTACT PERSON				BATCH # (Lab Use Only)						
SAMPLE FIELD ID \ NUMBER	DATE SAMPLED	TIME SAMPLED	COMP.	GRAB	DATE REC'D	TIME REC'D	STATION LOCATION / No.				COMMENT / SAMPLE PRE FIX	
116-14-10	1/29/13				1/29/13	14:00		S	1		10.0	
116-16-10	↓				↓			↓			10.6	
116-17-10											10.2	
116-18-14											10.0	
116-16-8											10.1	
↓ ↓ 12											10.2	
↓ ↓ 14											10.4	
Pretreated Containers Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	Remarks and Observations				
Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time					

Matrix Types S Soil SW Surface Water GW Ground Water SG Soil Gas




25132 SW 1st Avenue
 Newberry, FL 32669
 TEL (352) 472-5830
 FAX (352) 472-5832


200 Quade Drive
 Cary, NC 27513
 TEL (919) 678-0030

CHAIN-OF-CUSTODY RECORD

MOBILE UNIT #

CLIENT NAME		PROJECT NAME & ADDRESS						SAMPLE MATRIX	NUMBER OF CONTAINERS	IDENTIFY PARAMETERS DESIRED AND NO OF CONTAINERS	VOLATILES	PRESERVATION
S + ME		NCDOT U2525B US-29 Greensboro										
SAMPLERS		CONTACT PERSON				BATCH # (Lab Use Only)		COMMENT / SAMPLE PRE FIX				
Quantex		Lyndal Butler										
SAMPLE FIELD ID \ NUMBER	DATE SAMPLED	TIME SAMPLED	COMP.	GRAB	DATE REC'D	TIME REC'D	STATION LOCATION / No.					
137-6-10	1/30/13				1/30/13			S	1		10.0g	
↓ 7-2	↓				↓						10.2	
↓ 8-15	↓				↓						10.1	
↓ 9-15	↓				↓						10.3	
↓ 10-15	↓				↓						10.3	
↓ 11-15	↓				↓						10.0	
66-6-10	1/31/13				1/31/13						10.1	
66-6-20	↓				↓						10.0	
137-12-15	1/30/13				1/30/13						10.1	
↓ 13-2	↓				↓						10.0	
66-5-14	1/31/13				1/31/13						10.1	
66-7-19	↓				↓						10.0	
137-14-2	1/30/13				1/30/13						10.1	
137-15-2	1/30/13				1/30/13						10.4	
66-1-15	1/31/13				1/31/13						10.0	
Pricleaned Containers Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	Remarks and Observations				
							1/31/13	samples in baggies p. 1				

Matrix Types S Soil SW Surface Water GW Ground Water SG Soil Gas



25132 SW 1st Avenue
Newberry, FL 32669
TEL (352) 472-5830
FAX (352) 472-5832


200 Quade Drive
Cary, NC 27513
TEL (919) 678-0030

CHAIN-OF-CUSTODY RECORD

MOBILE UNIT #

CLIENT NAME		PROJECT NAME & ADDRESS						SAMPLE MATRIX	NUMBER OF CONTAINERS	IDENTIFY PARAMETERS DESIRED AND NO. OF CONTAINERS	PRESERVATION
S+ME		NCDOT U2825B US-29 Greensboro									
SAMPLERS		CONTACT PERSON				BATCH # (Lab Use Only)		VOLATILES			
Quantex		Lyndal Butle									
SAMPLE FIELD ID \ NUMBER	DATE SAMPLED	TIME SAMPLED	COMP.	GRAB	DATE REC'D	TIME REC'D	STATION LOCATION / No.			COMMENT / SAMPLE PRE FIX	
66-3-15	1/31/13				1/31/13			S	1	10.1	
66-4-15	↓				↓					10.1	
66-7-17										10.0	
66-8-15										10.4	
66-9-15										10.1	
66-10-9										10.0	
66-11-15	↓				↓					10.1	
Prelined Containers Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	Remarks and Observations			
Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time				

Matrix Types S Soil SW Surface Water GW Ground Water SG Soil Gas



25132 SW 1st Avenue
 Newberry, FL 32669
 TEL (352) 472-5830
 FAX (352) 472-5832

200 Quade Drive
 Cary, NC 27513
 TEL (919) 678-0030

CHAIN-OF-CUSTODY RECORD

MOBILE UNIT #

CLIENT NAME		PROJECT NAME & ADDRESS						SAMPLE MATRIX	NUMBER OF CONTAINERS	IDENTIFY PARAMETERS DESIRED AND NO. OF CONTAINERS	VOLATILES	PRESERVATION
S+ME		NC DOT U2525B US-29 Greensboro										
SAMPLERS		CONTACT PERSON				BATCH # (Lab Use Only)		STATION LOCATION / No.	COMMENT / SAMPLE PRE FIX			
Quantex		Lyndal Butler										
SAMPLE FIELD ID \ NUMBER	DATE SAMPLED	TIME SAMPLED	COMP.	GRAB	DATE REC'D	TIME REC'D						
66-13-15	2/1/13				2/1/13		S	1			10.0g	
14-8	↓				↓						10.2g	
14-15	↓				↓						10.5	
17-15	↓				↓						10.5	
19-9 *	↓				↓						10.2	
19-11 19-11 *	↓				↓						10.2	
19-13 *	↓				↓						10.2	
19-15 *	↓				↓						10.2	
20-11	↓				↓						10.3	
21-15	↓				↓						10.4	
22-7	↓				↓						10.5	
23-5 *	↓				↓						10.3	
23-15 *	↓				↓						10.3	
24-13	↓				↓						10.3	
25-12.5	↓				↓						10.0 PID: 300	
Pretreated Containers Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	Remarks and Observations				
Relinquished by: (Signature)		Date / Time	Received by: (Signature)				Date / Time	p1				

Matrix Types S Soil SW Surface Water GW Ground Water SG Soil Gas



Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kinsey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

February 11, 2013

Chemical Testing Engineer
NCDOT
Materials & Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146638

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 01, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jon D Bradley for
Kevin Herring
kevin.herring@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

CERTIFICATIONS

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146638

Ormond Beach Certification IDs

8 East Tower Circle, Ormond Beach, FL 32174
 Alabama Certification #: 41320
 Arizona Certification #: AZ0735
 Colorado Certification: FL NELAC Reciprocity
 Connecticut Certification #: PH-0216
 Florida Certification #: E83079
 Georgia Certification #: 955
 Guam Certification: FL NELAC Reciprocity
 Hawaii Certification: FL NELAC Reciprocity
 Illinois Certification #: 200068
 Indiana Certification: FL NELAC Reciprocity
 Kansas Certification #: E-10383
 Kentucky Certification #: 90050
 Louisiana Certification #: FL NELAC Reciprocity
 Louisiana Environmental Certificate #: 05007
 Maine Certification #: FL01264
 Massachusetts Certification #: M-FL1264
 Michigan Certification #: 9911
 Mississippi Certification: FL NELAC Reciprocity
 Missouri Certification #: 236

Montana Certification #: Cert 0074
 Nevada Certification: FL NELAC Reciprocity
 New Hampshire Certification #: 2958
 New Jersey Certification #: FL765
 New York Certification #: 11608
 North Carolina Environmental Certificate #: 667
 North Carolina Certification #: 12710
 Pace Analytical Services - Ormond certification number
 E83509
 Pennsylvania Certification #: 68-00547
 Puerto Rico Certification #: FL01264
 Tennessee Certification #: TN02974
 Texas Certification: FL NELAC Reciprocity
 US Virgin Islands Certification: FL NELAC Reciprocity
 Virginia Environmental Certification #: 460165
 Washington Certification #: C955
 West Virginia Certification #: 9962C
 Wisconsin Certification #: 399079670
 Wyoming (EPA Region 8): FL NELAC Reciprocity

Charlotte Certification IDs

9800 Kinsey Ave. Ste 100, Huntersville, NC 28078
 North Carolina Drinking Water Certification #: 37706
 North Carolina Field Services Certification #: 5342
 North Carolina Wastewater Certification #: 12
 South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
 Kentucky UST Certification #: 84
 West Virginia Certification #: 357
 Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



SAMPLE ANALYTE COUNT

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146638

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92146638001	116-1-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638002	116-2-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638003	116-3-5	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638004	116-4-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638005	116-5-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638006	116-6-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638007	116-7-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638008	116-8-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638009	116-9-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638010	116-10-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638011	116-11-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638012	116-12-3	EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
92146638013	116-13-3	EPA 8081	RES	24	PASI-C

REPORT OF LABORATORY ANALYSIS



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

SAMPLE ANALYTE COUNT

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146638

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92146638014	116-14-3	EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C
		EPA 8081	RES	24	PASI-C
		EPA 8151	LJM	9	PASI-O
		ASTM D2974-87	TNM	1	PASI-C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

HITS ONLY

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146638

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92146638001	116-1-3					
ASTM D2974-87	Percent Moisture	15.2 %		0.10	02/02/13 11:27	
92146638002	116-2-3					
ASTM D2974-87	Percent Moisture	12.8 %		0.10	02/02/13 11:27	
92146638003	116-3-5					
ASTM D2974-87	Percent Moisture	16.8 %		0.10	02/02/13 11:28	
92146638004	116-4-3					
ASTM D2974-87	Percent Moisture	18.0 %		0.10	02/02/13 11:28	
92146638005	116-5-3					
ASTM D2974-87	Percent Moisture	20.7 %		0.10	02/02/13 11:28	
92146638006	116-6-3					
ASTM D2974-87	Percent Moisture	19.0 %		0.10	02/02/13 11:28	
92146638007	116-7-3					
ASTM D2974-87	Percent Moisture	16.4 %		0.10	02/02/13 11:41	
92146638008	116-8-3					
ASTM D2974-87	Percent Moisture	9.0 %		0.10	02/02/13 11:41	
92146638009	116-9-3					
ASTM D2974-87	Percent Moisture	19.0 %		0.10	02/02/13 11:42	
92146638010	116-10-3					
ASTM D2974-87	Percent Moisture	17.0 %		0.10	02/02/13 11:42	
92146638011	116-11-3					
ASTM D2974-87	Percent Moisture	18.8 %		0.10	02/02/13 11:42	
92146638012	116-12-3					
ASTM D2974-87	Percent Moisture	23.2 %		0.10	02/02/13 11:42	
92146638013	116-13-3					
ASTM D2974-87	Percent Moisture	11.0 %		0.10	02/02/13 11:42	
92146638014	116-14-3					
ASTM D2974-87	Percent Moisture	9.1 %		0.10	02/02/13 11:42	

REPORT OF LABORATORY ANALYSIS

PROJECT NARRATIVE

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146638

Method: EPA 8081
Description: 8081 GCS Pesticides
Client: NCDOT East Central
Date: February 11, 2013

General Information:

14 samples were analyzed for EPA 8081. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

PROJECT NARRATIVE

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146638

Method: EPA 8151
Description: 8151 Chlorinated Herbicides
Client: NCDOT East Central
Date: February 11, 2013

General Information:

14 samples were analyzed for EPA 8151. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3545 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-1-3 **Lab ID: 92146638001** Collected: 01/29/13 08:30 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	309-00-2	
alpha-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	319-84-6	
beta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	319-85-7	
delta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.3	1	02/02/13 15:45	02/06/13 12:56	57-74-9	
4,4'-DDD	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	72-54-8	
4,4'-DDE	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	72-55-9	
4,4'-DDT	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	50-29-3	
Dieldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	60-57-1	
Endosulfan I	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	959-98-8	
Endosulfan II	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	1031-07-8	
Endrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	72-20-8	
Endrin aldehyde	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	7421-93-4	
Endrin ketone	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	53494-70-5	
Heptachlor	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 12:56	118-74-1	
Methoxychlor	ND	ug/kg	5.9	1	02/02/13 15:45	02/06/13 12:56	72-43-5	
Mirex	ND	ug/kg	5.9	1	02/02/13 15:45	02/06/13 12:56	2385-85-5	
Toxaphene	ND	ug/kg	8.3	1	02/02/13 15:45	02/06/13 12:56	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	72 %		50-150	1	02/02/13 15:45	02/06/13 12:56	877-09-8	
Decachlorobiphenyl (S)	81 %		50-150	1	02/02/13 15:45	02/06/13 12:56	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	37.0	1	02/07/13 08:30	02/08/13 05:30	94-75-7	
Dalapon	ND	ug/kg	35.8	1	02/07/13 08:30	02/08/13 05:30	75-99-0	
Dicamba	ND	ug/kg	3.7	1	02/07/13 08:30	02/08/13 05:30	1918-00-9	
Dinoseb	ND	ug/kg	7.4	1	02/07/13 08:30	02/08/13 05:30	88-85-7	
Pentachlorophenol	ND	ug/kg	1.1	1	02/07/13 08:30	02/08/13 05:30	87-86-5	
Picloram	ND	ug/kg	3.7	1	02/07/13 08:30	02/08/13 05:30	1918-02-1	
2,4,5-T	ND	ug/kg	7.5	1	02/07/13 08:30	02/08/13 05:30	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.5	1	02/07/13 08:30	02/08/13 05:30	93-72-1	
Surrogates								
2,4-DCAA (S)	78 %		40-142	1	02/07/13 08:30	02/08/13 05:30	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	15.2 %		0.10	1		02/02/13 11:27		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-2-3 **Lab ID: 92146638002** Collected: 01/29/13 08:45 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	309-00-2	
alpha-BHC	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	319-84-6	
beta-BHC	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	319-85-7	
delta-BHC	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.0	1	02/02/13 15:45	02/06/13 13:48	57-74-9	
4,4'-DDD	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	72-54-8	
4,4'-DDE	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	72-55-9	
4,4'-DDT	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	50-29-3	
Dieldrin	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	60-57-1	
Endosulfan I	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	959-98-8	
Endosulfan II	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	1031-07-8	
Endrin	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	72-20-8	
Endrin aldehyde	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	7421-93-4	
Endrin ketone	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	53494-70-5	
Heptachlor	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.3	1	02/02/13 15:45	02/06/13 13:48	118-74-1	
Methoxychlor	ND	ug/kg	5.7	1	02/02/13 15:45	02/06/13 13:48	72-43-5	
Mirex	ND	ug/kg	5.7	1	02/02/13 15:45	02/06/13 13:48	2385-85-5	
Toxaphene	ND	ug/kg	8.0	1	02/02/13 15:45	02/06/13 13:48	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	74 %		50-150	1	02/02/13 15:45	02/06/13 13:48	877-09-8	
Decachlorobiphenyl (S)	75 %		50-150	1	02/02/13 15:45	02/06/13 13:48	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	36.0	1	02/07/13 08:30	02/08/13 06:30	94-75-7	
Dalapon	ND	ug/kg	34.8	1	02/07/13 08:30	02/08/13 06:30	75-99-0	
Dicamba	ND	ug/kg	3.6	1	02/07/13 08:30	02/08/13 06:30	1918-00-9	
Dinoseb	ND	ug/kg	7.2	1	02/07/13 08:30	02/08/13 06:30	88-85-7	
Pentachlorophenol	ND	ug/kg	1.1	1	02/07/13 08:30	02/08/13 06:30	87-86-5	
Picloram	ND	ug/kg	3.6	1	02/07/13 08:30	02/08/13 06:30	1918-02-1	
2,4,5-T	ND	ug/kg	7.2	1	02/07/13 08:30	02/08/13 06:30	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.3	1	02/07/13 08:30	02/08/13 06:30	93-72-1	
Surrogates								
2,4-DCAA (S)	78 %		40-142	1	02/07/13 08:30	02/08/13 06:30	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	12.8 %		0.10	1		02/02/13 11:27		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146638

Sample: 116-3-5 **Lab ID: 92146638003** Collected: 01/29/13 09:15 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	309-00-2	
alpha-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	319-84-6	
beta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	319-85-7	
delta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.4	1	02/02/13 15:45	02/06/13 14:06	57-74-9	
4,4'-DDD	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	72-54-8	
4,4'-DDE	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	72-55-9	
4,4'-DDT	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	50-29-3	
Dieldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	60-57-1	
Endosulfan I	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	959-98-8	
Endosulfan II	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	1031-07-8	
Endrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	72-20-8	
Endrin aldehyde	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	7421-93-4	
Endrin ketone	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	53494-70-5	
Heptachlor	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:06	118-74-1	
Methoxychlor	ND	ug/kg	6.0	1	02/02/13 15:45	02/06/13 14:06	72-43-5	
Mirex	ND	ug/kg	6.0	1	02/02/13 15:45	02/06/13 14:06	2385-85-5	
Toxaphene	ND	ug/kg	8.4	1	02/02/13 15:45	02/06/13 14:06	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	71 %		50-150	1	02/02/13 15:45	02/06/13 14:06	877-09-8	
Decachlorobiphenyl (S)	73 %		50-150	1	02/02/13 15:45	02/06/13 14:06	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	37.7	1	02/07/13 08:30	02/08/13 07:00	94-75-7	
Dalapon	ND	ug/kg	36.5	1	02/07/13 08:30	02/08/13 07:00	75-99-0	
Dicamba	ND	ug/kg	3.8	1	02/07/13 08:30	02/08/13 07:00	1918-00-9	
Dinoseb	ND	ug/kg	7.6	1	02/07/13 08:30	02/08/13 07:00	88-85-7	
Pentachlorophenol	ND	ug/kg	1.1	1	02/07/13 08:30	02/08/13 07:00	87-86-5	
Picloram	ND	ug/kg	3.8	1	02/07/13 08:30	02/08/13 07:00	1918-02-1	
2,4,5-T	ND	ug/kg	7.6	1	02/07/13 08:30	02/08/13 07:00	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.6	1	02/07/13 08:30	02/08/13 07:00	93-72-1	
Surrogates								
2,4-DCAA (S)	79 %		40-142	1	02/07/13 08:30	02/08/13 07:00	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	16.8 %		0.10	1		02/02/13 11:28		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-4-3 **Lab ID: 92146638004** Collected: 01/29/13 09:45 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	309-00-2	
alpha-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	319-84-6	
beta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	319-85-7	
delta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.5	1	02/02/13 15:45	02/06/13 14:24	57-74-9	
4,4'-DDD	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	72-54-8	
4,4'-DDE	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	72-55-9	
4,4'-DDT	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	50-29-3	
Dieldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	60-57-1	
Endosulfan I	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	959-98-8	
Endosulfan II	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	1031-07-8	
Endrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	72-20-8	
Endrin aldehyde	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	7421-93-4	
Endrin ketone	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	53494-70-5	
Heptachlor	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 14:24	118-74-1	
Methoxychlor	ND	ug/kg	6.1	1	02/02/13 15:45	02/06/13 14:24	72-43-5	
Mirex	ND	ug/kg	6.1	1	02/02/13 15:45	02/06/13 14:24	2385-85-5	
Toxaphene	ND	ug/kg	8.5	1	02/02/13 15:45	02/06/13 14:24	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	79 %		50-150	1	02/02/13 15:45	02/06/13 14:24	877-09-8	
Decachlorobiphenyl (S)	77 %		50-150	1	02/02/13 15:45	02/06/13 14:24	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	38.2	1	02/07/13 08:30	02/08/13 07:31	94-75-7	
Dalapon	ND	ug/kg	37.0	1	02/07/13 08:30	02/08/13 07:31	75-99-0	
Dicamba	ND	ug/kg	3.8	1	02/07/13 08:30	02/08/13 07:31	1918-00-9	
Dinoseb	ND	ug/kg	7.7	1	02/07/13 08:30	02/08/13 07:31	88-85-7	
Pentachlorophenol	ND	ug/kg	1.2	1	02/07/13 08:30	02/08/13 07:31	87-86-5	
Picloram	ND	ug/kg	3.8	1	02/07/13 08:30	02/08/13 07:31	1918-02-1	
2,4,5-T	ND	ug/kg	7.7	1	02/07/13 08:30	02/08/13 07:31	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.7	1	02/07/13 08:30	02/08/13 07:31	93-72-1	
Surrogates								
2,4-DCAA (S)	82 %		40-142	1	02/07/13 08:30	02/08/13 07:31	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	18.0 %		0.10	1		02/02/13 11:28		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-5-3 **Lab ID: 92146638005** Collected: 01/29/13 10:20 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	309-00-2	
alpha-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	319-84-6	
beta-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	319-85-7	
delta-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.8	1	02/02/13 15:45	02/06/13 14:41	57-74-9	
4,4'-DDD	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	72-54-8	
4,4'-DDE	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	72-55-9	
4,4'-DDT	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	50-29-3	
Dieldrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	60-57-1	
Endosulfan I	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	959-98-8	
Endosulfan II	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	1031-07-8	
Endrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	72-20-8	
Endrin aldehyde	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	7421-93-4	
Endrin ketone	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	53494-70-5	
Heptachlor	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:41	118-74-1	
Methoxychlor	ND	ug/kg	6.3	1	02/02/13 15:45	02/06/13 14:41	72-43-5	
Mirex	ND	ug/kg	6.3	1	02/02/13 15:45	02/06/13 14:41	2385-85-5	
Toxaphene	ND	ug/kg	8.8	1	02/02/13 15:45	02/06/13 14:41	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	72 %		50-150	1	02/02/13 15:45	02/06/13 14:41	877-09-8	
Decachlorobiphenyl (S)	75 %		50-150	1	02/02/13 15:45	02/06/13 14:41	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	39.5	1	02/07/13 08:30	02/08/13 08:01	94-75-7	
Dalapon	ND	ug/kg	38.3	1	02/07/13 08:30	02/08/13 08:01	75-99-0	
Dicamba	ND	ug/kg	3.9	1	02/07/13 08:30	02/08/13 08:01	1918-00-9	
Dinoseb	ND	ug/kg	7.9	1	02/07/13 08:30	02/08/13 08:01	88-85-7	
Pentachlorophenol	ND	ug/kg	1.2	1	02/07/13 08:30	02/08/13 08:01	87-86-5	
Picloram	ND	ug/kg	4.0	1	02/07/13 08:30	02/08/13 08:01	1918-02-1	
2,4,5-T	ND	ug/kg	8.0	1	02/07/13 08:30	02/08/13 08:01	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	8.0	1	02/07/13 08:30	02/08/13 08:01	93-72-1	
Surrogates								
2,4-DCAA (S)	82 %		40-142	1	02/07/13 08:30	02/08/13 08:01	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	20.7 %		0.10	1		02/02/13 11:28		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146638

Sample: 116-6-3 **Lab ID: 92146638006** Collected: 01/29/13 10:35 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	309-00-2	
alpha-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	319-84-6	
beta-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	319-85-7	
delta-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.6	1	02/02/13 15:45	02/06/13 14:59	57-74-9	
4,4'-DDD	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	72-54-8	
4,4'-DDE	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	72-55-9	
4,4'-DDT	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	50-29-3	
Dieldrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	60-57-1	
Endosulfan I	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	959-98-8	
Endosulfan II	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	1031-07-8	
Endrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	72-20-8	
Endrin aldehyde	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	7421-93-4	
Endrin ketone	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	53494-70-5	
Heptachlor	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 14:59	118-74-1	
Methoxychlor	ND	ug/kg	6.2	1	02/02/13 15:45	02/06/13 14:59	72-43-5	
Mirex	ND	ug/kg	6.2	1	02/02/13 15:45	02/06/13 14:59	2385-85-5	
Toxaphene	ND	ug/kg	8.6	1	02/02/13 15:45	02/06/13 14:59	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	79 %		50-150	1	02/02/13 15:45	02/06/13 14:59	877-09-8	
Decachlorobiphenyl (S)	79 %		50-150	1	02/02/13 15:45	02/06/13 14:59	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	38.7	1	02/07/13 08:30	02/08/13 08:31	94-75-7	
Dalapon	ND	ug/kg	37.5	1	02/07/13 08:30	02/08/13 08:31	75-99-0	
Dicamba	ND	ug/kg	3.9	1	02/07/13 08:30	02/08/13 08:31	1918-00-9	
Dinoseb	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 08:31	88-85-7	
Pentachlorophenol	ND	ug/kg	1.2	1	02/07/13 08:30	02/08/13 08:31	87-86-5	
Picloram	ND	ug/kg	3.9	1	02/07/13 08:30	02/08/13 08:31	1918-02-1	
2,4,5-T	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 08:31	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 08:31	93-72-1	
Surrogates								
2,4-DCAA (S)	79 %		40-142	1	02/07/13 08:30	02/08/13 08:31	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	19.0 %		0.10	1		02/02/13 11:28		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-7-3 **Lab ID: 92146638007** Collected: 01/29/13 11:10 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	309-00-2	
alpha-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	319-84-6	
beta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	319-85-7	
delta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.4	1	02/02/13 15:45	02/06/13 15:16	57-74-9	
4,4'-DDD	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	72-54-8	
4,4'-DDE	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	72-55-9	
4,4'-DDT	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	50-29-3	
Dieldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	60-57-1	
Endosulfan I	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	959-98-8	
Endosulfan II	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	1031-07-8	
Endrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	72-20-8	
Endrin aldehyde	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	7421-93-4	
Endrin ketone	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	53494-70-5	
Heptachlor	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 15:16	118-74-1	
Methoxychlor	ND	ug/kg	6.0	1	02/02/13 15:45	02/06/13 15:16	72-43-5	
Mirex	ND	ug/kg	6.0	1	02/02/13 15:45	02/06/13 15:16	2385-85-5	
Toxaphene	ND	ug/kg	8.4	1	02/02/13 15:45	02/06/13 15:16	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	80 %		50-150	1	02/02/13 15:45	02/06/13 15:16	877-09-8	
Decachlorobiphenyl (S)	82 %		50-150	1	02/02/13 15:45	02/06/13 15:16	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	37.5	1	02/07/13 08:30	02/08/13 09:01	94-75-7	
Dalapon	ND	ug/kg	36.3	1	02/07/13 08:30	02/08/13 09:01	75-99-0	
Dicamba	ND	ug/kg	3.7	1	02/07/13 08:30	02/08/13 09:01	1918-00-9	
Dinoseb	ND	ug/kg	7.5	1	02/07/13 08:30	02/08/13 09:01	88-85-7	
Pentachlorophenol	ND	ug/kg	1.1	1	02/07/13 08:30	02/08/13 09:01	87-86-5	
Picloram	ND	ug/kg	3.8	1	02/07/13 08:30	02/08/13 09:01	1918-02-1	
2,4,5-T	ND	ug/kg	7.6	1	02/07/13 08:30	02/08/13 09:01	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.6	1	02/07/13 08:30	02/08/13 09:01	93-72-1	
Surrogates								
2,4-DCAA (S)	90 %		40-142	1	02/07/13 08:30	02/08/13 09:01	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	16.4 %		0.10	1		02/02/13 11:41		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-8-3 **Lab ID: 92146638008** Collected: 01/29/13 11:30 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	309-00-2	
alpha-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	319-84-6	
beta-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	319-85-7	
delta-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	58-89-9	
Chlordane (Technical)	ND	ug/kg	7.7	1	02/02/13 15:45	02/06/13 15:34	57-74-9	
4,4'-DDD	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	72-54-8	
4,4'-DDE	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	72-55-9	
4,4'-DDT	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	50-29-3	
Dieldrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	60-57-1	
Endosulfan I	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	959-98-8	
Endosulfan II	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	1031-07-8	
Endrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	72-20-8	
Endrin aldehyde	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	7421-93-4	
Endrin ketone	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	53494-70-5	
Heptachlor	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 15:34	118-74-1	
Methoxychlor	ND	ug/kg	5.5	1	02/02/13 15:45	02/06/13 15:34	72-43-5	
Mirex	ND	ug/kg	5.5	1	02/02/13 15:45	02/06/13 15:34	2385-85-5	
Toxaphene	ND	ug/kg	7.7	1	02/02/13 15:45	02/06/13 15:34	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	72 %		50-150	1	02/02/13 15:45	02/06/13 15:34	877-09-8	
Decachlorobiphenyl (S)	79 %		50-150	1	02/02/13 15:45	02/06/13 15:34	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	34.5	1	02/07/13 08:30	02/08/13 09:31	94-75-7	
Dalapon	ND	ug/kg	33.4	1	02/07/13 08:30	02/08/13 09:31	75-99-0	
Dicamba	ND	ug/kg	3.4	1	02/07/13 08:30	02/08/13 09:31	1918-00-9	
Dinoseb	ND	ug/kg	6.9	1	02/07/13 08:30	02/08/13 09:31	88-85-7	
Pentachlorophenol	ND	ug/kg	1.0	1	02/07/13 08:30	02/08/13 09:31	87-86-5	
Picloram	ND	ug/kg	3.5	1	02/07/13 08:30	02/08/13 09:31	1918-02-1	
2,4,5-T	ND	ug/kg	6.9	1	02/07/13 08:30	02/08/13 09:31	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.0	1	02/07/13 08:30	02/08/13 09:31	93-72-1	
Surrogates								
2,4-DCAA (S)	69 %		40-142	1	02/07/13 08:30	02/08/13 09:31	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	9.0 %		0.10	1		02/02/13 11:41		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-9-3 **Lab ID: 92146638009** Collected: 01/29/13 11:50 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	309-00-2	
alpha-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	319-84-6	
beta-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	319-85-7	
delta-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.6	1	02/02/13 15:45	02/06/13 15:51	57-74-9	
4,4'-DDD	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	72-54-8	
4,4'-DDE	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	72-55-9	
4,4'-DDT	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	50-29-3	
Dieldrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	60-57-1	
Endosulfan I	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	959-98-8	
Endosulfan II	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	1031-07-8	
Endrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	72-20-8	
Endrin aldehyde	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	7421-93-4	
Endrin ketone	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	53494-70-5	
Heptachlor	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 15:51	118-74-1	
Methoxychlor	ND	ug/kg	6.2	1	02/02/13 15:45	02/06/13 15:51	72-43-5	
Mirex	ND	ug/kg	6.2	1	02/02/13 15:45	02/06/13 15:51	2385-85-5	
Toxaphene	ND	ug/kg	8.6	1	02/02/13 15:45	02/06/13 15:51	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	74 %		50-150	1	02/02/13 15:45	02/06/13 15:51	877-09-8	
Decachlorobiphenyl (S)	72 %		50-150	1	02/02/13 15:45	02/06/13 15:51	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	38.7	1	02/07/13 08:30	02/08/13 10:01	94-75-7	
Dalapon	ND	ug/kg	37.5	1	02/07/13 08:30	02/08/13 10:01	75-99-0	
Dicamba	ND	ug/kg	3.9	1	02/07/13 08:30	02/08/13 10:01	1918-00-9	
Dinoseb	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 10:01	88-85-7	
Pentachlorophenol	ND	ug/kg	1.2	1	02/07/13 08:30	02/08/13 10:01	87-86-5	
Picloram	ND	ug/kg	3.9	1	02/07/13 08:30	02/08/13 10:01	1918-02-1	
2,4,5-T	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 10:01	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 10:01	93-72-1	
Surrogates								
2,4-DCAA (S)	70 %		40-142	1	02/07/13 08:30	02/08/13 10:01	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	19.0 %		0.10	1		02/02/13 11:42		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-10-3 **Lab ID: 92146638010** Collected: 01/29/13 12:15 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	309-00-2	
alpha-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	319-84-6	
beta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	319-85-7	
delta-BHC	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.4	1	02/02/13 15:45	02/06/13 16:09	57-74-9	
4,4'-DDD	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	72-54-8	
4,4'-DDE	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	72-55-9	
4,4'-DDT	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	50-29-3	
Dieldrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	60-57-1	
Endosulfan I	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	959-98-8	
Endosulfan II	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	1031-07-8	
Endrin	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	72-20-8	
Endrin aldehyde	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	7421-93-4	
Endrin ketone	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	53494-70-5	
Heptachlor	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.4	1	02/02/13 15:45	02/06/13 16:09	118-74-1	
Methoxychlor	ND	ug/kg	6.0	1	02/02/13 15:45	02/06/13 16:09	72-43-5	
Mirex	ND	ug/kg	6.0	1	02/02/13 15:45	02/06/13 16:09	2385-85-5	
Toxaphene	ND	ug/kg	8.4	1	02/02/13 15:45	02/06/13 16:09	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	59 %		50-150	1	02/02/13 15:45	02/06/13 16:09	877-09-8	
Decachlorobiphenyl (S)	71 %		50-150	1	02/02/13 15:45	02/06/13 16:09	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	37.8	1	02/07/13 08:30	02/08/13 10:32	94-75-7	
Dalapon	ND	ug/kg	36.6	1	02/07/13 08:30	02/08/13 10:32	75-99-0	
Dicamba	ND	ug/kg	3.8	1	02/07/13 08:30	02/08/13 10:32	1918-00-9	
Dinoseb	ND	ug/kg	7.6	1	02/07/13 08:30	02/08/13 10:32	88-85-7	
Pentachlorophenol	ND	ug/kg	1.1	1	02/07/13 08:30	02/08/13 10:32	87-86-5	
Picloram	ND	ug/kg	3.8	1	02/07/13 08:30	02/08/13 10:32	1918-02-1	
2,4,5-T	ND	ug/kg	7.6	1	02/07/13 08:30	02/08/13 10:32	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.6	1	02/07/13 08:30	02/08/13 10:32	93-72-1	
Surrogates								
2,4-DCAA (S)	68 %		40-142	1	02/07/13 08:30	02/08/13 10:32	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	17.0 %		0.10	1		02/02/13 11:42		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-11-3 **Lab ID: 92146638011** Collected: 01/29/13 13:00 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	309-00-2	
alpha-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	319-84-6	
beta-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	319-85-7	
delta-BHC	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	58-89-9	
Chlordane (Technical)	ND	ug/kg	8.6	1	02/02/13 15:45	02/06/13 16:26	57-74-9	
4,4'-DDD	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	72-54-8	
4,4'-DDE	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	72-55-9	
4,4'-DDT	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	50-29-3	
Dieldrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	60-57-1	
Endosulfan I	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	959-98-8	
Endosulfan II	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	1031-07-8	
Endrin	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	72-20-8	
Endrin aldehyde	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	7421-93-4	
Endrin ketone	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	53494-70-5	
Heptachlor	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.5	1	02/02/13 15:45	02/06/13 16:26	118-74-1	
Methoxychlor	ND	ug/kg	6.2	1	02/02/13 15:45	02/06/13 16:26	72-43-5	
Mirex	ND	ug/kg	6.2	1	02/02/13 15:45	02/06/13 16:26	2385-85-5	
Toxaphene	ND	ug/kg	8.6	1	02/02/13 15:45	02/06/13 16:26	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	68 %		50-150	1	02/02/13 15:45	02/06/13 16:26	877-09-8	
Decachlorobiphenyl (S)	83 %		50-150	1	02/02/13 15:45	02/06/13 16:26	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	38.6	1	02/07/13 08:30	02/08/13 11:02	94-75-7	
Dalapon	ND	ug/kg	37.4	1	02/07/13 08:30	02/08/13 11:02	75-99-0	
Dicamba	ND	ug/kg	3.9	1	02/07/13 08:30	02/08/13 11:02	1918-00-9	
Dinoseb	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 11:02	88-85-7	
Pentachlorophenol	ND	ug/kg	1.2	1	02/07/13 08:30	02/08/13 11:02	87-86-5	
Picloram	ND	ug/kg	3.9	1	02/07/13 08:30	02/08/13 11:02	1918-02-1	
2,4,5-T	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 11:02	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.8	1	02/07/13 08:30	02/08/13 11:02	93-72-1	
Surrogates								
2,4-DCAA (S)	67 %		40-142	1	02/07/13 08:30	02/08/13 11:02	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	18.8 %		0.10	1		02/02/13 11:42		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-12-3 **Lab ID: 92146638012** Collected: 01/29/13 13:15 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	309-00-2	
alpha-BHC	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	319-84-6	
beta-BHC	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	319-85-7	
delta-BHC	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	58-89-9	
Chlordane (Technical)	ND	ug/kg	9.1	1	02/02/13 15:45	02/06/13 16:44	57-74-9	
4,4'-DDD	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	72-54-8	
4,4'-DDE	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	72-55-9	
4,4'-DDT	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	50-29-3	
Dieldrin	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	60-57-1	
Endosulfan I	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	959-98-8	
Endosulfan II	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	1031-07-8	
Endrin	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	72-20-8	
Endrin aldehyde	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	7421-93-4	
Endrin ketone	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	53494-70-5	
Heptachlor	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.6	1	02/02/13 15:45	02/06/13 16:44	118-74-1	
Methoxychlor	ND	ug/kg	6.5	1	02/02/13 15:45	02/06/13 16:44	72-43-5	
Mirex	ND	ug/kg	6.5	1	02/02/13 15:45	02/06/13 16:44	2385-85-5	
Toxaphene	ND	ug/kg	9.1	1	02/02/13 15:45	02/06/13 16:44	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	73 %		50-150	1	02/02/13 15:45	02/06/13 16:44	877-09-8	
Decachlorobiphenyl (S)	72 %		50-150	1	02/02/13 15:45	02/06/13 16:44	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	40.8	1	02/07/13 08:30	02/08/13 12:02	94-75-7	
Dalapon	ND	ug/kg	39.6	1	02/07/13 08:30	02/08/13 12:02	75-99-0	
Dicamba	ND	ug/kg	4.1	1	02/07/13 08:30	02/08/13 12:02	1918-00-9	
Dinoseb	ND	ug/kg	8.2	1	02/07/13 08:30	02/08/13 12:02	88-85-7	
Pentachlorophenol	ND	ug/kg	1.2	1	02/07/13 08:30	02/08/13 12:02	87-86-5	
Picloram	ND	ug/kg	4.1	1	02/07/13 08:30	02/08/13 12:02	1918-02-1	
2,4,5-T	ND	ug/kg	8.2	1	02/07/13 08:30	02/08/13 12:02	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	8.3	1	02/07/13 08:30	02/08/13 12:02	93-72-1	
Surrogates								
2,4-DCAA (S)	75 %		40-142	1	02/07/13 08:30	02/08/13 12:02	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	23.2 %		0.10	1		02/02/13 11:42		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-13-3 **Lab ID: 92146638013** Collected: 01/29/13 13:25 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	309-00-2	
alpha-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	319-84-6	
beta-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	319-85-7	
delta-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	58-89-9	
Chlordane (Technical)	ND	ug/kg	7.9	1	02/02/13 15:45	02/06/13 17:01	57-74-9	
4,4'-DDD	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	72-54-8	
4,4'-DDE	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	72-55-9	
4,4'-DDT	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	50-29-3	
Dieldrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	60-57-1	
Endosulfan I	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	959-98-8	
Endosulfan II	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	1031-07-8	
Endrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	72-20-8	
Endrin aldehyde	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	7421-93-4	
Endrin ketone	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	53494-70-5	
Heptachlor	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:01	118-74-1	
Methoxychlor	ND	ug/kg	5.6	1	02/02/13 15:45	02/06/13 17:01	72-43-5	
Mirex	ND	ug/kg	5.6	1	02/02/13 15:45	02/06/13 17:01	2385-85-5	
Toxaphene	ND	ug/kg	7.9	1	02/02/13 15:45	02/06/13 17:01	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	75 %		50-150	1	02/02/13 15:45	02/06/13 17:01	877-09-8	
Decachlorobiphenyl (S)	79 %		50-150	1	02/02/13 15:45	02/06/13 17:01	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	35.2	1	02/07/13 08:30	02/08/13 12:33	94-75-7	
Dalapon	ND	ug/kg	34.1	1	02/07/13 08:30	02/08/13 12:33	75-99-0	
Dicamba	ND	ug/kg	3.5	1	02/07/13 08:30	02/08/13 12:33	1918-00-9	
Dinoseb	ND	ug/kg	7.1	1	02/07/13 08:30	02/08/13 12:33	88-85-7	
Pentachlorophenol	ND	ug/kg	1.1	1	02/07/13 08:30	02/08/13 12:33	87-86-5	
Picloram	ND	ug/kg	3.5	1	02/07/13 08:30	02/08/13 12:33	1918-02-1	
2,4,5-T	ND	ug/kg	7.1	1	02/07/13 08:30	02/08/13 12:33	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.1	1	02/07/13 08:30	02/08/13 12:33	93-72-1	
Surrogates								
2,4-DCAA (S)	68 %		40-142	1	02/07/13 08:30	02/08/13 12:33	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	11.0 %		0.10	1		02/02/13 11:42		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

Sample: 116-14-3 **Lab ID: 92146638014** Collected: 01/29/13 13:40 Received: 02/01/13 13:03 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pesticides		Analytical Method: EPA 8081 Preparation Method: EPA 3546						
Aldrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	309-00-2	
alpha-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	319-84-6	
beta-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	319-85-7	
delta-BHC	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	319-86-8	
gamma-BHC (Lindane)	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	58-89-9	
Chlordane (Technical)	ND	ug/kg	7.7	1	02/02/13 15:45	02/06/13 17:19	57-74-9	
4,4'-DDD	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	72-54-8	
4,4'-DDE	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	72-55-9	
4,4'-DDT	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	50-29-3	
Dieldrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	60-57-1	
Endosulfan I	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	959-98-8	
Endosulfan II	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	33213-65-9	
Endosulfan sulfate	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	1031-07-8	
Endrin	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	72-20-8	
Endrin aldehyde	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	7421-93-4	
Endrin ketone	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	53494-70-5	
Heptachlor	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	76-44-8	
Heptachlor epoxide	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	1024-57-3	
Hexachlorobenzene	ND	ug/kg	2.2	1	02/02/13 15:45	02/06/13 17:19	118-74-1	
Methoxychlor	ND	ug/kg	5.5	1	02/02/13 15:45	02/06/13 17:19	72-43-5	
Mirex	ND	ug/kg	5.5	1	02/02/13 15:45	02/06/13 17:19	2385-85-5	
Toxaphene	ND	ug/kg	7.7	1	02/02/13 15:45	02/06/13 17:19	8001-35-2	
Surrogates								
Tetrachloro-m-xylene (S)	80 %		50-150	1	02/02/13 15:45	02/06/13 17:19	877-09-8	
Decachlorobiphenyl (S)	86 %		50-150	1	02/02/13 15:45	02/06/13 17:19	2051-24-3	
8151 Chlorinated Herbicides		Analytical Method: EPA 8151 Preparation Method: EPA 3545						
2,4-D	ND	ug/kg	34.5	1	02/07/13 08:30	02/08/13 13:03	94-75-7	
Dalapon	ND	ug/kg	33.4	1	02/07/13 08:30	02/08/13 13:03	75-99-0	
Dicamba	ND	ug/kg	3.4	1	02/07/13 08:30	02/08/13 13:03	1918-00-9	
Dinoseb	ND	ug/kg	6.9	1	02/07/13 08:30	02/08/13 13:03	88-85-7	
Pentachlorophenol	ND	ug/kg	1.0	1	02/07/13 08:30	02/08/13 13:03	87-86-5	
Picloram	ND	ug/kg	3.5	1	02/07/13 08:30	02/08/13 13:03	1918-02-1	
2,4,5-T	ND	ug/kg	6.9	1	02/07/13 08:30	02/08/13 13:03	93-76-5	
2,4,5-TP (Silvex)	ND	ug/kg	7.0	1	02/07/13 08:30	02/08/13 13:03	93-72-1	
Surrogates								
2,4-DCAA (S)	68 %		40-142	1	02/07/13 08:30	02/08/13 13:03	19719-28-9	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	9.1 %		0.10	1		02/02/13 11:42		

QUALITY CONTROL DATA

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

QC Batch: OEXT/20633 Analysis Method: EPA 8081
 QC Batch Method: EPA 3546 Analysis Description: 8081 GCS Pesticides
 Associated Lab Samples: 92146638001, 92146638002, 92146638003, 92146638004, 92146638005, 92146638006, 92146638007, 92146638008, 92146638009, 92146638010, 92146638011, 92146638012, 92146638013, 92146638014

METHOD BLANK: 915359 Matrix: Solid

Associated Lab Samples: 92146638001, 92146638002, 92146638003, 92146638004, 92146638005, 92146638006, 92146638007, 92146638008, 92146638009, 92146638010, 92146638011, 92146638012, 92146638013, 92146638014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
4,4'-DDD	ug/kg	ND	2.0	02/06/13 12:21	
4,4'-DDE	ug/kg	ND	2.0	02/06/13 12:21	
4,4'-DDT	ug/kg	ND	2.0	02/06/13 12:21	
Aldrin	ug/kg	ND	2.0	02/06/13 12:21	
alpha-BHC	ug/kg	ND	2.0	02/06/13 12:21	
beta-BHC	ug/kg	ND	2.0	02/06/13 12:21	
Chlordane (Technical)	ug/kg	ND	7.0	02/06/13 12:21	
delta-BHC	ug/kg	ND	2.0	02/06/13 12:21	
Dieldrin	ug/kg	ND	2.0	02/06/13 12:21	
Endosulfan I	ug/kg	ND	2.0	02/06/13 12:21	
Endosulfan II	ug/kg	ND	2.0	02/06/13 12:21	
Endosulfan sulfate	ug/kg	ND	2.0	02/06/13 12:21	
Endrin	ug/kg	ND	2.0	02/06/13 12:21	
Endrin aldehyde	ug/kg	ND	2.0	02/06/13 12:21	
Endrin ketone	ug/kg	ND	2.0	02/06/13 12:21	
gamma-BHC (Lindane)	ug/kg	ND	2.0	02/06/13 12:21	
Heptachlor	ug/kg	ND	2.0	02/06/13 12:21	
Heptachlor epoxide	ug/kg	ND	2.0	02/06/13 12:21	
Hexachlorobenzene	ug/kg	ND	2.0	02/06/13 12:21	
Methoxychlor	ug/kg	ND	5.0	02/06/13 12:21	
Mirex	ug/kg	ND	5.0	02/06/13 12:21	
Toxaphene	ug/kg	ND	7.0	02/06/13 12:21	
Decachlorobiphenyl (S)	%	90	50-150	02/06/13 12:21	
Tetrachloro-m-xylene (S)	%	84	50-150	02/06/13 12:21	

LABORATORY CONTROL SAMPLE: 915360

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
4,4'-DDD	ug/kg	8.3	7.7	93	50-150	
4,4'-DDE	ug/kg	8.3	7.6	93	50-150	
4,4'-DDT	ug/kg	8.3	7.8	94	50-150	
Aldrin	ug/kg	8.3	6.5	79	50-150	
alpha-BHC	ug/kg	8.3	6.5	79	50-150	
beta-BHC	ug/kg	8.3	7.1	87	50-150	
delta-BHC	ug/kg	8.3	7.3	88	50-150	
Dieldrin	ug/kg	8.3	7.4	90	50-150	
Endosulfan I	ug/kg	8.3	7.1	86	50-150	
Endosulfan II	ug/kg	8.3	7.5	91	50-150	
Endosulfan sulfate	ug/kg	8.3	6.9	84	50-150	
Endrin	ug/kg	8.3	7.3	89	50-150	

QUALITY CONTROL DATA

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

LABORATORY CONTROL SAMPLE: 915360

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin aldehyde	ug/kg	8.3	7.3	88	50-150	
Endrin ketone	ug/kg	8.3	7.5	90	50-150	
gamma-BHC (Lindane)	ug/kg	8.3	6.6	81	50-150	
Heptachlor	ug/kg	8.3	6.5	79	50-150	
Heptachlor epoxide	ug/kg	8.3	6.6	80	50-150	
Hexachlorobenzene	ug/kg	8.3	7.9	96	50-150	
Methoxychlor	ug/kg	24.8	21.9	89	50-150	
Mirex	ug/kg	24.8	21.1	85	50-150	
Decachlorobiphenyl (S)	%			85	50-150	
Tetrachloro-m-xylene (S)	%			78	50-150	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 915361 915362

Parameter	Units	92146638001 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
			Spike Conc.	MS Result	MSD Spike Conc.	MSD Result					
4,4'-DDD	ug/kg	ND	9.8	7.7	9.8	7.6	80	78	50-150	2	
4,4'-DDE	ug/kg	ND	9.8	8.0	9.8	7.6	83	78	50-150	6	
4,4'-DDT	ug/kg	ND	9.8	7.4	9.8	7.3	76	75	50-150	1	
Aldrin	ug/kg	ND	9.8	7.1	9.8	6.8	73	70	50-150	5	
alpha-BHC	ug/kg	ND	9.8	6.5	9.8	6.9	66	71	50-150	6	
beta-BHC	ug/kg	ND	9.8	7.3	9.8	7.1	75	73	50-150	3	
delta-BHC	ug/kg	ND	9.8	6.9	9.8	6.6	70	68	50-150	3	
Dieldrin	ug/kg	ND	9.8	8.0	9.8	7.5	82	77	50-150	7	
Endosulfan I	ug/kg	ND	9.8	7.7	9.8	7.1	79	73	50-150	8	
Endosulfan II	ug/kg	ND	9.8	7.7	9.8	7.5	79	77	50-150	2	
Endosulfan sulfate	ug/kg	ND	9.8	6.8	9.8	6.9	70	71	50-150	1	
Endrin	ug/kg	ND	9.8	7.4	9.8	7.1	76	73	50-150	4	
Endrin aldehyde	ug/kg	ND	9.8	6.6	9.8	6.6	68	68	50-150	0	
Endrin ketone	ug/kg	ND	9.8	7.4	9.8	7.5	76	77	50-150	1	
gamma-BHC (Lindane)	ug/kg	ND	9.8	6.6	9.8	7.0	68	72	50-150	5	
Heptachlor	ug/kg	ND	9.8	6.4	9.8	6.4	65	66	50-150	1	
Heptachlor epoxide	ug/kg	ND	9.8	7.7	9.8	6.5	79	67	50-150	17	
Hexachlorobenzene	ug/kg	ND	9.8	8.6	9.8	8.8	88	90	50-150	2	
Methoxychlor	ug/kg	ND	29.3	21.7	29.3	21.9	74	75	50-150	1	
Mirex	ug/kg	ND	29.3	21.5	29.3	21.4	74	73	50-150	1	
Decachlorobiphenyl (S)	%						75	76	50-150		
Tetrachloro-m-xylene (S)	%						68	73	50-150		

QUALITY CONTROL DATA

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146638

QC Batch: OEXT/11437 Analysis Method: EPA 8151
 QC Batch Method: EPA 3545 Analysis Description: 8151 GCS Herbicides
 Associated Lab Samples: 92146638001, 92146638002, 92146638003, 92146638004, 92146638005, 92146638006, 92146638007, 92146638008, 92146638009, 92146638010, 92146638011, 92146638012, 92146638013, 92146638014

METHOD BLANK: 557266 Matrix: Solid
 Associated Lab Samples: 92146638001, 92146638002, 92146638003, 92146638004, 92146638005, 92146638006, 92146638007, 92146638008, 92146638009, 92146638010, 92146638011, 92146638012, 92146638013, 92146638014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
2,4,5-T	ug/kg	ND	6.3	02/08/13 00:58	
2,4,5-TP (Silvex)	ug/kg	ND	6.3	02/08/13 00:58	
2,4-D	ug/kg	ND	31.3	02/08/13 00:58	
Dalapon	ug/kg	ND	30.4	02/08/13 00:58	
Dicamba	ug/kg	ND	3.1	02/08/13 00:58	
Dinoseb	ug/kg	ND	6.3	02/08/13 00:58	
Pentachlorophenol	ug/kg	ND	0.95	02/08/13 00:58	
Picloram	ug/kg	ND	3.1	02/08/13 00:58	
2,4-DCAA (S)	%	78	40-142	02/08/13 00:58	

LABORATORY CONTROL SAMPLE: 557267

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4,5-T	ug/kg	40	34.3	86	37-130	
2,4,5-TP (Silvex)	ug/kg	40	35.7	89	32-153	
2,4-D	ug/kg	200	171	86	29-146	
Dalapon	ug/kg	200	157	79	28-130	
Dicamba	ug/kg	20	16.0	80	41-130	
Dinoseb	ug/kg	40	16.3	41	28-130	
Pentachlorophenol	ug/kg	6	4.9	82	27-130	
Picloram	ug/kg	20	16.8	84	17-130	
2,4-DCAA (S)	%			90	40-142	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 557928 557929

Parameter	Units	3581805001		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
		Result	Conc.	Conc.	Result	Result	% Rec	% Rec				
2,4,5-T	ug/kg	0.0013 U mg/kg	44.7	44.7	43.0	44.1	96	99	10-139	3		
2,4,5-TP (Silvex)	ug/kg	0.00089 U mg/kg	44.7	44.7	41.6	42.7	93	96	21-147	3		
2,4-D	ug/kg	0.0084 U mg/kg	223	223	191	188	86	84	11-139	2		
Dalapon	ug/kg	0.0068 U mg/kg	223	223	170	160	76	72	11-130	6		
Dicamba	ug/kg	0.0014 U mg/kg	22.3	22.3	16.6	19.2	75	86	37-130	14		
Dinoseb	ug/kg	0.0017 U mg/kg	44.7	44.7	26.6	26.5	60	59	10-158	.5		



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

QUALITY CONTROL DATA

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146638

Parameter	Units	3581805001		557928		557929		% Rec	% Rec	% Rec	Limits	RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS Result	MSD Result						
Pentachlorophenol	ug/kg	0.00090	6.7	6.7	6.0	6.0	89	89	10-137	.4			
Picloram	ug/kg	0.00060	22.3	22.3	18.0	17.4	81	78	10-130	4			
2,4-DCAA (S)	%						90	91	40-142				



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

QUALITY CONTROL DATA

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146638

QC Batch: PMST/5284 Analysis Method: ASTM D2974-87
 QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture
 Associated Lab Samples: 92146638001, 92146638002, 92146638003, 92146638004, 92146638005, 92146638006

SAMPLE DUPLICATE: 915083

Parameter	Units	92146554001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	20.7	21.2	2	

SAMPLE DUPLICATE: 915084

Parameter	Units	92146638006 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	19.0	19.0	0	

QUALIFIERS

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146638

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-C Pace Analytical Services - Charlotte

PASI-O Pace Analytical Services - Ormond Beach

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146638

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92146638001	116-1-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638002	116-2-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638003	116-3-5	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638004	116-4-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638005	116-5-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638006	116-6-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638007	116-7-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638008	116-8-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638009	116-9-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638010	116-10-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638011	116-11-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638012	116-12-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638013	116-13-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638014	116-14-3	EPA 3546	OEXT/20633	EPA 8081	GCSV/13885
92146638001	116-1-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638002	116-2-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638003	116-3-5	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638004	116-4-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638005	116-5-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638006	116-6-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638007	116-7-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638008	116-8-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638009	116-9-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638010	116-10-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638011	116-11-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638012	116-12-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638013	116-13-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638014	116-14-3	EPA 3545	OEXT/11437	EPA 8151	GCSV/7818
92146638001	116-1-3	ASTM D2974-87	PMST/5284		
92146638002	116-2-3	ASTM D2974-87	PMST/5284		
92146638003	116-3-5	ASTM D2974-87	PMST/5284		
92146638004	116-4-3	ASTM D2974-87	PMST/5284		
92146638005	116-5-3	ASTM D2974-87	PMST/5284		
92146638006	116-6-3	ASTM D2974-87	PMST/5284		
92146638007	116-7-3	ASTM D2974-87	PMST/5285		
92146638008	116-8-3	ASTM D2974-87	PMST/5285		
92146638009	116-9-3	ASTM D2974-87	PMST/5285		
92146638010	116-10-3	ASTM D2974-87	PMST/5285		
92146638011	116-11-3	ASTM D2974-87	PMST/5285		
92146638012	116-12-3	ASTM D2974-87	PMST/5285		
92146638013	116-13-3	ASTM D2974-87	PMST/5285		
92146638014	116-14-3	ASTM D2974-87	PMST/5285		



Document Name:
Sample Condition Upon Receipt (SCUR)
 Document Number:
F-CHR-CS-03-rev.08

Document Revised: October 31, 2012
 Page 1 of 2
 Issuing Authority:
 Pace Huntersville Quality Office

Client Name: S&ME Inc Project # 92146638

Where Received: Huntersville Asheville Eden Raleigh

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Optional
Proj. Due Date
Proj. Name

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used: IR Gun T1101 T1102 Type of Ice: Wet Blue None Samples on Ice, cooling process has begun

Temp Correction Factor T1101: No Correction T1102: No Correction

Corrected Cooler Temp.: 3.9 C Biological Tissue is Frozen: Yes No (N/A)

Date and Initials of person examining contents: <u>RP 2-1-13 RP 2-1-13</u>
<u>2-1-13</u>

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ Field Data Required? Y / N
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: _____

SCURF Review: KBT Date: 2/1/13 SRF Review: KBT Date: 2/4/13

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kinsey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

February 11, 2013

Chemical Testing Engineer
NCDOT
Materials & Tests Unit
1801 Blue Ridge Road
Raleigh, NC 27607

RE: Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

Dear Chemical Engineer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 01, 2013. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jon D Bradley for
Kevin Herring
kevin.herring@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Pace Analytical Services, Inc.
205 East Meadow Road - Suite A
Eden, NC 27288
(336)623-8921

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
South Carolina Certification #: 99006001

Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
West Virginia Certification #: 357
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

SAMPLE ANALYTE COUNT

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92146643001	155-3-8	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643002	155-4-10	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643003	116-14-10	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643004	116-16-10	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643005	116-16-12	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643006	116-18-14	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643007	137-9-15	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643008	137-14-2	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643009	66-6-10	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643010	66-6-20	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
92146643011	66-8-15	EPA 8015 Modified	MEJ	2	PASI-C
		EPA 8015 Modified	RGF	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C

REPORT OF LABORATORY ANALYSIS

HITS ONLY

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
92146643001	155-3-8					
ASTM D2974-87	Percent Moisture	25.4 %		0.10	02/02/13 11:42	
92146643002	155-4-10					
EPA 8015 Modified	Diesel Components	308 mg/kg		6.5	02/04/13 18:11	
ASTM D2974-87	Percent Moisture	22.6 %		0.10	02/02/13 11:42	
92146643003	116-14-10					
ASTM D2974-87	Percent Moisture	9.7 %		0.10	02/02/13 11:42	
92146643004	116-16-10					
EPA 8015 Modified	Diesel Components	148 mg/kg		6.4	02/04/13 18:34	
EPA 8015 Modified	Gasoline Range Organics	63.8 mg/kg		6.6	02/05/13 13:02	
ASTM D2974-87	Percent Moisture	22.0 %		0.10	02/02/13 11:42	
92146643005	116-16-12					
EPA 8015 Modified	Diesel Components	17.0 mg/kg		6.3	02/04/13 18:34	
EPA 8015 Modified	Gasoline Range Organics	120 mg/kg		6.6	02/05/13 13:26	
ASTM D2974-87	Percent Moisture	20.0 %		0.10	02/02/13 11:42	
92146643006	116-18-14					
ASTM D2974-87	Percent Moisture	18.9 %		0.10	02/02/13 11:43	
92146643007	137-9-15					
ASTM D2974-87	Percent Moisture	15.8 %		0.10	02/02/13 11:43	
92146643008	137-14-2					
ASTM D2974-87	Percent Moisture	21.9 %		0.10	02/02/13 11:43	
92146643009	66-6-10					
EPA 8015 Modified	Diesel Components	26600 mg/kg		765	02/05/13 13:41	
EPA 8015 Modified	Gasoline Range Organics	696 mg/kg		27.5	02/07/13 23:18	
ASTM D2974-87	Percent Moisture	18.3 %		0.10	02/02/13 11:43	
92146643010	66-6-20					
EPA 8015 Modified	Diesel Components	7.1 mg/kg		5.4	02/04/13 19:44	
ASTM D2974-87	Percent Moisture	8.1 %		0.10	02/02/13 11:43	
92146643011	66-8-15					
ASTM D2974-87	Percent Moisture	10.0 %		0.10	02/02/13 11:43	

See Pages 9 through 12 for Analytical Data for Parcel 116

REPORT OF LABORATORY ANALYSIS

PROJECT NARRATIVE

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

Method: EPA 8015 Modified
Description: 8015 GCS THC-Diesel
Client: NCDOT East Central
Date: February 11, 2013

General Information:

11 samples were analyzed for EPA 8015 Modified. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3546 with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

QC Batch: OEXT/20631

S4: Surrogate recovery not evaluated against control limits due to sample dilution.

- 66-6-10 (Lab ID: 92146643009)
- n-Pentacosane (S)

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

PROJECT NARRATIVE

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

Method: EPA 8015 Modified
Description: Gasoline Range Organics
Client: NCDOT East Central
Date: February 11, 2013

General Information:

11 samples were analyzed for EPA 8015 Modified. All samples were received in acceptable condition with any exceptions noted below.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 5035A/5030B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146643

Sample: 155-3-8 **Lab ID: 92146643001** Collected: 01/28/13 14:33 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel		Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546						
Diesel Components	ND	mg/kg	6.7	1	02/02/13 13:00	02/04/13 17:24	68334-30-5	
Surrogates								
n-Pentacosane (S)	67	%	41-119	1	02/02/13 13:00	02/04/13 17:24	629-99-2	
Gasoline Range Organics		Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B						
Gasoline Range Organics	ND	mg/kg	6.4	1	02/05/13 07:20	02/05/13 11:54	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	102	%	70-167	1	02/05/13 07:20	02/05/13 11:54	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	25.4	%	0.10	1		02/02/13 11:42		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146643

Sample: 155-4-10 **Lab ID: 92146643002** Collected: 01/28/13 14:58 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel		Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546						
Diesel Components	308	mg/kg	6.5	1	02/02/13 13:00	02/04/13 18:11	68334-30-5	
Surrogates								
n-Pentacosane (S)	57	%	41-119	1	02/02/13 13:00	02/04/13 18:11	629-99-2	
Gasoline Range Organics		Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B						
Gasoline Range Organics	ND	mg/kg	6.6	1	02/05/13 07:20	02/05/13 12:17	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	95	%	70-167	1	02/05/13 07:20	02/05/13 12:17	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	22.6	%	0.10	1		02/02/13 11:42		



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146643

Sample: 116-14-10 Lab ID: 92146643003 Collected: 01/28/13 13:45 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel								
Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546								
Diesel Components	ND	mg/kg	5.5	1	02/02/13 13:00	02/04/13 18:11	68334-30-5	
Surrogates								
n-Pentacosane (S)	67	%	41-119	1	02/02/13 13:00	02/04/13 18:11	629-99-2	
Gasoline Range Organics								
Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B								
Gasoline Range Organics	ND	mg/kg	5.4	1	02/05/13 07:20	02/05/13 12:40	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	92	%	70-167	1	02/05/13 07:20	02/05/13 12:40	460-00-4	
Percent Moisture								
Analytical Method: ASTM D2974-87								
Percent Moisture	9.7	%	0.10	1		02/02/13 11:42		



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146643

Sample: 116-16-10 Lab ID: 92146643004 Collected: 01/29/13 14:20 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546								
Diesel Components	148	mg/kg	6.4	1	02/02/13 13:00	02/04/13 18:34	68334-30-5	
Surrogates								
n-Pentacosane (S)	65	%	41-119	1	02/02/13 13:00	02/04/13 18:34	629-99-2	
Gasoline Range Organics Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B								
Gasoline Range Organics	63.8	mg/kg	6.6	1	02/05/13 07:20	02/05/13 13:02	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	120	%	70-167	1	02/05/13 07:20	02/05/13 13:02	460-00-4	
Percent Moisture Analytical Method: ASTM D2974-87								
Percent Moisture	22.0	%	0.10	1		02/02/13 11:42		



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146643

Sample: 116-16-12 Lab ID: 92146643005 Collected: 01/29/13 14:24 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel		Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546						
Diesel Components	17.0	mg/kg	6.3	1	02/02/13 13:00	02/04/13 18:34	68334-30-5	
Surrogates								
n-Pentacosane (S)	65	%	41-119	1	02/02/13 13:00	02/04/13 18:34	629-99-2	
Gasoline Range Organics		Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B						
Gasoline Range Organics	120	mg/kg	6.6	1	02/05/13 07:20	02/05/13 13:26	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	135	%	70-167	1	02/05/13 07:20	02/05/13 13:26	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	20.0	%	0.10	1		02/02/13 11:42		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

Sample: 116-18-14 **Lab ID: 92146643006** Collected: 01/29/13 14:57 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel								
Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546								
Diesel Components	ND	mg/kg	6.2	1	02/02/13 13:00	02/04/13 18:57	68334-30-5	
Surrogates								
n-Pentacosane (S)	65	%	41-119	1	02/02/13 13:00	02/04/13 18:57	629-99-2	
Gasoline Range Organics								
Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B								
Gasoline Range Organics	ND	mg/kg	5.2	1	02/05/13 07:20	02/07/13 22:32	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	90	%	70-167	1	02/05/13 07:20	02/07/13 22:32	460-00-4	
Percent Moisture								
Analytical Method: ASTM D2974-87								
Percent Moisture	18.9	%	0.10	1		02/02/13 11:43		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146643

Sample: 137-9-15 **Lab ID: 92146643007** Collected: 01/30/13 10:16 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel		Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546						
Diesel Components	ND	mg/kg	5.9	1	02/02/13 13:00	02/04/13 18:57	68334-30-5	
Surrogates								
n-Pentacosane (S)	66	%	41-119	1	02/02/13 13:00	02/04/13 18:57	629-99-2	
Gasoline Range Organics		Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B						
Gasoline Range Organics	ND	mg/kg	7.4	1	02/05/13 07:20	02/05/13 14:12	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	109	%	70-167	1	02/05/13 07:20	02/05/13 14:12	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	15.8	%	0.10	1		02/02/13 11:43		



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kincey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146643

Sample: 137-14-2 **Lab ID: 92146643008** Collected: 01/30/13 13:15 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel		Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546						
Diesel Components	ND	mg/kg	6.4	1	02/02/13 13:00	02/04/13 19:20	68334-30-5	
Surrogates								
n-Pentacosane (S)	70	%	41-119	1	02/02/13 13:00	02/04/13 19:20	629-99-2	
Gasoline Range Organics		Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B						
Gasoline Range Organics	ND	mg/kg	6.7	1	02/05/13 07:20	02/05/13 14:35	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	94	%	70-167	1	02/05/13 07:20	02/05/13 14:35	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	21.9	%	0.10	1		02/02/13 11:43		



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146643

Sample: 66-6-10 **Lab ID: 92146643009** Collected: 01/31/13 10:55 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel		Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546						
Diesel Components	26600	mg/kg	765	25	02/02/13 13:00	02/05/13 13:41	68334-30-5	
Surrogates								
n-Pentacosane (S)	0 %		41-119	25	02/02/13 13:00	02/05/13 13:41	629-99-2	S4
Gasoline Range Organics		Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B						
Gasoline Range Organics	696	mg/kg	27.5	4	02/05/13 07:20	02/07/13 23:18	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	160 %		70-167	4	02/05/13 07:20	02/07/13 23:18	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	18.3	%	0.10	1		02/02/13 11:43		

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146643

Sample: 66-6-20 **Lab ID: 92146643010** Collected: 01/31/13 11:08 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel		Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546						
Diesel Components	7.1	mg/kg	5.4	1	02/02/13 13:00	02/04/13 19:44	68334-30-5	
Surrogates								
n-Pentacosane (S)	52	%	41-119	1	02/02/13 13:00	02/04/13 19:44	629-99-2	
Gasoline Range Organics		Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B						
Gasoline Range Organics	ND	mg/kg	6.0	1	02/05/13 07:20	02/07/13 22:55	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	100	%	70-167	1	02/05/13 07:20	02/07/13 22:55	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	8.1	%	0.10	1		02/02/13 11:43		



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

ANALYTICAL RESULTS

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146643

Sample: 66-8-15 **Lab ID: 92146643011** Collected: 01/31/13 13:55 Received: 02/01/13 13:07 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel		Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546						
Diesel Components	ND	mg/kg	5.6	1	02/02/13 13:00	02/04/13 19:44	68334-30-5	
Surrogates								
n-Pentacosane (S)	59	%	41-119	1	02/02/13 13:00	02/04/13 19:44	629-99-2	
Gasoline Range Organics		Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B						
Gasoline Range Organics	ND	mg/kg	6.8	1	02/05/13 07:20	02/08/13 08:49	8006-61-9	
Surrogates								
4-Bromofluorobenzene (S)	96	%	70-167	1	02/05/13 07:20	02/08/13 08:49	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87						
Percent Moisture	10.0	%	0.10	1		02/02/13 11:43		

QUALITY CONTROL DATA

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

QC Batch: GCV/6612 Analysis Method: EPA 8015 Modified
QC Batch Method: EPA 5035A/5030B Analysis Description: Gasoline Range Organics
Associated Lab Samples: 92146643001, 92146643002, 92146643003, 92146643004, 92146643005, 92146643006, 92146643007, 92146643008, 92146643009, 92146643010, 92146643011

METHOD BLANK: 915953 Matrix: Solid
Associated Lab Samples: 92146643001, 92146643002, 92146643003, 92146643004, 92146643005, 92146643006, 92146643007, 92146643008, 92146643009, 92146643010, 92146643011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	mg/kg	ND	6.0	02/05/13 08:50	
4-Bromofluorobenzene (S)	%	91	70-167	02/05/13 08:50	

LABORATORY CONTROL SAMPLE: 915954

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics	mg/kg	25	23.8	95	70-165	
4-Bromofluorobenzene (S)	%			91	70-167	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 915955 915956

Parameter	Units	92146451019 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Gasoline Range Organics	mg/kg	ND	24.3	24.3	31.1	29.5	128	121	47-187	5	
4-Bromofluorobenzene (S)	%						97	99	70-167		

QUALITY CONTROL DATA

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

QC Batch: OEXT/20631 Analysis Method: EPA 8015 Modified
QC Batch Method: EPA 3546 Analysis Description: 8015 Solid GCSV
Associated Lab Samples: 92146643001, 92146643002, 92146643003, 92146643004, 92146643005, 92146643006, 92146643007, 92146643008, 92146643009, 92146643010, 92146643011

METHOD BLANK: 915352 Matrix: Solid
Associated Lab Samples: 92146643001, 92146643002, 92146643003, 92146643004, 92146643005, 92146643006, 92146643007, 92146643008, 92146643009, 92146643010, 92146643011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Components	mg/kg	ND	5.0	02/04/13 15:51	
n-Pentacosane (S)	%	76	41-119	02/04/13 15:51	

LABORATORY CONTROL SAMPLE: 915353

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Components	mg/kg	66.7	49.8	75	49-113	
n-Pentacosane (S)	%			78	41-119	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 915354 915355

Parameter	Units	92146643001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Diesel Components	mg/kg	ND	89.4	89.4	66.8	63.1	69	65	10-146	6	
n-Pentacosane (S)	%						69	67	41-119		



Pace Analytical Services, Inc.
 205 East Meadow Road - Suite A
 Eden, NC 27288
 (336)623-8921

Pace Analytical Services, Inc.
 2225 Riverside Dr.
 Asheville, NC 28804
 (828)254-7176

Pace Analytical Services, Inc.
 9800 Kinsey Ave. Suite 100
 Huntersville, NC 28078
 (704)875-9092

QUALITY CONTROL DATA

Project: NCDOT U-2525B 34821.1.1
 Pace Project No.: 92146643

QC Batch:	PMST/5285	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	92146643001, 92146643002, 92146643003, 92146643004, 92146643005, 92146643006, 92146643007, 92146643008, 92146643009, 92146643010, 92146643011		

SAMPLE DUPLICATE: 915085

Parameter	Units	92146638007 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	16.4	16.3	1	

SAMPLE DUPLICATE: 915086

Parameter	Units	92146649001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	19.5	19.8	2	

QUALIFIERS

Project: NCDOT U-2525B 34821.1.1
Pace Project No.: 92146643

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PRL - Pace Reporting Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Acid preservation may not be appropriate for 2-Chloroethylvinyl ether, Styrene, and Vinyl chloride.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-C Pace Analytical Services - Charlotte

ANALYTE QUALIFIERS

S4 Surrogate recovery not evaluated against control limits due to sample dilution.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: NCDOT U-2525B 34821.1.1

Pace Project No.: 92146643

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92146643001	155-3-8	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643002	155-4-10	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643003	116-14-10	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643004	116-16-10	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643005	116-16-12	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643006	116-18-14	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643007	137-9-15	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643008	137-14-2	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643009	66-6-10	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643010	66-6-20	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643011	66-8-15	EPA 3546	OEXT/20631	EPA 8015 Modified	GCSV/13867
92146643001	155-3-8	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6616
92146643002	155-4-10	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6616
92146643003	116-14-10	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6616
92146643004	116-16-10	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6616
92146643005	116-16-12	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6616
92146643006	116-18-14	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6619
92146643007	137-9-15	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6616
92146643008	137-14-2	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6616
92146643009	66-6-10	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6619
92146643010	66-6-20	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6619
92146643011	66-8-15	EPA 5035A/5030B	GCV/6612	EPA 8015 Modified	GCV/6621
92146643001	155-3-8	ASTM D2974-87	PMST/5285		
92146643002	155-4-10	ASTM D2974-87	PMST/5285		
92146643003	116-14-10	ASTM D2974-87	PMST/5285		
92146643004	116-16-10	ASTM D2974-87	PMST/5285		
92146643005	116-16-12	ASTM D2974-87	PMST/5285		
92146643006	116-18-14	ASTM D2974-87	PMST/5285		
92146643007	137-9-15	ASTM D2974-87	PMST/5285		
92146643008	137-14-2	ASTM D2974-87	PMST/5285		
92146643009	66-6-10	ASTM D2974-87	PMST/5285		
92146643010	66-6-20	ASTM D2974-87	PMST/5285		
92146643011	66-8-15	ASTM D2974-87	PMST/5285		



Document Name:
Sample Condition Upon Receipt (SCUR)
 Document Number:
F-CHR-CS-03-rev.08

Document Revised: October 31, 2012
 Page 1 of 2
 Issuing Authority:
 Pace Huntersville Quality Office

Client Name: S&ME Inc. Project # 92146643

Where Received: Huntersville Asheville Eden Raleigh

Courier: Fed Ex UPS USPS Client Commercial Pace Other _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Optional:
 Proj. Due Date
 Proj. Name

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used: IR Gun T1101 T1102 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Temp Correction Factor T1101: No Correction T1102: No Correction

Corrected Cooler Temp.: 3-9 C Biological Tissue Is Frozen: Yes No (N/A)

Date and Initials of person examining contents: RP 2-1-13

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix:		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

SCURF Review:

KH

Date:

2/1/13

SRF Review:

KH

Date:

2/4/13

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)