



STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION

PAT MCCRORY  
GOVERNOR

ANTHONY J. TATA  
SECRETARY

March 10, 2015

**Addendum No. 1**

Contract ID C203646

WBS # 38688.3.GVS6BA, 38688.3.GVS6BB

F. A. # IMS-085-4(116)215, IMS-085-4(117)224

**Vance, Warren Counties (I-0914BA & I-0914BB) (Proposal #3)**

I-85 From North of SR-1162 (Dabney Drive) In Vance County To the Virginia State Line

**March 17, 2015 Letting**

To Whom It May Concern:

**The Contractor's is hereby notified that preliminary information on the location of concrete slabs to be repaired will be posted on the web with the other information on this project. This information is not guaranteed, is for information purposes only and will not be part of the contract.**

Reference is made to the proposal form furnished to you on this project.

The following revisions have been made to the proposal:

| Page No.       | Revisions  |
|----------------|--|
| Proposal Cover | Note added that reads "Includes Addendum No. 1 Dated 03-10-15"   |
| G-17           | the project special provision entitled "Intermediate Contract Time Number 31 And Liquidated Damages" has been revised  |
| G-24           | an additional parcel has been added to the list within the project special provision entitled "Delay In Right Of Entry"  |
| ST-32          | the first three paragraphs of the project special provision entitled "Construction, Maintenance and Removal Of Temporary Structure At Station 197+54.33-L-SBL" have been revised |

Please void the above listed pages in your proposal and replace with the attached revised pages.

**MAILING ADDRESS:**  
NC DEPARTMENT OF TRANSPORTATION  
CONTRACT STANDARDS AND DEVELOPMENT UNIT  
1591 MAIL SERVICE CENTER  
RALEIGH NC 27699-1591

TELEPHONE: 919-707-6900  
FAX: 919-250-4119  
  
WEBSITE: [www.ncdot.gov](http://www.ncdot.gov)

**LOCATION:**  
CENTURY CENTER COMPLEX  
ENTRANCE B-2  
1020 BIRCH RIDGE DRIVE  
RALEIGH NC 27610

C203646

I-0914BA & I-0914BB  
Vance, Warren Counties

On the item sheets the following pay item quantity has been revised:

| <u>Item</u>          | <u>Description</u>    | <u>Old Quantity</u> | <u>New Quantity</u> |
|----------------------|-----------------------|---------------------|---------------------|
| 052-1121000000-E-520 | Aggregate Base Course | 6,619 TON           | 9,800 TON           |

The Contractor's bid must be based on this revised pay item quantity. The contract will be prepared accordingly.

The Expedite File has been updated to reflect this revision. Please download the Expedite Addendum File and follow the instructions for applying the addendum. Bid Express will not accept your bid unless the addendum has been applied.

Sincerely,



R. A. Garris, PE  
Contract Officer

RAG/jag  
Attachments

cc: Mr. Ron Hancock, PE  
Mr. Joey Hopkins, PE  
Ms. D. M. Barbour, PE  
Mr. Rodger Rochelle, PE  
Mr. R.E. Davenport, PE  
Mr. Tom Koch, PE  
Ms. Lori Strickland  
Project File (2)

Mr. Ray Arnold, PE  
Ms. Terry Canales, PE  
Mr. Ronnie Higgins  
Mr. Mike Gwyn  
Ms. Marsha Sample  
Ms. Jaci Kincaid  
Ms. Penny Higgins

STATE OF NORTH CAROLINA  
DEPARTMENT OF TRANSPORTATION  
RALEIGH, N.C.

PROPOSAL

Includes Addendum No.1 dated March 10, 2015

DATE AND TIME OF BID OPENING: **MARCH 17, 2015 AT 2:00 PM**

CONTRACT ID C203646  
WBS 38688.3.GVS6BA, 38688.3.GVS6BB

FEDERAL-AID NO. IMS-085-4(116)215, IMS-085-4(117)224  
COUNTY WARREN, VANCE  
T.I.P. NO. I-0914BA, I-0914BB  
MILES 20.602  
ROUTE NO. I 85  
LOCATION I-85 FROM NORTH OF SR-1162 (DABNEY DR) IN VANCE COUNTY TO VIRGINIA STATE LINE.  
TYPE OF WORK GRADING, DRAINAGE, PAVING, AND STRUCTURES.

**NOTICE:**

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. NOTWITHSTANDING THESE LIMITATIONS ON BIDDING, THE BIDDER WHO IS AWARDED ANY FEDERAL - AID FUNDED PROJECT SHALL COMPLY WITH CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA FOR LICENSING REQUIREMENTS WITHIN 60 CALENDAR DAYS OF BID OPENING.

**BIDS WILL BE RECEIVED AS SHOWN BELOW:**

**THIS IS A ROADWAY & STRUCTURE PROPOSAL**

**5% BID BOND OR BID DEPOSIT REQUIRED**

---

**INTERMEDIATE CONTRACT TIME NUMBER 30 AND LIQUIDATED DAMAGES:**

(2-20-07) (Rev. 10-15-13)

108

SP1 G14 E

The Contractor shall complete the required work of installing, maintaining and removing the traffic control devices for road closures and restoring traffic to the existing traffic pattern. The Contractor shall not close **-L- (I-85), including ramps and loops**, during the following time restrictions:

**DAY AND TIME RESTRICTIONS**

**Monday through Sunday  
from 5:00AM to 12:00AM (Midnight)**

The maximum allowable time for any structure activity is **30 minutes for I-85, including ramps and loops**. The Contractor shall reopen the travel lanes to traffic until any resulting traffic queue is depleted.

The time of availability for this intermediate contract time will be the time the Contractor begins to install traffic control devices required for the road closures according to the time restrictions stated herein.

The completion time for this intermediate contract time will be the time the Contractor is required to complete the removal of traffic control devices required for the road closures according to the time restrictions stated herein and restore traffic to the existing traffic pattern.

The liquidated damages are **Two Thousand Five Hundred Dollars (\$2,500.00)** per 15 minute time period.

**INTERMEDIATE CONTRACT TIME NUMBER 31 AND LIQUIDATED DAMAGES:**

(2-20-07) (Rev. 6-18-13)

108

SP1 G14 H

The Contractor shall complete the work required of **Phase I, Steps 2 through 4** as shown on Sheet **TMP- 3** and shall place and maintain traffic on same.

The date of availability for this intermediate contract time will is **April 27, 2015**.

The completion date for this intermediate contract time is **November 15, 2015**.

The liquidated damages are **Ten Thousand Dollars (\$10,000.00)** per calendar day.

**INTERMEDIATE CONTRACT TIME NUMBER 32 AND LIQUIDATED DAMAGES:**

(2-20-07) (Rev. 6-18-13)

108

SP1 G14 H

The Contractor shall complete the work required of **Phase I, Step 7** as shown on Sheet **TMP- 3** and shall place and maintain traffic on same.

Payment for *Response for Erosion Control, Seeding and Mulching, Repair Seeding, Supplemental Seeding, Mowing, Fertilizer Topdressing, Silt Excavation, and Stone for Erosion Control* will be made at contract unit prices for the affected items. Work required that is not represented by contract line items will be paid in accordance with Articles 104-7 or 104-3 of the *2012 Standard Specifications*. No additional compensation will be made for maintenance and removal of temporary erosion control items.

**DELAY IN RIGHT OF ENTRY (I-0914BB):**

(7-1-95) (Rev. 7-15-14)

108

SP1 G22

The Contractor will not be allowed right of entry to the following parcel(s) prior to the listed date(s) unless otherwise permitted by the Engineer.

| <b><u>Parcel No.</u></b> | <b><u>Property Owner</u></b> | <b><u>Date</u></b> |
|--------------------------|------------------------------|--------------------|
| 002                      | Annie Durham Heirs           | 2-16-15            |
| 005                      | Susan B. Hargraove Heirs     | 3-15-15            |

**MAJOR CONTRACT ITEMS:**

(2-19-02)

104

SP1 G28

The following listed items are the major contract items for this contract (see Article 104-5 of the *2012 Standard Specifications*):

| <b>Line #</b> | <b>Description</b>  |
|---------------|---|
| 72 —          | 10" Portland Cement Concrete Pavement Through Lanes (With Dowels) |

**SPECIALTY ITEMS:**

(7-1-95)(Rev. 1-17-12)

108-6

SP1 G37

Items listed below will be the specialty items for this contract (see Article 108-6 of the *2012 Standard Specifications*).

| <b>Line #</b>              | <b>Description</b>          |
|----------------------------|-----------------------------|
| 120 – 132, 134 – 141 & 152 | Guardrail                   |
| 133 & 142 – 144            | Cable Guiderail             |
| 145 - 151                  | Fencing                     |
| 157 - 195                  | Signing                     |
| 221 - 225, 228 & 239 - 242 | Long-Life Pavement Markings |
| 226 - 227 & 229 - 231      | Removable Tape              |
| 252 - 253                  | Permanent Pavement Markers  |
| 254 - 285                  | Erosion Control             |
| 286 - 305                  | Signals/ITS System          |
| 327 - 331                  | Drilled Piers               |

## ST-32

I-0914 BA/BB Cluster

Vance and Warren Co.

Do not place grout if the grout temperature is less than 50°F or more than 90°F or if the air temperature measured at the location of the grouting operation in the shade away from artificial heat is below 45°F.

Provide grout at a rate that permits proper handling, placing and finishing in accordance with the manufacturer's recommendations unless directed otherwise by the Engineer. Use grout free of any lumps and undispersed cement. Agitate grout continuously before placement.

Control grout delivery so the interval between placing batches in the same component does not exceed 20 minutes.

The Engineer will determine the locations to sample grout and the number and type of samples collected for field and laboratory testing. The compressive strength of the grout will be considered the average compressive strength test results of 3 cube or 2 cylinder specimens at 28 days.

#### 4.0 BASIS OF PAYMENT

No separate payment will be made for "Grout for Structures". The cost of the material, equipment, labor, placement, and any incidentals necessary to complete the work shall be considered incidental to the structure item requiring grout.

#### CONSTRUCTION, MAINTENANCE AND REMOVAL OF TEMPORARY STRUCTURE AT STATION 197+54.33 -L- SBL

(SPECIAL)

Construct, maintain and afterwards remove a temporary structure widening in accordance with the applicable parts of the Standard Specifications and this Special Provision (structure only; the approaches are not a part of this pay item).

Provide a temporary widening with a minimum overall length equal to the existing Bridge No. 49 (three spans with overall length of 223'). Center the length of the structure with the center of the existing bridge with the alignment, grade, and skew matching existing conditions. If the skew is not 90°, then lengthening of the structure to accommodate a 90° skew is permitted. The temporary widening shall provide a minimum clear roadway width of 16 feet in each of the northbound and southbound directions and an underclearance of no less than 15 feet.

If cored slab or box beams are used for bridge widening, a concrete overlay shall be required. Consideration shall be given to other accelerated bridge construction options as designed by North Carolina registered Engineer. Submit detailed sketches of the temporary bridge widening for review and approval.

Care shall be taken during the partial removal of the existing structure. Damage to the remaining structure shall be repaired by the contractor at no additional cost to the department. The method of repair shall be subject to approval by the engineer. The existing bridge shall be partially

County : Warren, Vance

| Line #               | Item Number  | Sec # | Description  | Quantity      | Unit Cost | Amount |
|----------------------|--------------|-------|--|---------------|-----------|--------|
| <b>ROADWAY ITEMS</b> |              |       |  |               |           |        |
| 0001                 | 0000100000-N | 800   | MOBILIZATION   | Lump Sum      | L.S.      |        |
| 0002                 | 0000400000-N | 801   | CONSTRUCTION SURVEYING   | Lump Sum      | L.S.      |        |
| 0003                 | 0001000000-E | 200   | CLEARING & GRUBBING .. ACRE(S)   | Lump Sum      | L.S.      |        |
| 0004                 | 0008000000-E | 200   | SUPPLEMENTARY CLEARING & GRUB-<br>BING                                   | 6<br>ACR      |           |        |
| 0005                 | 0015000000-N | 205   | SEALING ABANDONED WELLS  | 3<br>EA       |           |        |
| 0006                 | 0022000000-E | 225   | UNCLASSIFIED EXCAVATION  | 556,600<br>CY |           |        |
| 0007                 | 0029000000-N | SP    | REINFORCED BRIDGE APPROACH<br>FILL, STATION *****<br>(177+61.31 -NBL-)   | Lump Sum      | L.S.      |        |
| 0008                 | 0029000000-N | SP    | REINFORCED BRIDGE APPROACH<br>FILL, STATION *****<br>(197+36.91 -L-)     | Lump Sum      | L.S.      |        |
| 0009                 | 0029000000-N | SP    | REINFORCED BRIDGE APPROACH<br>FILL, STATION *****<br>(197+71.71 -L-)     | Lump Sum      | L.S.      |        |
| 0010                 | 0029000000-N | SP    | REINFORCED BRIDGE APPROACH<br>FILL, STATION *****<br>(21+34.80 -Y5 SBL-) | Lump Sum      | L.S.      |        |
| 0011                 | 0029000000-N | SP    | REINFORCED BRIDGE APPROACH<br>FILL, STATION *****<br>(22+06.96 -Y1-)     | Lump Sum      | L.S.      |        |
| 0012                 | 0029000000-N | SP    | REINFORCED BRIDGE APPROACH<br>FILL, STATION *****<br>(419+67.07 -SBL-)   | Lump Sum      | L.S.      |        |
| 0013                 | 0029000000-N | SP    | REINFORCED BRIDGE APPROACH<br>FILL, STATION *****<br>(421+29.07 -NBL-)   | Lump Sum      | L.S.      |        |
| 0014                 | 0036000000-E | 225   | UNDERCUT EXCAVATION  | 9,730<br>CY   |           |        |
| 0015                 | 0106000000-E | 230   | BORROW EXCAVATION  | 72,000<br>CY  |           |        |
| 0016                 | 0134000000-E | 240   | DRAINAGE DITCH EXCAVATION  | 7,510<br>CY   |           |        |
| 0017                 | 0141000000-E | 240   | BERM DITCH CONSTRUCTION  | 5,620<br>LF   |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity      | Unit Cost | Amount |
|--------|--------------|-------|--|---------------|-----------|--------|
| 0018   | 0156000000-E | 250   | REMOVAL OF EXISTING ASPHALT PAVEMENT               | 257,900<br>SY |           |        |
| 0019   | 0163000000-E | 250   | REMOVAL OF EXISTING CONCRETE PAVEMENT              | 139,550<br>SY |           |        |
| 0020   | 0177000000-E | 250   | BREAKING OF EXISTING ASPHALT PAVEMENT              | 3,980<br>SY   |           |        |
| 0021   | 0185000000-E | 250   | BREAKING OF EXISTING CONCRETE PAVEMENT             | 13,960<br>SY  |           |        |
| 0022   | 0195000000-E | 265   | SELECT GRANULAR MATERIAL                           | 2,200<br>CY   |           |        |
| 0023   | 0196000000-E | 270   | GEOTEXTILE FOR SOIL STABILIZATION                  | 223,100<br>SY |           |        |
| 0024   | 0199000000-E | SP    | TEMPORARY SHORING                                  | 2,863<br>SF   |           |        |
| 0025   | 0223000000-E | 275   | ROCK PLATING                                       | 6,220<br>SY   |           |        |
| 0026   | 0248000000-N | SP    | GENERIC GRADING ITEM SAFETY CLEARING               | Lump Sum      | L.S.      |        |
| 0027   | 0318000000-E | 300   | FOUNDATION CONDITIONING MATERIAL, MINOR STRUCTURES | 3,310<br>TON  |           |        |
| 0028   | 0320000000-E | 300   | FOUNDATION CONDITIONING GEOTEXTILE                 | 10,390<br>SY  |           |        |
| 0029   | 0366000000-E | 310   | 15" RC PIPE CULVERTS, CLASS III                    | 14,476<br>LF  |           |        |
| 0030   | 0372000000-E | 310   | 18" RC PIPE CULVERTS, CLASS III                    | 4,772<br>LF   |           |        |
| 0031   | 0378000000-E | 310   | 24" RC PIPE CULVERTS, CLASS III                    | 1,162<br>LF   |           |        |
| 0032   | 0384000000-E | 310   | 30" RC PIPE CULVERTS, CLASS III                    | 476<br>LF     |           |        |
| 0033   | 0390000000-E | 310   | 36" RC PIPE CULVERTS, CLASS III                    | 188<br>LF     |           |        |
| 0034   | 0396000000-E | 310   | 42" RC PIPE CULVERTS, CLASS III                    | 8<br>LF       |           |        |



County : Warren, Vance

| Line # | Item Number  | Sec # | Description                                   | Quantity       | Unit Cost | Amount |
|--------|--------------|-------|---|----------------|-----------|--------|
| 0035   | 0402000000-E | 310   | 48" RC PIPE CULVERTS, CLASS III               | 24<br>LF       |           |        |
| 0036   | 0448200000-E | 310   | 15" RC PIPE CULVERTS, CLASS IV                | 2,076<br>LF    |           |        |
| 0037   | 0448300000-E | 310   | 18" RC PIPE CULVERTS, CLASS IV                | 524<br>LF      |           |        |
| 0038   | 0582000000-E | 310   | 15" CS PIPE CULVERTS, 0.064" THICK            | 6,328<br>LF    |           |        |
| 0039   | 0588000000-E | 310   | 18" CS PIPE CULVERTS, 0.064" THICK            | 988<br>LF      |           |        |
| 0040   | 0594000000-E | 310   | 24" CS PIPE CULVERTS, 0.064" THICK            | 116<br>LF      |           |        |
| 0041   | 0636000000-E | 310   | *** CS PIPE ELBOWS, ***** THICK (15", 0.064") | 272<br>EA      |           |        |
| 0042   | 0636000000-E | 310   | *** CS PIPE ELBOWS, ***** THICK (18", 0.064") | 50<br>EA       |           |        |
| 0043   | 0636000000-E | 310   | *** CS PIPE ELBOWS, ***** THICK (24", 0.064") | 8<br>EA        |           |        |
| 0044   | 0986000000-E | SP    | GENERIC PIPE ITEM<br>60" CURED-IN-PLACE PIPE  | 269<br>LF      |           |        |
| 0045   | 0995000000-E | 340   | PIPE REMOVAL                                  | 6,483<br>LF    |           |        |
| 0046   | 0996000000-N | 350   | PIPE CLEAN-OUT                                | 74<br>EA       |           |        |
| 0047   | 1000000000-E | 462   | 6" SLOPE PROTECTION                           | 530<br>SY      |           |        |
| 0048   | 1011000000-N | 500   | FINE GRADING                                  | Lump Sum       | L.S.      |        |
| 0049   | 1099500000-E | 505   | SHALLOW UNDERCUT                              | 68,000<br>CY   |           |        |
| 0050   | 1099700000-E | 505   | CLASS IV SUBGRADE STABILIZATION               | 134,000<br>TON |           |        |
| 0051   | 1110000000-E | 510   | STABILIZER AGGREGATE                          | 1,000<br>TON   |           |        |
| 0052   | 1121000000-E | 520   | AGGREGATE BASE COURSE                         | 9,800<br>TON   |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description   | Quantity       | Unit Cost | Amount |
|--------|--------------|-------|---|----------------|-----------|--------|
| 0053   | 1220000000-E | 545   | INCIDENTAL STONE BASE                               | 800<br>TON     |           |        |
| 0054   | 1297000000-E | 607   | MILLING ASPHALT PAVEMENT, ****<br>DEPTH<br>(1-1/2") | 5,740<br>SY    |           |        |
| 0055   | 1297000000-E | 607   | MILLING ASPHALT PAVEMENT, ****<br>DEPTH<br>(3")     | 5,060<br>SY    |           |        |
| 0056   | 1297000000-E | 607   | MILLING ASPHALT PAVEMENT, ****<br>DEPTH<br>(5/8")   | 507,460<br>SY  |           |        |
| 0057   | 1330000000-E | 607   | INCIDENTAL MILLING                                  | 1,270<br>SY    |           |        |
| 0058   | 1489000000-E | 610   | ASPHALT CONC BASE COURSE, TYPE<br>B25.0B            | 58,320<br>TON  |           |        |
| 0059   | 1491000000-E | 610   | ASPHALT CONC BASE COURSE, TYPE<br>B25.0C            | 140,730<br>TON |           |        |
| 0060   | 1498000000-E | 610   | ASPHALT CONC INTERMEDIATE<br>COURSE, TYPE I19.0B    | 94,720<br>TON  |           |        |
| 0061   | 1503000000-E | 610   | ASPHALT CONC INTERMEDIATE<br>COURSE, TYPE I19.0C    | 91,100<br>TON  |           |        |
| 0062   | 1519000000-E | 610   | ASPHALT CONC SURFACE COURSE,<br>TYPE S9.5B          | 86,550<br>TON  |           |        |
| 0063   | 1523000000-E | 610   | ASPHALT CONC SURFACE COURSE,<br>TYPE S9.5C          | 95,660<br>TON  |           |        |
| 0064   | 1524200000-E | 610   | ASPHALT CONC SURFACE COURSE,<br>TYPE S9.5D          | 500<br>TON     |           |        |
| 0065   | 1526000000-E | SP    | ASPHALT CONC SURFACE COURSE,<br>TYPE S4.75A         | 9,850<br>TON   |           |        |
| 0066   | 1527000000-E | SP    | ASPHALT CONC SURFACE COURSE,<br>TYPE SA-1           | 370<br>TON     |           |        |
| 0067   | 1575000000-E | 620   | ASPHALT BINDER FOR PLANT MIX                        | 31,480<br>TON  |           |        |
| 0068   | 1577000000-E | 620   | POLYMER MODIFIED ASPHALT BIN-<br>DER FOR PLANT MIX  | 30<br>TON      |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity      | Unit Cost | Amount |
|--------|--------------|-------|--|---------------|-----------|--------|
| 0069   | 1671000000-E | 652   | PERMEABLE ASPHALT DRAINAGE COURSE, TYPE P-78M                      | 75,860<br>TON |           |        |
| 0070   | 1693000000-E | 654   | ASPHALT PLANT MIX, PAVEMENT REPAIR                                 | 2,730<br>TON  |           |        |
| 0071   | 1840000000-E | 665   | MILLED RUMBLE STRIPS (ASPHALT CONCRETE)                            | 434,750<br>LF |           |        |
| 0072   | 1847000000-E | 710   | ***** PORT CEM CONC PAVEMENT, THROUGH LANES (WITH DOWELS) (10")    | 622,220<br>SY |           |        |
| 0073   | 1858000000-E | 710   | ***** PORT CEM CONC PAVEMENT, RAMPS (WITH DOWELS) (10")            | 28,215<br>SY  |           |        |
| 0074   | 1869000000-E | 710   | ***** PORT CEM CONC PAVEMENT, MISCELLANEOUS (WITHOUT DOWELS) (10") | 11,442<br>SY  |           |        |
| 0075   | 1880000000-E | SP    | GENERIC PAVING ITEM CONCRETE PAVEMENT REPAIR (UNDER TRAFFIC)       | 2,895<br>TON  |           |        |
| 0076   | 1880000000-E | SP    | GENERIC PAVING ITEM CONCRETE PAVEMENT REPAIR (NOT UNDER TRAFFIC)   | 4,365<br>TON  |           |        |
| 0077   | 1891000000-E | SP    | GENERIC PAVING ITEM MEDIAN CROSSOVER                               | 90<br>SY      |           |        |
| 0078   | 1924000000-N | 725   | FIELD LABORATORY RENTAL, PORT CEM CONC PAVEMENT                    | Lump Sum      | L.S.      |        |
| 0079   | 2000000000-N | 806   | RIGHT OF WAY MARKERS   | 13<br>EA      |           |        |
| 0080   | 2022000000-E | 815   | SUBDRAIN EXCAVATION  | 1,243<br>CY   |           |        |
| 0081   | 2026000000-E | 815   | GEOTEXTILE FOR SUBSURFACE DRAINS                                   | 4,550<br>SY   |           |        |
| 0082   | 2033000000-E | 815   | SUBDRAIN FINE AGGREGATE  | 168<br>CY     |           |        |
| 0083   | 2036000000-E | 815   | SUBDRAIN COARSE AGGREGATE  | 764<br>CY     |           |        |
| 0084   | 2044000000-E | 815   | 6" PERFORATED SUBDRAIN PIPE  | 5,550<br>LF   |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description   | Quantity      | Unit Cost | Amount |
|--------|--------------|-------|---|---------------|-----------|--------|
| 0085   | 2070000000-N | 815   | SUBDRAIN PIPE OUTLET  | 12<br>EA      |           |        |
| 0086   | 2077000000-E | 815   | 6" OUTLET PIPE  | 72<br>LF      |           |        |
| 0087   | 2099000000-E | 816   | SHOULDER DRAIN  | 212,440<br>LF |           |        |
| 0088   | 2110000000-E | 816   | 4" SHOULDER DRAIN PIPE                                      | 212,440<br>LF |           |        |
| 0089   | 2121000000-E | 816   | 4" OUTLET PIPE FOR SHOULDER DRAINS                          | 8,140<br>LF   |           |        |
| 0090   | 2132000000-N | 816   | CONCRETE PAD FOR SHOULDER DRAIN PIPE OUTLET                 | 375<br>EA     |           |        |
| 0091   | 2190000000-N | 828   | TEMPORARY STEEL PLATE COVERS FOR MASONRY DRAINAGE STRUCTURE | 51<br>EA      |           |        |
| 0092   | 2209000000-E | 838   | ENDWALLS  | 14.6<br>CY    |           |        |
| 0093   | 2253000000-E | 840   | PIPE COLLARS  | 50.11<br>CY   |           |        |
| 0094   | 2275000000-E | SP    | FLOWABLE FILL   | 41<br>CY      |           |        |
| 0095   | 2286000000-N | 840   | MASONRY DRAINAGE STRUCTURES                                 | 521<br>EA     |           |        |
| 0096   | 2308000000-E | 840   | MASONRY DRAINAGE STRUCTURES                                 | 138.7<br>LF   |           |        |
| 0097   | 2354000000-N | 840   | FRAME WITH GRATE, STD 840.22                                | 7<br>EA       |           |        |
| 0098   | 2364200000-N | 840   | FRAME WITH TWO GRATES, STD 840.20                           | 197<br>EA     |           |        |
| 0099   | 2365000000-N | 840   | FRAME WITH TWO GRATES, STD 840.22                           | 445<br>EA     |           |        |
| 0100   | 2366000000-N | 840   | FRAME WITH TWO GRATES, STD 840.24                           | 1<br>EA       |           |        |
| 0101   | 2374000000-N | 840   | FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (E)            | 3<br>EA       |           |        |
| 0102   | 2374000000-N | 840   | FRAME WITH GRATE & HOOD, STD 840.03, TYPE ** (F)            | 3<br>EA       |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description   | Quantity      | Unit Cost | Amount |
|--------|--------------|-------|---|---------------|-----------|--------|
| 0103   | 2374000000-N | 840   | FRAME WITH GRATE & HOOD, STD<br>840.03, TYPE **<br>(G)                                | 4<br>EA       |           |        |
| 0104   | 2396000000-N | 840   | FRAME WITH COVER, STD 840.54  | 110<br>EA     |           |        |
| 0105   | 2549000000-E | 846   | 2'-6" CONCRETE CURB & GUTTER  | 3,270<br>LF   |           |        |
| 0106   | 2556000000-E | 846   | SHOULDER BERM GUTTER  | 36,110<br>LF  |           |        |
| 0107   | 2591000000-E | 848   | 4" CONCRETE SIDEWALK  | 660<br>SY     |           |        |
| 0108   | 2605000000-N | 848   | CONCRETE CURB RAMP  | 11<br>EA      |           |        |
| 0109   | 2619000000-E | 850   | 4" CONCRETE PAVED DITCH   | 262<br>SY     |           |        |
| 0110   | 2655000000-E | 852   | 5" MONOLITHIC CONCRETE ISLANDS<br>(KEYED IN)  | 580<br>SY     |           |        |
| 0111   | 2724000000-E | 857   | PRECAST REINFORCED CONCRETE<br>BARRIER, SINGLE FACED                                  | 711<br>LF     |           |        |
| 0112   | 2752000000-E | SP    | GENERIC PAVING ITEM<br>SPECIAL SHOULDER BERM GUTTER                                   | 950<br>LF     |           |        |
| 0113   | 2815000000-N | 858   | ADJUSTMENT OF DROP INLETS   | 188<br>EA     |           |        |
| 0114   | 2830000000-N | 858   | ADJUSTMENT OF MANHOLES  | 5<br>EA       |           |        |
| 0115   | 2845000000-N | 858   | ADJUSTMENT OF METER BOXES OR<br>VALVE BOXES   | 14<br>EA      |           |        |
| 0116   | 2860000000-N | 859   | CONVERT EXISTING CATCH BASIN<br>TO JUNCTION BOX                                       | 10<br>EA      |           |        |
| 0117   | 2905000000-N | 859   | CONVERT EXISTING DROP INLET TO<br>JUNCTION BOX  | 27<br>EA      |           |        |
| 0118   | 2938000000-N | 859   | CONVERT EXISTING DROP INLET TO<br>JUNCTION BOX WITH MANHOLE                           | 34<br>EA      |           |        |
| 0119   | 2995000000-N | SP    | GENERIC DRAINAGE ITEM<br>CONVERT EXISTING DROP INLET TO<br>JUNCTION BOX WITH SLAB LID | 2<br>EA       |           |        |
| 0120   | 3030000000-E | 862   | STEEL BM GUARDRAIL  | 294,125<br>LF |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity | Unit Cost | Amount |
|--------|--------------|-------|--|----------|-----------|--------|
| 0121   | 3045000000-E | 862   | STEEL BM GUARDRAIL, SHOP CURVED                        | 237.5    | LF        |        |
| 0122   | 3060000000-E | 862   | STEEL BM GUARDRAIL, DOUBLE FACED                       | 350      | LF        |        |
| 0123   | 3150000000-N | 862   | ADDITIONAL GUARDRAIL POSTS                             | 100      | EA        |        |
| 0124   | 3180000000-N | 862   | GUARDRAIL ANCHOR UNITS, TYPE *****<br>(III MODIFIED)   | 24       | EA        |        |
| 0125   | 3195000000-N | 862   | GUARDRAIL ANCHOR UNITS, TYPE AT-1                      | 1        | EA        |        |
| 0126   | 3210000000-N | 862   | GUARDRAIL ANCHOR UNITS, TYPE CAT-1                     | 132      | EA        |        |
| 0127   | 3215000000-N | 862   | GUARDRAIL ANCHOR UNITS, TYPE III                       | 4        | EA        |        |
| 0128   | 3270000000-N | SP    | GUARDRAIL ANCHOR UNITS, TYPE 350                       | 169      | EA        |        |
| 0129   | 3285000000-N | SP    | GUARDRAIL ANCHOR UNITS, TYPE M-350                     | 4        | EA        |        |
| 0130   | 3317000000-N | 862   | GUARDRAIL ANCHOR UNITS, TYPE B-77                      | 42       | EA        |        |
| 0131   | 3345000000-E | 864   | REMOVE & RESET EXISTING GUARDRAIL                      | 5,153    | LF        |        |
| 0132   | 3360000000-E | 863   | REMOVE EXISTING GUARDRAIL                              | 76,070   | LF        |        |
| 0133   | 3365000000-E | 863   | REMOVE EXISTING GUIDERAIL                              | 142,600  | LF        |        |
| 0134   | 3380000000-E | 862   | TEMPORARY STEEL BM GUARDRAIL                           | 159,450  | LF        |        |
| 0135   | 3382000000-E | 862   | TEMPORARY STEEL BM GUARDRAIL (SHOP CURVED)             | 137.5    | LF        |        |
| 0136   | 3383000000-E | 862   | TEMPORARY STEEL BM GUARDRAIL, DOUBLE FACED             | 325      | LF        |        |
| 0137   | 3387000000-N | 862   | TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE *****<br>(AT-1) | 2        | EA        |        |

County: Warren, Vance

| Line # | Item Number  | Sec # | Description   | Quantity      | Unit Cost | Amount |
|--------|--------------|-------|---|---------------|-----------|--------|
| 0138   | 3387000000-N | 862   | TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE *****<br>(B-77)            | 1<br>EA       |           |        |
| 0139   | 3387000000-N | 862   | TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE *****<br>(CAT-1)           | 8<br>EA       |           |        |
| 0140   | 3387000000-N | 862   | TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE *****<br>(III)             | 2<br>EA       |           |        |
| 0141   | 3389100000-N | SP    | TEMPORARY GUARDRAIL ANCHOR UNITS, TYPE 350                        | 149<br>EA     |           |        |
| 0142   | 3389400000-E | 865   | DOUBLE FACED CABLE GUIDERAIL                                      | 2,430<br>LF   |           |        |
| 0143   | 3389500000-N | 865   | ADDITIONAL GUIDERAIL POSTS  | 5<br>EA       |           |        |
| 0144   | 3389600000-N | 865   | CABLE GUIDERAIL ANCHOR UNITS                                      | 5<br>EA       |           |        |
| 0145   | 3503000000-E | 866   | WOVEN WIRE FENCE, 47" FABRIC                                      | 4,870<br>LF   |           |        |
| 0146   | 3509000000-E | 866   | 4" TIMBER FENCE POSTS, 7'-6" LONG                                 | 279<br>EA     |           |        |
| 0147   | 3515000000-E | 866   | 5" TIMBER FENCE POSTS, 8'-0" LONG                                 | 130<br>EA     |           |        |
| 0148   | 3536000000-E | 866   | CHAIN LINK FENCE, 48" FABRIC                                      | 378<br>LF     |           |        |
| 0149   | 3542000000-E | 866   | METAL LINE POSTS FOR 48" CHAIN LINK FENCE                         | 32<br>EA      |           |        |
| 0150   | 3548000000-E | 866   | METAL TERMINAL POSTS FOR 48" CHAIN LINK FENCE                     | 2<br>EA       |           |        |
| 0151   | 3575000000-E | SP    | GENERIC FENCING ITEM<br>VINYL COATED GLARE SCREEN<br>(GR MOUNTED) | 350<br>LF     |           |        |
| 0152   | 3595000000-E | 869   | RELAPPING GUARDRAIL   | 327,957<br>LF |           |        |
| 0153   | 3628000000-E | 876   | RIP RAP, CLASS I  | 715<br>TON    |           |        |
| 0154   | 3635000000-E | 876   | RIP RAP, CLASS II   | 2,475<br>TON  |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity     | Unit Cost | Amount |
|--------|--------------|-------|--|--------------|-----------|--------|
| 0155   | 3649000000-E | 876   | RIP RAP, CLASS B   | 4,415<br>TON |           |        |
| 0156   | 3656000000-E | 876   | GEOTEXTILE FOR DRAINAGE  | 28,085<br>SY |           |        |
| 0157   | 4048000000-E | 902   | REINFORCED CONCRETE SIGN FOUNDATIONS                               | 118<br>CY    |           |        |
| 0158   | 4054000000-E | 902   | PLAIN CONCRETE SIGN FOUNDATIONS                                    | 14<br>CY     |           |        |
| 0159   | 4057000000-E | SP    | OVERHEAD FOOTING   | 231<br>CY    |           |        |
| 0160   | 4060000000-E | 903   | SUPPORTS, BREAKAWAY STEEL BEAM                                     | 61,505<br>LB |           |        |
| 0161   | 4066000000-E | 903   | SUPPORTS, SIMPLE STEEL BEAM  | 35,190<br>LB |           |        |
| 0162   | 4072000000-E | 903   | SUPPORTS, 3-LB STEEL U-CHANNEL                                     | 12,288<br>LF |           |        |
| 0163   | 4082000000-E | 903   | SUPPORTS, WOOD   | 1,497<br>LF  |           |        |
| 0164   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(114+50 -NBL-)   | Lump Sum     | L.S.      |        |
| 0165   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(142+50 -SBL-)   | Lump Sum     | L.S.      |        |
| 0166   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(166+50 -NBL-)   | Lump Sum     | L.S.      |        |
| 0167   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(196+00 -SBL-)   | Lump Sum     | L.S.      |        |
| 0168   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(276+50 -SBL-)   | Lump Sum     | L.S.      |        |
| 0169   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(31+00 -Y5 SBL-) | Lump Sum     | L.S.      |        |
| 0170   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(318+00 -NBL-)   | Lump Sum     | L.S.      |        |



County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity  | Unit Cost | Amount |
|--------|--------------|-------|--|-----------|-----------|--------|
| 0171   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(358+50 -SBL-)   | Lump Sum  | L.S.      |        |
| 0172   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(39+50 -Y5 NBL-) | Lump Sum  | L.S.      |        |
| 0173   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(434+50 -SBL-)   | Lump Sum  | L.S.      |        |
| 0174   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(73+50 -SBL-)    | Lump Sum  | L.S.      |        |
| 0175   | 4082100000-N | SP    | SUPPORTS, OVERHEAD SIGN STRUCTURE AT STA *****<br>(US-1 NBL)       | Lump Sum  | L.S.      |        |
| 0176   | 4096000000-N | 904   | SIGN ERECTION, TYPE D  | 71<br>EA  |           |        |
| 0177   | 4102000000-N | 904   | SIGN ERECTION, TYPE E  | 263<br>EA |           |        |
| 0178   | 4108000000-N | 904   | SIGN ERECTION, TYPE F  | 158<br>EA |           |        |
| 0179   | 4110000000-N | 904   | SIGN ERECTION, TYPE ***<br>(GROUND MOUNTED)<br>(A)                 | 84<br>EA  |           |        |
| 0180   | 4110000000-N | 904   | SIGN ERECTION, TYPE ***<br>(GROUND MOUNTED)<br>(B)                 | 56<br>EA  |           |        |
| 0181   | 4114000000-N | 904   | SIGN ERECTION, MILEMARKERS   | 117<br>EA |           |        |
| 0182   | 4116000000-N | 904   | SIGN ERECTION, OVERLAY (GROUND MOUNTED)                            | 2<br>EA   |           |        |
| 0183   | 4116100000-N | 904   | SIGN ERECTION, RELOCATE, TYPE **** (GROUND MOUNTED)<br>(A)         | 63<br>EA  |           |        |
| 0184   | 4116100000-N | 904   | SIGN ERECTION, RELOCATE, TYPE **** (GROUND MOUNTED)<br>(B)         | 13<br>EA  |           |        |
| 0185   | 4116100000-N | 904   | SIGN ERECTION, RELOCATE, TYPE **** (GROUND MOUNTED)<br>(D)         | 1<br>EA   |           |        |

County: Warren, Vance

| Line # | Item Number  | Sec # | Description   | Quantity     | Unit Cost | Amount |
|--------|--------------|-------|---|--------------|-----------|--------|
| 0186   | 4116100000-N | 904   | SIGN ERECTION, RELOCATE, TYPE **** (GROUND MOUNTED) (E) | 10<br>EA     |           |        |
| 0187   | 4138000000-N | 907   | DISPOSAL OF SUPPORT, STEEL BEAM                         | 81<br>EA     |           |        |
| 0188   | 4141000000-N | 907   | DISPOSAL OF SUPPORT, WOOD                               | 2<br>EA      |           |        |
| 0189   | 4149000000-N | 907   | DISPOSAL OF SIGN SYSTEM, OVER-HEAD                      | 6<br>EA      |           |        |
| 0190   | 4152000000-N | 907   | DISPOSAL OF SIGN SYSTEM, STEEL BEAM                     | 140<br>EA    |           |        |
| 0191   | 4155000000-N | 907   | DISPOSAL OF SIGN SYSTEM, U-CHANNEL                      | 230<br>EA    |           |        |
| 0192   | 4158000000-N | 907   | DISPOSAL OF SIGN SYSTEM, WOOD                           | 20<br>EA     |           |        |
| 0193   | 4192000000-N | 907   | DISPOSAL OF SUPPORT, U-CHANNEL                          | 3<br>EA      |           |        |
| 0194   | 4238000000-N | 907   | DISPOSAL OF SIGN, D, E OR F                             | 4<br>EA      |           |        |
| 0195   | 4238500000-N | 907   | DISPOSAL OF SIGN, MILEMARKER                            | 66<br>EA     |           |        |
| 0196   | 4400000000-E | 1110  | WORK ZONE SIGNS (STATIONARY)                            | 13,332<br>SF |           |        |
| 0197   | 4405000000-E | 1110  | WORK ZONE SIGNS (PORTABLE)                              | 4,456<br>SF  |           |        |
| 0198   | 4410000000-E | 1110  | WORK ZONE SIGNS (BARRICADE MOUNTED)                     | 1,728<br>SF  |           |        |
| 0199   | 4415000000-N | 1115  | FLASHING ARROW BOARD                                    | 34<br>EA     |           |        |
| 0200   | 4420000000-N | 1120  | PORTABLE CHANGEABLE MESSAGE SIGN                        | 43<br>EA     |           |        |
| 0201   | 4422000000-N | 1120  | PORTABLE CHANGEABLE MESSAGE SIGN (SHORT TERM)           | 126<br>DAY   |           |        |
| 0202   | 4430000000-N | 1130  | DRUMS   | 2,698<br>EA  |           |        |
| 0203   | 4435000000-N | 1135  | CONES   | 97<br>EA     |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity | Unit Cost | Amount |
|--------|--------------|-------|--|----------|-----------|--------|
| 0204   | 4445000000-E | 1145  | BARRICADES (TYPE III)                                    | 1,384    | LF        |        |
| 0205   | 4450000000-N | 1150  | FLAGGER  | 2,144    | HR        |        |
| 0206   | 4465000000-N | 1160  | TEMPORARY CRASH CUSHIONS                                 | 8        | EA        |        |
| 0207   | 4470000000-N | 1160  | RESET TEMPORARY CRASH CUSHION                            | 3        | EA        |        |
| 0208   | 4480000000-N | 1165  | TMA  | 34       | EA        |        |
| 0209   | 4485000000-E | 1170  | PORTABLE CONCRETE BARRIER                                | 69,291   | LF        |        |
| 0210   | 4490000000-E | 1170  | PORTABLE CONCRETE BARRIER<br>(ANCHORED)                  | 262      | LF        |        |
| 0211   | 4500000000-E | 1170  | RESET PORTABLE CONCRETE BAR-<br>RIER                     | 165,272  | LF        |        |
| 0212   | 4505000000-E | 1170  | RESET PORTABLE CONCRETE BAR-<br>RIER (ANCHORED)          | 258      | LF        |        |
| 0213   | 4507000000-E | 1170  | WATER FILLED BARRIER                                     | 226      | LF        |        |
| 0214   | 4510000000-N | SP    | LAW ENFORCEMENT  | 10,784   | HR        |        |
| 0215   | 4516000000-N | 1180  | SKINNY DRUM  | 47       | EA        |        |
| 0216   | 4600000000-N | SP    | GENERIC TRAFFIC CONTROL ITEM<br>COVERING OF TYPE A SIGNS | 33       | EA        |        |
| 0217   | 4600000000-N | SP    | GENERIC TRAFFIC CONTROL ITEM<br>COVERING OF TYPE B SIGNS | 2        | EA        |        |
| 0218   | 4600000000-N | SP    | GENERIC TRAFFIC CONTROL ITEM<br>COVERING OF TYPE D SIGNS | 25       | EA        |        |
| 0219   | 4600000000-N | SP    | GENERIC TRAFFIC CONTROL ITEM<br>COVERING OF TYPE E SIGNS | 1        | EA        |        |
| 0220   | 4650000000-N | 1251  | TEMPORARY RAISED PAVEMENT<br>MARKERS                     | 20,810   | EA        |        |
| 0221   | 4695000000-E | 1205  | THERMOPLASTIC PAVEMENT MARKING<br>LINES (8", 90 MILS)    | 105      | LF        |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description   | Quantity        | Unit Cost | Amount |
|--------|--------------|-------|---|-----------------|-----------|--------|
| 0222   | 4697000000-E | 1205  | THERMOPLASTIC PAVEMENT MARKING LINES (8", 120 MILS)             | 207<br>LF       |           |        |
| 0223   | 4710000000-E | 1205  | THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)            | 1,101<br>LF     |           |        |
| 0224   | 4721000000-E | 1205  | THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)             | 16<br>EA        |           |        |
| 0225   | 4725000000-E | 1205  | THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)                 | 143<br>EA       |           |        |
| 0226   | 4770000000-E | 1205  | COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (4") (IV)  | 4,110<br>LF     |           |        |
| 0227   | 4775000000-E | 1205  | COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (6") (IV)  | 276,290<br>LF   |           |        |
| 0228   | 4780000000-E | 1205  | COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (8") (II)  | 152<br>LF       |           |        |
| 0229   | 4785000000-E | 1205  | COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (12") (IV) | 14,700<br>LF    |           |        |
| 0230   | 4795000000-E | 1205  | COLD APPLIED PLASTIC PAVEMENT MARKING LINES, TYPE ** (24") (IV) | 290<br>LF       |           |        |
| 0231   | 4805000000-N | 1205  | COLD APPLIED PLASTIC PAVEMENT MARKING SYMBOL, TYPE ** (IV)      | 36<br>EA        |           |        |
| 0232   | 4810000000-E | 1205  | PAINT PAVEMENT MARKING LINES (4")                               | 14,249<br>LF    |           |        |
| 0233   | 4815000000-E | 1205  | PAINT PAVEMENT MARKING LINES (6")                               | 3,050,059<br>LF |           |        |
| 0234   | 4820000000-E | 1205  | PAINT PAVEMENT MARKING LINES (8")                               | 1,010<br>LF     |           |        |
| 0235   | 4825000000-E | 1205  | PAINT PAVEMENT MARKING LINES (12")                              | 33,416<br>LF    |           |        |
| 0236   | 4835000000-E | 1205  | PAINT PAVEMENT MARKING LINES (24")                              | 238<br>LF       |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity      | Unit Cost | Amount |
|--------|--------------|-------|--|---------------|-----------|--------|
| 0237   | 4840000000-N | 1205  | PAINT PAVEMENT MARKING CHARACTER   | 16<br>EA      |           |        |
| 0238   | 4845000000-N | 1205  | PAINT PAVEMENT MARKING SYMBOL  | 150<br>EA     |           |        |
| 0239   | 4847000000-E | 1205  | POLYUREA PAVEMENT MARKING LINES (4", *****)<br>(HIGHLY REFLECTIVE ELEMENTS)    | 41,036<br>LF  |           |        |
| 0240   | 4847100000-E | 1205  | POLYUREA PAVEMENT MARKING LINES (6", *****)<br>(HIGHLY REFLECTIVE ELEMENTS)    | 565,523<br>LF |           |        |
| 0241   | 4847110000-E | 1205  | POLYUREA PAVEMENT MARKING LINES (8", *****)<br>(HIGHLY REFLECTIVE ELEMENTS)    | 976<br>LF     |           |        |
| 0242   | 4847120000-E | 1205  | POLYUREA PAVEMENT MARKING LINES (12", *****)<br>(HIGHLY REFLECTIVE ELEMENTS)   | 22,603<br>LF  |           |        |
| 0243   | 4850000000-E | 1205  | REMOVAL OF PAVEMENT MARKING LINES (4")   | 4,954<br>LF   |           |        |
| 0244   | 4855000000-E | 1205  | REMOVAL OF PAVEMENT MARKING LINES (6")   | 373,700<br>LF |           |        |
| 0245   | 4860000000-E | 1205  | REMOVAL OF PAVEMENT MARKING LINES (8")   | 257<br>LF     |           |        |
| 0246   | 4865000000-E | 1205  | REMOVAL OF PAVEMENT MARKING LINES (12")  | 15,000<br>LF  |           |        |
| 0247   | 4870000000-E | 1205  | REMOVAL OF PAVEMENT MARKING LINES (24")  | 42<br>LF      |           |        |
| 0248   | 4875000000-N | 1205  | REMOVAL OF PAVEMENT MARKING SYMBOLS & CHARACTERS                               | 74<br>EA      |           |        |
| 0249   | 4880000000-E | 1205  | CURING COMPOUND REMOVAL, LINES   | 506,814<br>LF |           |        |
| 0250   | 4885000000-N | 1205  | CURING COMPOUND REMOVAL, SYMBOLS & CHARACTERS                                  | 85<br>EA      |           |        |
| 0251   | 4890000000-E | SP    | GENERIC PAVEMENT MARKING ITEM THERMOPLASTIC PROFILED PAVEMENT MARKING LINES 6" | 79,441<br>LF  |           |        |
| 0252   | 4900000000-N | 1251  | PERMANENT RAISED PAVEMENT MARKERS  | 92<br>EA      |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description                           | Quantity      | Unit Cost | Amount |
|--------|--------------|-------|---------------------------------------|---------------|-----------|--------|
| 0253   | 4905000000-N | 1253  | SNOWPLOWABLE PAVEMENT MARKERS         | 5,047<br>EA   |           |        |
| 0254   | 6000000000-E | 1605  | TEMPORARY SILT FENCE                  | 70,000<br>LF  |           |        |
| 0255   | 6006000000-E | 1610  | STONE FOR EROSION CONTROL,<br>CLASS A | 18,500<br>TON |           |        |
| 0256   | 6009000000-E | 1610  | STONE FOR EROSION CONTROL,<br>CLASS B | 27,000<br>TON |           |        |
| 0257   | 6012000000-E | 1610  | SEDIMENT CONTROL STONE                | 27,000<br>TON |           |        |
| 0258   | 6015000000-E | 1615  | TEMPORARY MULCHING                    | 610<br>ACR    |           |        |
| 0259   | 6018000000-E | 1620  | SEED FOR TEMPORARY SEEDING            | 35,600<br>LB  |           |        |
| 0260   | 6021000000-E | 1620  | FERTILIZER FOR TEMPORARY SEED-<br>ING | 178.5<br>TON  |           |        |
| 0261   | 6024000000-E | 1622  | TEMPORARY SLOPE DRAINS                | 6,065<br>LF   |           |        |
| 0262   | 6029000000-E | SP    | SAFETY FENCE                          | 400<br>LF     |           |        |
| 0263   | 6030000000-E | 1630  | SILT EXCAVATION                       | 113,111<br>CY |           |        |
| 0264   | 6036000000-E | 1631  | MATTING FOR EROSION CONTROL           | 612,145<br>SY |           |        |
| 0265   | 6037000000-E | SP    | COIR FIBER MAT                        | 830<br>SY     |           |        |
| 0266   | 6038000000-E | SP    | PERMANENT SOIL REINFORCEMENT<br>MAT   | 3,250<br>SY   |           |        |
| 0267   | 6042000000-E | 1632  | 1/4" HARDWARE CLOTH                   | 15,000<br>LF  |           |        |
| 0268   | 6045000000-E | SP    | *** TEMPORARY PIPE<br>(18")           | 80<br>LF      |           |        |
| 0269   | 6070000000-N | 1639  | SPECIAL STILLING BASINS               | 32<br>EA      |           |        |
| 0270   | 6071012000-E | SP    | COIR FIBER WATTLE                     | 32,950<br>LF  |           |        |
| 0271   | 6071013000-E | SP    | WATTLE BARRIER                        | 4,600<br>LF   |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity | Unit Cost | Amount |
|--------|--------------|-------|--|----------|-----------|--------|
| 0272   | 6071020000-E | SP    | POLYACRYLAMIDE (PAM)                                   | 29,000   | LB        |        |
| 0273   | 6071030000-E | 1640  | COIR FIBER BAFFLE                                      | 12,000   | LF        |        |
| 0274   | 6071050000-E | SP    | *** SKIMMER<br>(1-1/2")                                | 58       | EA        |        |
| 0275   | 6071050000-E | SP    | *** SKIMMER<br>(2")                                    | 8        | EA        |        |
| 0276   | 6071050000-E | SP    | *** SKIMMER<br>(2-1/2")                                | 1        | EA        |        |
| 0277   | 6084000000-E | 1660  | SEEDING & MULCHING                                     | 500      | ACR       |        |
| 0278   | 6087000000-E | 1660  | MOWING   | 1,100    | ACR       |        |
| 0279   | 6090000000-E | 1661  | SEED FOR REPAIR SEEDING                                | 8,200    | LB        |        |
| 0280   | 6093000000-E | 1661  | FERTILIZER FOR REPAIR SEEDING                          | 21       | TON       |        |
| 0281   | 6096000000-E | 1662  | SEED FOR SUPPLEMENTAL SEEDING                          | 11,600   | LB        |        |
| 0282   | 6108000000-E | 1665  | FERTILIZER TOPDRESSING                                 | 347.75   | TON       |        |
| 0283   | 6111000000-E | SP    | IMPERVIOUS DIKE  | 300      | LF        |        |
| 0284   | 6114500000-N | 1667  | SPECIALIZED HAND MOWING                                | 2,000    | MHR       |        |
| 0285   | 6117000000-N | SP    | RESPONSE FOR EROSION CONTROL                           | 250      | EA        |        |
| 0286   | 7048500000-E | 1705  | PEDESTRIAN SIGNAL HEAD (16", 1<br>SECTION W/COUNTDOWN) | 4        | EA        |        |
| 0287   | 7060000000-E | 1705  | SIGNAL CABLE   | 1,550    | LF        |        |
| 0288   | 7120000000-E | 1705  | VEHICLE SIGNAL HEAD (12", 3<br>SECTION)                | 3        | EA        |        |
| 0289   | 7132000000-E | 1705  | VEHICLE SIGNAL HEAD (12", 4<br>SECTION)                | 1        | EA        |        |
| 0290   | 7300000000-E | 1715  | UNPAVED TRENCHING (*****<br>(1, 2")                    | 610      | LF        |        |

County: Warren, Vance

| Line #               | Item Number  | Sec # | Description  | Quantity    | Unit Cost | Amount |
|----------------------|--------------|-------|--|-------------|-----------|--------|
| 0291                 | 7300100000-E | 1715  | UNPAVED TRENCHING FOR TEMP-ORARY LEAD-IN           | 1,975<br>LF |           |        |
| 0292                 | 7301000000-E | 1715  | DIRECTIONAL DRILL (*****)(1, 2")                   | 50<br>LF    |           |        |
| 0293                 | 7324000000-N | 1716  | JUNCTION BOX (STANDARD SIZE)                       | 9<br>EA     |           |        |
| 0294                 | 7396000000-E | 1722  | 1/2" RISER WITH WEATHERHEAD                        | 3<br>EA     |           |        |
| 0295                 | 7408000000-E | 1722  | 1" RISER WITH WEATHERHEAD                          | 1<br>EA     |           |        |
| 0296                 | 7420000000-E | 1722  | 2" RISER WITH WEATHERHEAD                          | 4<br>EA     |           |        |
| 0297                 | 7444000000-E | 1725  | INDUCTIVE LOOP SAWCUT                              | 1,990<br>LF |           |        |
| 0298                 | 7456000000-E | 1726  | LEAD-IN CABLE (*****)(14-2)                        | 6,200<br>LF |           |        |
| 0299                 | 7636000000-N | 1745  | SIGN FOR SIGNALS                                   | 10<br>EA    |           |        |
| 0300                 | 7642100000-N | 1743  | TYPE I POST WITH FOUNDATION                        | 3<br>EA     |           |        |
| 0301                 | 7642200000-N | 1743  | TYPE II PEDESTAL WITH FOUNDATION                   | 2<br>EA     |           |        |
| 0302                 | 7684000000-N | 1750  | SIGNAL CABINET FOUNDATION                          | 1<br>EA     |           |        |
| 0303                 | 7756000000-N | 1751  | CONTROLLER WITH CABINET (TYPE 2070L, BASE MOUNTED) | 1<br>EA     |           |        |
| 0304                 | 7780000000-N | 1751  | DETECTOR CARD (TYPE 2070L)                         | 5<br>EA     |           |        |
| 0305                 | 7901000000-N | 1753  | CABINET BASE EXTENDER                              | 1<br>EA     |           |        |
| <b>CULVERT ITEMS</b> |              |       |  |             |           |        |
| 0306                 | 8196000000-E | 420   | CLASS A CONCRETE (CULVERT)                         | 8.9<br>CY   |           |        |
| 0307                 | 8245000000-E | 425   | REINFORCING STEEL (CULVERT)                        | 1,003<br>LB |           |        |



County : Warren, Vance

| Line #                 | Item Number  | Sec # | Description  | Quantity    | Unit Cost | Amount |
|------------------------|--------------|-------|--|-------------|-----------|--------|
| 0308                   | 8430000000-E | 452   | SHEET PILE RETAINING WALLS   | 174<br>SF   |           |        |
| 0309                   | 8664000000-E | SP    | SHOTCRETE REPAIRS  | 136.4<br>CF |           |        |
| 0310                   | 8678000000-E | SP    | EPOXY RESIN INJECTION  | 42.5<br>LF  |           |        |
| 0311                   | 8804000000-N | SP    | GENERIC CULVERT ITEM<br>CULVERT MODIFICATION   | Lump Sum    | L.S.      |        |
| 0312                   | 8811000000-E | SP    | GENERIC CULVERT ITEM<br>JOINT SEALER WRAP  | 52<br>LF    |           |        |
| 0313                   | 8821000000-E | SP    | GENERIC CULVERT ITEM<br>EPOXY COATING  | 459<br>SF   |           |        |
| <b>WALL ITEMS</b>      |              |       |  |             |           |        |
| 0314                   | 8801000000-E | SP    | MSE RETAINING WALL NO ****<br>(1)  | 550<br>SF   |           |        |
| <b>STRUCTURE ITEMS</b> |              |       |  |             |           |        |
| 0315                   | 1525000000-E | 610   | ASPHALT CONC SURFACE COURSE,<br>TYPE SF9.5A  | 93<br>TON   |           |        |
| 0316                   | 8007000000-N | SP    | CONSTRUCTION, MAINTENANCE, &<br>REMOVAL OF TEMP STRUCTURE AT<br>STA *****<br>(197+54.33 -L- SBL) | Lump Sum    | L.S.      |        |
| 0317                   | 8035000000-N | 402   | REMOVAL OF EXISTING STRUCTURE<br>AT STATION *****<br>(177+61.31 -NBL-)                           | Lump Sum    | L.S.      |        |
| 0318                   | 8035000000-N | 402   | REMOVAL OF EXISTING STRUCTURE<br>AT STATION *****<br>(197+54.33 -L- NBL)                         | Lump Sum    | L.S.      |        |
| 0319                   | 8035000000-N | 402   | REMOVAL OF EXISTING STRUCTURE<br>AT STATION *****<br>(197+54.33 -L- SBL)                         | Lump Sum    | L.S.      |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity     | Unit Cost | Amount |
|--------|--------------|-------|--|--------------|-----------|--------|
| 0320   | 8035000000-N | 402   | REMOVAL OF EXISTING STRUCTURE<br>AT STATION *****<br>(21+34.80 -Y5 SBL-)       | Lump Sum     | L.S.      |        |
| 0321   | 8035000000-N | 402   | REMOVAL OF EXISTING STRUCTURE<br>AT STATION *****<br>(22+06.96 -Y1-)           | Lump Sum     | L.S.      |        |
| 0322   | 8035000000-N | 402   | REMOVAL OF EXISTING STRUCTURE<br>AT STATION *****<br>(419+67.07 -SBL-)         | Lump Sum     | L.S.      |        |
| 0323   | 8035000000-N | 402   | REMOVAL OF EXISTING STRUCTURE<br>AT STATION *****<br>(421+29.07 -NBL-)         | Lump Sum     | L.S.      |        |
| 0324   | 8091000000-N | 410   | FOUNDATION EXCAVATION FOR BENT<br>** AT STATION *****<br>(1, 22+06.91 -Y1-)    | Lump Sum     | L.S.      |        |
| 0325   | 8096000000-E | 450   | PILE EXCAVATION IN SOIL  | 252<br>LF    |           |        |
| 0326   | 8097000000-E | 450   | PILE EXCAVATION NOT IN SOIL  | 48<br>LF     |           |        |
| 0327   | 8105540000-E | 411   | 3'-6" DIA DRILLED PIERS IN<br>SOIL   | 113<br>LF    |           |        |
| 0328   | 8105640000-E | 411   | 3'-6" DIA DRILLED PIERS NOT IN<br>SOIL   | 116<br>LF    |           |        |
| 0329   | 8112730000-N | 450   | PDA TESTING  | 2<br>EA      |           |        |
| 0330   | 8113000000-N | 411   | SID INSPECTIONS  | 2<br>EA      |           |        |
| 0331   | 8115000000-N | 411   | CSL TESTING  | 4<br>EA      |           |        |
| 0332   | 8121000000-N | 412   | UNCLASSIFIED STRUCTURE EXCAVA-<br>TION AT STATION *****<br>(197+54.33 -L- NBL) | Lump Sum     | L.S.      |        |
| 0333   | 8121000000-N | 412   | UNCLASSIFIED STRUCTURE EXCAVA-<br>TION AT STATION *****<br>(197+54.33 -L- SBL) | Lump Sum     | L.S.      |        |
| 0334   | 8121000000-N | 412   | UNCLASSIFIED STRUCTURE EXCAVA-<br>TION AT STATION *****<br>(21+34.80 -Y5 SBL-) | Lump Sum     | L.S.      |        |
| 0335   | 8147000000-E | 420   | REINFORCED CONCRETE DECK SLAB  | 62,748<br>SF |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity        | Unit Cost | Amount |
|--------|--------------|-------|--|-----------------|-----------|--------|
| 0336   | 8161000000-E | 420   | GROOVING BRIDGE FLOORS   | 123,029.6<br>SF |           |        |
| 0337   | 8182000000-E | 420   | CLASS A CONCRETE (BRIDGE)                                      | 1,459.7<br>CY   |           |        |
| 0338   | 8210000000-N | 422   | BRIDGE APPROACH SLABS, STATION<br>*****<br>(177+61.31 -NBL-)   | Lump Sum        | L.S.      |        |
| 0339   | 8210000000-N | 422   | BRIDGE APPROACH SLABS, STATION<br>*****<br>(197+54.33 -L- NBL) | Lump Sum        | L.S.      |        |
| 0340   | 8210000000-N | 422   | BRIDGE APPROACH SLABS, STATION<br>*****<br>(197+54.33 -L- SBL) | Lump Sum        | L.S.      |        |
| 0341   | 8210000000-N | 422   | BRIDGE APPROACH SLABS, STATION<br>*****<br>(21+34.80 -Y5 SBL-) | Lump Sum        | L.S.      |        |
| 0342   | 8210000000-N | 422   | BRIDGE APPROACH SLABS, STATION<br>*****<br>(22+06.96 -Y1-)     | Lump Sum        | L.S.      |        |
| 0343   | 8210000000-N | 422   | BRIDGE APPROACH SLABS, STATION<br>*****<br>(419+67.07 -SBL-)   | Lump Sum        | L.S.      |        |
| 0344   | 8210000000-N | 422   | BRIDGE APPROACH SLABS, STATION<br>*****<br>(421+29.07 -NBL-)   | Lump Sum        | L.S.      |        |
| 0345   | 8217000000-E | 425   | REINFORCING STEEL (BRIDGE)                                     | 211,267<br>LB   |           |        |
| 0346   | 8238000000-E | 425   | SPIRAL COLUMN REINFORCING<br>STEEL (BRIDGE)                    | 12,217<br>LB    |           |        |
| 0347   | 8262000000-E | 430   | 45" PRESTRESSED CONCRETE GIR-<br>DERS                          | 1,784.8<br>LF   |           |        |
| 0348   | 8265000000-E | 430   | 54" PRESTRESSED CONCRETE GIR-<br>DERS                          | 880.31<br>LF    |           |        |
| 0349   | 8274000000-E | 430   | MODIFIED 63" PRESTRESSED CONC<br>GIRDERS                       | 1,601.83<br>LF  |           |        |
| 0350   | 8277000000-E | 430   | MODIFIED 72" PRESTRESSED CONC<br>GIRDERS                       | 1,162.29<br>LF  |           |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity       | Unit Cost | Amount |
|--------|--------------|-------|--|----------------|-----------|--------|
| 0351   | 8280000000-E | 440   | APPROX ..... LBS STRUCTURAL STEEL                          | 731,100<br>LS  |           |        |
| 0352   | 8350000000-E | 450   | 24" PRESTRESSED CONCRETE PILES                             | 946<br>LF      |           |        |
| 0353   | 8364000000-E | 450   | HP12X53 STEEL PILES  | 5,678<br>LF    |           |        |
| 0354   | 8384000000-E | 450   | HP14X73 STEEL PILES  | 741<br>LF      |           |        |
| 0355   | 8391000000-N | 450   | STEEL PILE POINTS  | 64<br>EA       |           |        |
| 0356   | 8393000000-N | 450   | PILE REDRIVES  | 10<br>EA       |           |        |
| 0357   | 8503000000-E | 460   | CONCRETE BARRIER RAIL                                      | 2,255.61<br>LF |           |        |
| 0358   | 8531000000-E | 462   | 4" SLOPE PROTECTION  | 5,085<br>SY    |           |        |
| 0359   | 8573000000-E | SP    | LATEX MODIFIED CONC OVERLAY                                | 383.9<br>CY    |           |        |
| 0360   | 8580000000-E | SP    | PLACING & FINISHING OF LATEX MODIFIED CONC OVERLAY         | 6,529.7<br>SY  |           |        |
| 0361   | 8654000000-N | SP    | DISC BEARINGS  | Lump Sum       | L.S.      |        |
| 0362   | 8657000000-N | 430   | ELASTOMERIC BEARINGS                                       | Lump Sum       | L.S.      |        |
| 0363   | 8660000000-E | SP    | CONCRETE REPAIRS   | 692.9<br>CF    |           |        |
| 0364   | 8664000000-E | SP    | SHOTCRETE REPAIRS  | 493.1<br>CF    |           |        |
| 0365   | 8678000000-E | SP    | EPOXY RESIN INJECTION                                      | 591<br>LF      |           |        |
| 0366   | 8692000000-N | SP    | FOAM JOINT SEALS   | Lump Sum       | L.S.      |        |
| 0367   | 8706000000-N | SP    | EXPANSION JOINT SEALS                                      | Lump Sum       | L.S.      |        |
| 0368   | 8860000000-N | SP    | GENERIC STRUCTURE ITEM CLEANING & REPAINTING OF BRIDGE #2  | Lump Sum       | L.S.      |        |
| 0369   | 8860000000-N | SP    | GENERIC STRUCTURE ITEM CLEANING & REPAINTING OF BRIDGE #57 | Lump Sum       | L.S.      |        |

County : Warren, Vance

| Line # | Item Number  | Sec # | Description  | Quantity      | Unit Cost | Amount |
|--------|--------------|-------|--|---------------|-----------|--------|
| 0370   | 8860000000-N | SP    | GENERIC STRUCTURE ITEM<br>PAINTING CONTAINMENT FOR<br>BRIDGE #2  | Lump Sum      | L.S.      |        |
| 0371   | 8860000000-N | SP    | GENERIC STRUCTURE ITEM<br>PAINTING CONTAINMENT FOR<br>BRIDGE #57 | Lump Sum      | L.S.      |        |
| 0372   | 8860000000-N | SP    | GENERIC STRUCTURE ITEM<br>POLLUTION CONTROL                      | Lump Sum      | L.S.      |        |
| 0373   | 8867000000-E | SP    | GENERIC STRUCTURE ITEM<br>CLASSIC CONCRETE BRIDGE RAIL           | 404.08<br>LF  |           |        |
| 0374   | 8889000000-E | SP    | GENERIC STRUCTURE ITEM<br>STRUCTURAL STEEL GIRDER REPAIR         | 2,000<br>LB   |           |        |
| 0375   | 8892000000-E | SP    | GENERIC STRUCTURE ITEM<br>BRIDGE JOINT DEMOLITION                | 910.08<br>SF  |           |        |
| 0376   | 8892000000-E | SP    | GENERIC STRUCTURE ITEM<br>EPOXY COATING                          | 5,003<br>SF   |           |        |
| 0377   | 8893000000-E | SP    | GENERIC STRUCTURE ITEM<br>HYDRO-DEMOLITION OF BRIDGE<br>DECK     | 5,780.3<br>SY |           |        |
| 0378   | 8893000000-E | SP    | GENERIC STRUCTURE ITEM<br>INCIDENTAL MILLING                     | 2,020<br>SY   |           |        |
| 0379   | 8893000000-E | SP    | GENERIC STRUCTURE ITEM<br>SCARIFYING BRIDGE DECK                 | 6,518.7<br>SY |           |        |
| 0380   | 8897000000-N | SP    | GENERIC STRUCTURE ITEM<br>BRIDGE JACKING BRIDGE #2               | 2<br>EA       |           |        |
| 0381   | 8897000000-N | SP    | GENERIC STRUCTURE ITEM<br>BRIDGE JACKING BRIDGE #57              | 2<br>EA       |           |        |
| 0382   | 8897000000-N | SP    | GENERIC STRUCTURE ITEM<br>TEMPORARY WORK PLATFORM                | 4<br>EA       |           |        |

1427/Mar06/Q13079144.06/D1701190165000/E382

Total Amount Of Bid For Entire Project :