PROJECT REFERENCE NO. SHEET NO. *U-5305* /-A

> ROADWAY DESIGN ENGINEER

STATE OF NORTH CAROLINA DIVISION OF HIGHWAYS

INDEX OF SHEETS

SH	EET NUMBER	SHEET	
1			TITLE SHEET
1_A			INDEX OF SHEETS, GENERAL NOTES, AND LIST OF STANDARD DRAWINGS
1–B			CONVENTIONAL SYMBOLS
1C-	-1 – 1C–2		SURVEY CONTROL SHEET
2A-	-1 THRU 2A-3		PAVEMENT SCHEDULE, TYPICAL SECTIONS, WEDGING DETAILS
2B-	-1		INTERSECTION DETAIL
2C	-1		CONCRETE CATCH BASIN DETAIL
2H	-1		DETAIL FOR TEMPORARY CONTAINMENT OF CONTAMINATED SOIL
3B-	-1		SUMMARY OF GUARDRAIL, EARTHWORK SUMMARY, BREAKING OF EXISTING ASPHALT PAVEMENT SUMMARY AND ASPHALT PAVEMENT REMOVAL SUMMARY
3D-	–1 THRU 3D–3		SUMMARY OF DRAINAGE QUANTITIES
3P-	-1		PARCEL INDEX SHEET
4–7	7		PLAN SHEET
8–1	0		PROFILE SHEET
TM	P-1 THRU TMP-11		TRANSPORTATION MANAGEMENT PLANS
PM	P–1 THRU PMP–4		PAVEMENT MARKING PLANS
EC-	-1 THRU EC-11		EROSION CONTROL PLANS
SIG	SN-1 THRU SIGN-6		SIGNING PLANS
SIG	G-1 THRU SIG-15		SIGNAL PLANS
UC	–1 THRU UC–5		UTILITY CONSTRUCTION PLANS
UC	0–1 THRU UO–3		UTILITY BY OTHERS PLANS
X–1	A		CROSS SECTION VOLUME SHEET
X–1	THRU X-24		PROPOSED CROSS SECTIONS

GENERAL NOTES: 2012 SPECIFICATIONS EFFECTIVE: 01-17-12 REVISED: 07/30/12

GRADING AND SURFACING OR RESURFACING AND WIDENING: THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. WHERE NO GRADE LINES ARE SHOWN, THE PROFILES SHOWN DENOTE THE TOP ELEVATION OF THE EXISTING PAVEMENT ALONG THE CENTER LINE OF SURVEY ON WHICH THE PROPOSED RESURFACING WILL BE PLACED. GRADE LINES MAY BE ADJUSTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

CLEARING: CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY

THE RADII NOTED ON PLANS.

AS SHOWN ON THE PLANS.

SUPERELEVATION: ALL CURVES ON THIS PROJECT SHALL BE SUPERELEVATED IN ACCORDANCE WITH STD. NO. 225.04 USING THE RATE OF SUPERELEVATION AND RUNOFF SHOWN ON THE PLANS.

SUPERELEVATION IS TO BE REVOLVED ABOUT THE GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. ASPHALT, EARTH, AND CONCRETE SHOULDER CONSTRUCTION ON THE HIGH SIDE OF SUPERELEVATED CURVES SHALL BE IN ACCORDANCE WITH STD. NO. 560.01.

SIDE ROADS: THE CONTRACTOR WILL BE REQUIRED TO DO ALL NECESSARY WORK TO PROVIDE SUITABLE CONNECTIONS WITH ALL ROADS, STREETS, AND DRIVES ENTERING THIS PROJECT. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR THE PARTICULAR ITEMS

INVOLVED. STREET RETURNS SHALL BE CONSTRUCTED IN ACCORDANCE WITH STD. NO. 848.04 USING

THE GUARDRAIL LOCATIONS SHOWN ON THE PLANS MAY BE ADJUSTED DURING CONSTRUCTION AS DIRECTED BY THE ENGINEER. THE CONTRACTOR SHOULD CONSULT WITH THE ENGINEER PRIOR TO ORDERING GUARDRAIL MATERIAL.

TEMPORARY SHORING: SHORING REQUIRED FOR THE MAINTENANCE OF TRAFFIC WILL BE PAID FOR AS "EXTRA WORK" IN ACCORDANCE WITH SECTION 104-7.

UTILITIES: UTILITY OWNERS ON THIS PROJECT ARE CITY OF ASHEBORO DUKE ENERGY, CENTURYLINK TIME WARNER CABLE, PIEDMONT NATURAL GAS ANY RELOCATION OF EXISTING UTILITIES WILL BE ACCOMPLISHED BY OTHERS, EXCEPT

RIGHT-OF-WAY MARKERS: ALL RIGHT-OF-WAY MARKERS ON THIS PROJECT SHALL BE PLACED BY CONTRACT. 2012 ROADWAY ENGLISH STANDARD DRAWINGS

DIVISION 8 - INCIDENTALS

The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch -N. C. Department of Transportation - Raleigh, N. C., Dated January, 2012 are applicable to this project and by reference hereby are considered a part of these plans:

DIVISION 2 - EARTHWORK Method of Clearing - Method III Guide for Grading Subgrade - Secondary and Local 225.04 Method of Obtaining Superelevation - Two Lane Pavement DIVISION 3 - PIPE CULVERTS Method of Pipe Installation

310.10 Driveway Pipe Construction DIVISION 5 - SUBGRADE, BASES AND SHOULDERS 560.01 Method of Shoulder Construction - High Side of Superelevated Curve - Method I DIVISION 6 - ASPHALT BASES AND PAVEMENTS 654.01 Pavement Repairs

806.01 Concrete Right-of-Way Marker Granite Right-of-Way Marker 838.01 Concrete Endwall for Single and Double Pipe Culverts - 15" thru 48" Pipe 90 Skew 838.11

Brick Endwall for Single and Double Pipe Culverts - 15" thru 48" Pipe 90 Skew
Brick Catch Basin - 12" thru 54" Pipe
Concrete Catch Basin - 12" thru 54" Pipe
Frame, Grates and Hood - for Use on Standard Catch Basin
Concrete Open Throat Catch Basin - 12" thru 48" Pipe
Brick Open Throat Catch Basin - 12" thru 48" Pipe
Concrete Drop Inlet - 12" thru 30" Pipe 840.01 840.03 840.04

Brick Drop Inlet - 12" thru 30" Pipe 840.15 840.16 Drop Inlet Frame and Grates - for use with Std. Dwg 840.14 and 840.15 Concrete Grated Drop Inlet Type 'A' - 12" thru 72" Pipe Concrete Grated Drop Inlet Type 'B' - 12" thru 36" Pipe 840.17 Concrete Grated Drop Inlet Type 'D' - 12" thru 36" Pipe 840.19

840.20 Frames and Wide Slot Flat Grates 840.24 Frames and Narrow Slot Sag Grates 840.25 Anchorage for Frames - Brick or Concrete or Precast 840.26 Brick Grated Drop Inlet Type 'A' - 12" thru 72" Pipe 840.31 Concrete Junction Box - 12" thru 66" Pipe

840.32 Brick Junction Box - 12" thru 66" Pipe 840.34 Traffic Bearing Junction Box - for Use with Pipes 42" and Under 840,54 Manhole Frame and Cover

840.72 Pipe Collar Concrete Curb, Gutter and Curb & Gutter 846.01 848.04 Street Turnout 852.01 Concrete Islands 852.06 Method for Placement of Drop Inlets in Concrete Islands

876.02 Guide for Rip Rap at Pipe Outlets 876.04 Drainage Ditches with Class 'B' Rip Rap

840.66 Drainage Structure Steps

862.01 Guardrail Placement

862.02 Guardrail Installation