
# This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document –

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page.

This file or an individual page shall not be considered a certified document.



# PAVEMENT MARKING LINES

- TA THERMOPLASTIC (4" WHITE, 90 MILS) EDGE LINE
- TC THERMOPLASTIC (4" WHITE, 120 MILS) 4" x 10' SKIP
- TD THERMOPLASTIC (4" WHITE, 120 MILS) 3' x 9' WHITE MINISKIP
- TE THERMOPLASTIC (4" WHITE, 120 MILS) SOLID LANE LINE
- TF THERMOPLASTIC (4" YELLOW, 120 MILS) 10' YELLOW SKIP LINE
- TH THERMOPLASTIC (4" YELLOW, 120 MILS) SINGLE CENTER LINE
- TI THERMOPLASTIC (4" YELLOW. 120 MILS) DOUBLE CENTER LINE
- TK THERMOPLASTIC (8" WHITE, 120 MILS) "WIDE" 3' x 9' WHITE MINISKIP
- TL THERMOPLASTIC (8" WHITE, 120 MILS) "WIDE" SOLID LANE LINE
- TP THERMOPLASTIC (8" WHITE. 90 MILS) GORELINE T2 - THERMOPLASTIC (24" WHITE, 120 MILS) STOP BAR

## PAVEMENT MARKING SYMBOLS

- UA THERMOPLASTIC (LEFT TURN ARROW, 90 MILS)
- UB THERMOPLASTIC (RIGHT TURN ARROW, 90 MILS)
- UC THERMOPLASTIC (STRAIGHT ARROW, 90 MILS)
- UD THERMOPLASTIC (COMBINATION, STRAIGHT & LEFT TURN ARROW, 90 MILS)
- UE THERMOPLASTIC (COMBINATION, STRAIGHT & RIGHT TURN ARROW, 90 MILS) UI - THERMOPLASTIC (ALPHANUMERIC CHARACTER, 120 MILS)
- US THERMOPLASTIC ('SHARK TEETH' YIELD LINE, 90 MILS)

### PAVEMENT MARKER LEGEND

- ☐ ----- CRYSTAL / RED PAVEMENT MARKER
- ◆ ······ YELLOW / YELLOW PAVEMENT MARKER
- DIRECTION OF TRAFFIC FLOW

### SIGNING AND PAVEMENT MARKING NOTES:


- A. ALL PAVEMENT MARKINGS SHALL BE THERMOPLASTIC.
- B. CONTRACTOR SHALL TIE PROPOSED MARKINGS TO EXISTING MARKINGS AT PROJECT LIMITS.
- C. CONTRACTOR SHALL MILL ANY EXISTING MARKINGS IN CONFLICT WITH PROPOSED.
- D. DO NOT PLACE PAVEMENT MARKINGS ON CROSSWALKS.
- E. RAISED REFLECTIVE PAVEMENT MARKERS ARE TO BE PLACED ACCORDING TO NCDOT ROADWAY STANDARD DRAWINGS.
- F. REMOVE AND RESET EXISTING STREET SIGNS.

### PAY ITEM NOTES:

- 1. DISPOSAL OF SUPPORT, U-CHANNEL
- 2. SIGN ERECTION, RELOCATE TYPE "E" (GROUND MOUNTED)
- 3. DISPOSAL OF SIGN SYSTEM, U-CHANNEL.


	SUMMARY OF QUANTITIES	]	
ITEM NO.	ITEM DESCRIPTION	QUANTITY	UNIT
DESC. SECT.			
4072000000 903   4116100000 904   4155000000 907   4192000000 907	SUPPORTS, 3-LB STEEL U-CHANNEL SIGN ERECTION, RELOCATE TYPE E (GROUND MOUNTED) DISPOSAL OF SIGN SYSTEM, U-CHANNEL DISPOSAL OF SUPPORT, U-CHANNEL	220 17 1 14	LF EA EA

SHEET 1 OF 4





PAVEMENT MARKING AND SIGNING PLAN

SCALE:	1" = 50'	DEVISIONS
SCALE:	1 - 50	REVISIONS
DATE:	06-11-12	
DWG. BY:	DAS	
DESIGN BY:	JJP	
REVIEWED BY:	CAN	CADD FILE:




11hD 803955





SHEET 3 OF 4



K\*\RAL\_Roadway\01I746003 (Berk

21/2013

