

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

PAT MCCRORY GOVERNOR

ANTHONY J. TATA SECRETARY

June 3, 2015

Addendum No. 1

RE: Contract ID C203703 WBS # 8CR.10531.27, Etc. Lee County

US-1 From NC-42 To North Of US-421, NC-87 From SR-1290 To Harnett County And 3 Sections Of Secondary Roads

June 16, 2015 Letting

To Whom It May Concern:

Reference is made to the proposal and Sketch maps furnished to you on this project.

The following revisions have been made to the sketch maps (plans):

Sheet No.	Revisions
3	Revised Typical Section No. 1 to add milling of existing rumble strips
8	Revised "Summary of Quantities" to reflect the below noted quantity changes

Please void the above listed sheets in your plans and staple the revised sheets thereto.

The following revisions have been made to the proposal:

Page No.	Revisions
Proposal Cover	Note added that reads "Includes Addendum No. 1 Dated 06-03-15"

Please void the existing Proposal Cover in your proposal and replace with the attached revised Proposal Cover.

On the item sheets the following pay item quantities have been revised:

<u>Item</u>	Description	Old Quantity	New Quantity
005-1297000000-Е- 607	Milling Asphalt Pavement, 1 ½" Depth	3,955 SY	12,595 SY
013-1523000000-E- 610	Asphalt Concrete Surface Course, Type S9.5B	8,820 TON	9,580 TON
015-1575000000-E- 620	Asphalt Binder For Plant Mix	1,755 TON	1,800 TON

The Contractor's bid must be based on these revised pay item quantities. The contract will be prepared accordingly.

The Expedite File has been updated to reflect these revisions. Please download the Expedite Addendum File and follow the instructions for applying the addendum. Bid Express will not accept your bid unless the addendum has been applied.

Sincerely,

R. A. Garris, PE Contract Officer

RAG/jag Attachments

cc:	Mr. Ron Hancock, PE	Mr. Ray Arnold, PE
	Mr. Robert Stone, PE	Mr. Ronnie Higgins
	Ms. D. M. Barbour, PE	Ms. Marsha Sample
	Mr. Rodger Rochelle, PE	Mr. Mike Gwyn
	Mr. R. E. Davenport, PE	Ms. Lori Strickland
	Ms. Theresa Canales, PE	Ms. Jaci Kincaid
	Project File (2)	Ms. Penny Higgins

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH, N.C.

PROPOSAL

INCLUDES ADDENDUM No.1 DATED 06-03-15

DATE AND TIME OF BID OPENING: JUNE 16, 2015 AT 2:00 PM

CONTRACT ID

C203703

WBS

8CR.10531.27, 8CR.20531.27

FEDERAL-AID NO. STATE FUNDED

COUNTY

LEE

T.I.P. NO.

MILES

12.270

ROUTE NO.

US 1

LOCATION

US-1 FROM NC-42 TO NORTH OF US-421, NC-87 FROM SR-1290 TO

HARNETT COUNTY AND 3 SECTIONS OF SECONDARY ROADS.

TYPE OF WORK

MILLING, RESURFACING, AND SHOULDER RECONSTRUCTION.

NOTICE:

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. NOTWITHSTANDING THESE LIMITATIONS ON BIDDING, THE BIDDER WHO IS AWARDED ANY FEDERAL - AID FUNDED PROJECT SHALL COMPLY WITH CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA FOR LICENSING REQUIREMENTS WITHIN 60 CALENDAR DAYS OF BID OPENING.

BIDS WILL BE RECEIVED AS SHOWN BELOW:

THIS IS A ROADWAY PROPOSAL

5% BID BOND OR BID DEPOSIT REQUIRED

County: Lee

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
		F	ROADWAY ITEMS			
		•€*				
0001	0000100000-N	800	MOBILIZATION	Lump Sum	L.S.	
0002	0106000000-E	230	BORROW EXCAVATION	1,931 CY		
0003	1220000000-E	545	INCIDENTAL STONE BASE	682 TON		
0004	1245000000-E	SP	SHOULDER RECONSTRUCTION	27.63 SMI		
0005	1297000000-E	607	MILLING ASPHALT PAVEMENT, ***" DEPTH (1-1/2")	12,595 SY		
0006	1308000000-E	607	MILLING ASPHALT PAVEMENT, ***" TO ******" (0" TO 1-1/2")	4,313 SY	·	
0007	1308000000-E	607	MILLING ASPHALT PAVEMENT, ***" TO ******" (0" TO 2")	620 SY		
 0008	1308000000-E	607	MILLING ASPHALT PAVEMENT, ***" TO ******" (0" TO 4")	5,075 SY		
 0009	1308000000-E	607	MILLING ASPHALT PAVEMENT, ***" TO ******" (0" TO 6")	720 SY		
0010	1330000000-E	607	INCIDENTAL MILLING	5,735 SY		
0011	1503000000-E	610	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	985 TON		
0012	1519000000-E	610	ASPHALT CONC SURFACE COURSE, TYPE S9.5B	9,385 TON		
 0013	1523000000-E	610	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	9,580 TON		
0014	1525000000-E	610	ASPHALT CONC SURFACE COURSE, TYPE SF9.5A	9,315 TON		
0015	1575000000-E	620	ASPHALT BINDER FOR PLANT MIX	1,800 TON		
0016	1704000000-E	SP	PATCHING EXISTING PAVEMENT	2,310 TON		
0017	1840000000-E	665	MILLED RUMBLE STRIPS (ASPHALT CONCRETE)	42,150 LF		

County: Lee

Line #	Item Number	Sec #	Description	Quantity	Unit Cost	Amount
0018	2830000000-N	858	ADJUSTMENT OF MANHOLES	1 EA		
0019	4413000000-E	SP	WORK ZONE ADVANCE/GENERAL WARNING SIGNING	1,610 SF		
0020	4457000000-N	SP	TEMPORARY TRAFFIC CONTROL	Lump Sum	L.S.	
0021	4510000000-N	SP	LAW ENFORCEMENT	120 HR		
0022	4685000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINES (4", 90 MILS)	79,220 LF		
0023	4686000000-Е	1205	THERMOPLASTIC PAVEMENT MARKING LINES (4", 120 MILS)	85,575 LF		
0024	4688000000-Е	1205	THERMOPLASTIC PAVEMENT MARKING LINES (6", 90 MILS)	38,950 LF		
0025	4690000000-Е	1205	THERMOPLASTIC PAVEMENT MARKING LINES (6", 120 MILS)	6,715 LF		
 0026	4695000000-Е	1205	THERMOPLASTIC PAVEMENT MARKING LINES (8", 90 MILS)	100 LF		
0027	4700000000-Е	1205	THERMOPLASTIC PAVEMENT MARKING LINES (12", 90 MILS)	4,260 LF		
0028	4705000000-E	1205	THERMOPLASTIC PAVEMENT MARKING LINES (16", 120 MILS)	160 LF		
 0029	4710000000-Е	1205	THERMOPLASTIC PAVEMENT MARKING LINES (24", 120 MILS)	393 LF		
0030	 4721000000-Е	1205	THERMOPLASTIC PAVEMENT MARKING CHARACTER (120 MILS)	6 EA		
0031	4725000000-E	1205	THERMOPLASTIC PAVEMENT MARKING SYMBOL (90 MILS)	106 EA		
 0032	4810000000-E	1205	PAINT PAVEMENT MARKING LINES (4")	128,970 LF	·	
0033	4815000000-E	1205	PAINT PAVEMENT MARKING LINES (6")	2,100 LF		
 0034	4900000000-N	1251	PERMANENT RAISED PAVEMENT MARKERS	1,173 EA		


Jun 03, 2015 9:28 am

ITEMIZED PROPOSAL FOR CONTRACT NO. C203703

Page 3 of 3

County: Lee

Line #	Item Number	per Sec Description #		Quantity	Unit Cost	Amoun
0035	4905000000-N	1253	SNOWPLOWABLE PAVEMENT MARKERS	620		
				EA		
0036	6000000000-E	1605	TEMPORARY SILT FENCE	1,382		
				LF		
0037	6071010000-E	SP	WATTLE	230		
				LF		
0038	6084000000-E	1660	SEEDING & MULCHING	20.09		
				ACR		
0039	7444000000-E	1725	INDUCTIVE LOOP SAWCUT	3,000		***************************************
				LF		
	lun03/Q461936.72/D1		0/E39 Total Amount Of Bid For E			



PAVEMENT TIE-IN DETAIL

DETAILS OF PATCHING EXISTING PAVEMENT PRIOR TO RESURFACING

DETAIL

LENGTH & WIDTH

VARIES

RUMBLE STRIPS-

EXISTING BASE

SAW AND REMOVE EXISTING ASPHALT PAVEMENT TO NEAT LINES AND REMOVE EXISTING LOOSE BASE AND/OR SUBGRADE MATERIAL AND REPLACE WITH ASPHALT CONCRETE SURFACE COURSE 8-25.0 BY 1-19.0 B, AS DIRECTED BY THE ENGINEER

-EXISTING ASPHALTIC PAVEMENT

--- EXISTING SUBGRADE MATERIAL

PAVEMENT SCHEDULE

PROP. APPROX. 11/2" ASPHALT CONCRETE SURFACE COURSE, TYPE SF9.5A,

PROP. APPROX. $11\!\!\!/2^{\prime\prime}$ ASPHALT CONCRETE SURFACE COURSE, TYPE S9.58, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.

PROP. APPROX. $11\!\!2^{\prime\prime}$ ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.

PROP. MILLED RUMBLE STRIP (SEE RDWY STD. 665.01)

AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD.

MILLING BITUMINOUS PAVEMENT. 11/2"DEPTH.

MILLING BITUMINOUS PAVEMENT. 0" TO 11/2"DEPTH.

NOT TO SCALE

C1

C2

C3

٧1

EARTH MATERIAL.

EXISTING PAVEMENT.

PAVE

MILL 1.5"

BRIDGE DRAWING FOR MAP #1
US 1 (BRIDGE NO 21 & 25 NBL & SBL)

V2

MILL 0"-1½" & RESURFACE RUMBLE STRIPS-

BRIDGE PAVE

RUMBLE STRIPS-

MILL 0"-1½" & RESURFACE

(V2)

PROJECT NO.	SHEET NO.	TOTAL NO.
8CR.10531.27,		
8CR.20531.27	· •	

SUMMARY OF QUANTITIES

PROJECT	COUN	MAI	P ROUTE	DESCRIPTION	TYP	LANES I		FINAL SURFACE TESTING	WARM MIX ASPHALT REQUIRED	LENGTH	1	BORROW EXCAVATIO N	INCIDENTAL STONE BASE	I .	1.5" MILLING		1			INCIDENTAL MILLING	INTER- MEDIATE COURSE,	SURFACE COURSE, S9.5B	SURFACE COURSE, S9.5C	COURSE,	ASPHALT BINDER FOR PLANT MIX			ADJUST MANHOLES	TEMP. SILT FENCE	WATTLE	SEED & MULCHING	INDUCTIVE LOOP SAWCUT
		NO			NO			REQUIRED		MI	FT	CY	TONS	SMI	SY	SY	SY	SY	SY	SY	119.0C TONS	TONS	TONS	TON	TONS	TONS	LF	EA	LF	LF	AC	10
NO	+	NU		FROM NC 42 TO CONST. JT NORTH OF US	NU	╁──┼	-+			IVII	r,	Ci	(UNS	Sivil	31	31	31	31	31	31	10113	10143	10143	1014	10.43	10143	- " -				AC	
8CR.10531.27	7 Lee		US 1 NBL & SBL	421 BUS.	1		MD	NO	NO	1.84	72	541		7.38	12.595	2,978				3,400			8.930		527	660	38,950		369	60	5.35	l
OCK.10331.27			AP NO. 1	421 003.	1	+ - +	IVID	NO	NO	1.84	1/2	541		7.38	12,595	2,978		 		3,400		 	8,930		527	660	38,950		369	60	5.35	<u> </u>
	T 1012	1	1	FROM SR 1290 (COMMERCE DR) TO		+	-+			2.04	<u> </u>	372		 	22,000	2,570	 	 		37.00		<u> </u>	- 5,555						 	<u> </u>		<u> </u>
8CR.10531.27	7 Lee	e 2	NC 87	HARNETT CO LINE	2	5	M2	NO	NO	2.64	60	291	80	5.28		1,335	l			1,600		9,385			563	500			264	40	3.84	3,000
			AP NO. 2		-	+				2.64		291	80	5.28		1,335	!			1,600		9,385			563	500			264	40	3.84	3,000
	T	T	US 421 BYP. NB & SB				\neg				İ						1															
8CR.10531.27	7 Lee	e 6	(16 SECTIONS)	FROM SR 1406 (COLON RD) TO NC 42	4-9	2	MD	NO	NO	0.3	37						620	5,075	720		985		650		86	i	3,200	1				
	TOTA	AL FOR M	AP NO. 6							0.3							620	5,075	720		985		650		86		3,200					
					T																											
TOT	TAL FOR	PROJ NO), 8CR.10531.27							4.78	l	832	80	12.66	12,595	4,313	620	5,075	720	5,000	985	9,385	9,580		1,176	1,160	42,150	<u> </u>	633	100	9.19	3,000
							—							T	T					T		·	1			T	1	r		1	I	Т
				FROM PVMT JT AT US 15-501 TO PVMT JT		1.1					l						1	1 1		400			İ	2 405	224	200			202	50	4.41	
8CR.20531.27		 	SR 1182 (CEDAR LN)	AT US 1	3	2	2WU	NO	NO	3.03	22	445	270	6.06			ļ	1		180		ļ		3,495	234	280	ļ		303		4.41	
	TOTA	AL FOR M	AP NO. 3	TROUBLE TO THE ATTICATION OF T		++				3.03	<u> </u>	445	270	6.06			ļ	 		180		 	ļ	3,495	234	280	 		303	50	4.41	
		١.	60 4447 (60) 041 DD)	FROM PVMT JT AT US 421 BYPASS THENCE SOUTH TO CL AT FAIRGROUNDS	_	1 . 1	2WU		NO	0.04	1	110	45	1.51						120		1		1.055	71	215		1 .	81	20	1.18	
8CR.20531.27			SR 1415 (COLON RD)	SOUTH TO CL AT FAIRGROUNDS	3	1-4-1	2WU	NO	NO	0.81 0.81	24	118 118	45	1.61	 		 			120		ļ	 	1,055	71	215	ļ	1 1	81	20	1.18	
	TUTA	AL FUR IV	AP NO. 4	FROM PVMT JT 700'+- NORTH OF US 421	ļ	+-+	-+			0.81	 	110	43	1.61	ļ		 	 		120		-		1,033	- '-	213	 	 	- 01		1.10	
8CR.20531.27	7 Lee	. 5	SR 1415 (COLON RD)	BYPASS TO SR 1422 (OSGOOD RD)	1	,	2WU	NO	NO	3.65	24	536	287	7.30			1			435				4,765	319	655	1		365	60	5.31	
OCN.20331.27			IAP NO. 5	DITTION TO SHE EASE (GOOGGE NO)	Ť	+ - +		110	.,,	3.65		536	287	7.30	 		 	t		435		†		4,765	319	655			365	60	5.31	
	1	1	T		\vdash	1 1	$\neg \dagger$										<u> </u>															1
TOT	TAL FOR	PROJ NO	D. 8CR.20531.27		†					7.49		1,099	602	14.97						735				9,315	624	1,150		1	749	130	10.90	
												•			*		*	***************************************			• • • • • • • • • • • • • • • • • • • •											
		GRAND T	OTAL	T	T	T	$\overline{}$			12.27		1,931	682	27.63	12,595	4,313	620	5.075	720	5.735	985	9,385	9,580	9,315	1,800	2,310	42,150		1,382	230	20.09	3,000