

RS&H
IMPROVING YOUR WORLD
 © 2012 REMONDIS, SMITH AND HILLS, INC.
 RS&H Architects-Engineers-Planners, Inc.
 1520 South Boulevard, Suite 200
 Charlotte, NC 28203
 Phone: 704-752-0610
 NC License No. F-0493 www.rsandh.com



CLEARING AND GRUBBING
 EROSION CONTROL FOR
 CONSTRUCTION SHEET 09

NOTES: ANY DEVIATION FROM OPTIONS GIVEN WILL REQUIRE PRIOR APPROVAL BY ENGINEER.

ADDITIONAL EROSION CONTROL DEVICES MAY NEED TO BE INSTALLED AS DIRECTED BY THE ENGINEER.

NOTE: PERIMETER EROSION CONTROL MEASURES SHALL BE INSTALLED DURING CLEARING AND GRUBBING PHASE.

NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.



145 x 25 x 3
 2.0 inch Skimmer
 with 1.750 inch
 Orifice Diameter
 17 ft. weir
 ID 9.1



-L- HORIZONTAL CURVE DATA

PIs Sta 81+73.03	PI Sta 88+37.13	PIs Sta 94+91.84
$\Delta s = 1^\circ 37' 26.9''$	$\Delta = 17^\circ 40' 01.4''$ (LT)	$\Delta s = 1^\circ 37' 26.9''$
$L_s = 216.00'$	$D = 1^\circ 30' 13.8''$	$L_s = 216.00'$
$LT = 144.01'$	$L = 1,174.81'$	$LT = 144.01'$
$ST = 72.01'$	$T = 592.10'$	$ST = 72.01'$
	$R = 3,810.00'$	
	$SE = 04$	
	$RO = 216$	

INSTALL PIPE(S) IN JURISDICTIONAL AREAS WITHOUT IMPACTING STREAM UNTIL AREA STABILIZED AND ACCORDING TO NCDOT BEST MANAGEMENT PRACTICES FOR CONSTRUCTION AND MAINTENANCE ACTIVITIES MANUAL.

\$DATE\$

\$FILE\$