

GENERAL NOTES:

2012 SPECIFICATIONS EFFECTIVE: 01-17-2012 REVISED: 10-31-2014

GRADING AND SURFACING OR RESURFACING AND WIDENING:

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. WHERE NO GRADE LINES ARE SHOWN, THE PROFILES SHOWN DENOTE THE TOP ELEVATION OF THE EXISTING PAVEMENT ALONG THE CENTER LINE OF SURVEY ON WHICH THE PROPOSED RESURFACING WILL BE PLACED. GRADE LINES MAY BE ADJUSTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

CLEARING:

CLEARING ON THIS PROJECT SHALL BE PERFORMED TO THE LIMITS ESTABLISHED BY METHOD III.

SUPERELEVATION:

ALL CURVES ON THIS PROJECT SHALL BE SUPERELEVATED IN ACCORDANCE WITH STD. NO. 225.04 USING THE RATE OF SUPERELEVATION AND RUNOFF SHOWN ON THE PLANS. SUPERELEVATION IS TO BE REVOLVED ABOUT THE GRADE POINTS SHOWN ON THE TYPICAL

SIDE ROADS:

THE CONTRACTOR WILL BE REQUIRED TO DO ALL NECESSARY WORK TO PROVIDE SUITABLE CONNECTIONS WITH ALL ROADS, STREETS, AND DRIVES ENTERING THIS PROJECT. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR THE PARTICULAR ITEMS INVOLVED.

GUARDRAIL:

THE GUARDRAIL LOCATIONS SHOWN ON THE PLANS MAY BE ADJUSTED DURING CONSTRUCTION AS DIRECTED BY THE ENGINEER. THE CONTRACTOR SHOULD CONSULT WITH THE ENGINEER PRIOR TO ORDERING GUARDRAIL MATERIAL.

TEMPORARY SHORING:

SHORING REQUIRED FOR THE MAINTENANCE OF TRAFFIC WILL BE PAID FOR AS "EXTRA WORK" IN ACCORDANCE WITH SECTION 104-7.

SUBSURFACE PLANS:

NO SUBSURFACE PLANS ARE AVAILABLE ON THIS PROJECT. THE CONTRACTOR SHOULD MAKE HIS OWN INVESTIGATION AS TO THE SUBSURFACE CONDITIONS.

END BENTS:

THE ENGINEER SHALL CHECK THE STRUCTURE END BENT PLANS, DETAILS, AND CROSS-SECTION PRIOR TO SETTING OF THE SLOPE STAKES FOR THE EMBANKMENT OR EXCAVATION APPROACHING A BRIDGE.

RIGHT-OF-WAY MARKERS:

ALL RIGHT-OF-WAY MARKERS ON THIS PROJECT SHALL BE PLACED BY CONTRACT.

EFF. 01-17-2012 REV. 10-30-2012

2012 ROADWAY ENGLISH STANDARD DRAWINGS

The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch -N. C. Department of Transportation - Raleigh, N. C., Dated January, 2012 are applicable to this project and by reference hereby are considered a part of these plans:

STD.NO. TITLE DIVISION 2 - EARTHWORK 200.03 Method of Clearing - Method III 225.02 Guide for Grading Subgrade - Secondary and Local 225.04 Method of Obtaining Superelevation - Two Lane Pavement DIVISION 3 - PIPE CULVERTS 300.01 Method of Pipe Installation DIVISION 4 - MAJOR STRUCTURES 422.11 Reinforced Bridge Approach Fills - Sub Regional Tier DIVISION 5 - SUBGRADE, BASES AND SHOULDERS 560.01 Method of Shoulder Construction - High Side of Superelevated Curve - Method I DIVISION 8 - INCIDENTALS 806.01 Concrete Right-of-Way Marker 806.02 Granite Right-of-Way Marker

840.00 Concrete Base Pad for Drainage Structures 840.25 Anchorage for Frames - Brick or Concrete or Precast 840.29 Frames and Narrow Slot Flat Grates

840.35 Traffic Bearing Grated Drop Inlet - for Cast Iron Double Frame and Grates 840.46 Traffic Bearing Precast Drainage Structure

840.66 Drainage Structure Steps

862.01 Guardrail Placement 862.02 Guardrail Installation

862.03 Structure Anchor Units (Beg. March 2013 Letting use detail in lieu of Standard)

876.04 Drainage Ditches with Class 'B' Rip Rap

B-4959 INDEX OF SHEETS

SHEET

TITLE SHEET

CONVENTIONAL SYMBOLS

SURVEY CONTROL SHEETS

SPECIAL DETAILS

GEOTECH SUMMARIES

REFORESTATION

CROSS-SECTIONS

STRUCTURE PLANS

SIGNING PLANS

PLAN AND PROFILE SHEET

TRAFFIC MANAGEMENT PLANS

PAVEMENT MARKING PLANS

EROSION CONTROL PLANS

CROSS-SECTION SUMMARY SHEET

PAVEMENT SCHEDULE AND TYPICAL SECTIONS

INDEX OF SHEETS, GENERAL NOTES, AND STANDARD DRAWINGS

ROADWAY SUMMARIES (Earthwork, Guardrail, Asphalt Pavement Removal,

Shoulder Berm Gutter, Special Shoulder Berm Curb, Drainage Summary)

SHEET NUMBER

1 C - 1

2A - 1

2C-1

3B-1

3G-1

4 THRU 5

PMP-1

RF-1

X-1A

TMP-01 THRU TMP-04

SIGN-1 THRU SIGN-2

EC-1 THRU EC-5

X-1 THRU X- 5

S-1 THRU S-25