

COMPUTED BY: TEM DATE: 4/14/15  
 CHECKED BY: PJS DATE: 8/05/15

(4-21-15)

PROJECT NO.	SHEET NO.
I-3318BB	3G-1

**STATE OF NORTH CAROLINA  
 DIVISION OF HIGHWAYS**

SUMMARY OF SUBSURFACE DRAINAGE

LINE	Station	Station	Location LT/RT/CL	Drain Type* UD/BD/SD	LF
				CONTINGENCY	UD 800
				TOTAL LF:	800

\*UD = Underdrain  
 \*BD = Blind Drain  
 \*SD = Subsurface Drain

SUMMARY OF AGGREGATE SUBGRADE/STABILIZATION

LINE	Station	Station	Aggregate Type ASU/AST	Aggregate Thickness INCHES	Shallow Undercut CY	Class IV Subgrade Stabilization TONS	Geotextile for Soil Stabilization SY	Stabilizer Aggregate TONS	Class IV Aggregate Stabilization TONS
			CONTINGENCY	AST 3				250	
			CONTINGENCY	ASU 12	1500	3000	4500		
				TOTAL CY/TONS/SY:	1500	3000	4500 *	250	

ASU = Aggregate Subgrade, AST = Aggregate Stabilization  
 \*Total square yards of Geotextile for Soil Stabilization is only the estimated quantity for ASU/AST and may only represent a portion of the geotextile quantity shown in the Item Sheets of the Proposal.