

PROJECT REFERENCE NO.	SHEET NO.
W-5518	EC-06/CONST.06
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER



CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 6

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.



-L-
PI Sta. 35+09.29
 $\Delta = 1' 43' 16.7''$ (RT)
 $D = 0' 35' 13.4''$
 $L = 293.21'$
 $T = 146.62'$
 $R = 9,760.00'$
SUPER = NC
DS = 60MPH

40 x 20 x 3
1.5 inch Skimmer
with 0.75 inch
Orifice Diameter
4 ft. weir
ID EC-104


52 x 26 x 3
1.5 inch Skimmer
with 1.0 inch
Orifice Diameter
5 ft. weir
ID EC-105

MATCHLINE SHEET 5
-L- STA. 31+50.00


REVISIONS




-L- STA. 33+65.00 TO STA. 35+00.00 LT
-L- STA. 33+67.00 TO STA. 35+00.00 RT



-L- STA. 25+50.00 TO STA. 33+67.00 RT; DDE=740 CY
-L- STA. 26+05.00 TO STA. 28+00.00 LT; DDE=150 CY
-L- STA. 29+50.00 TO STA. 33+65.00 LT; DDE=550 CY



*When B is < 6.0'
DDE=14 CY
Type of Liner=19 TON CLASS B Rip-Rap
Geotextile=53 SY
-L- STA. 33+65 LT



*When B is < 6.0'
DDE=13 CY
Type of Liner=17.5 TON CLASS B Rip-Rap
Geotextile=49 SY
-L- STA. 33+67 RT

SEE SHEET 8 FOR -L- PROFILE

8/17/99
12/10/2015
K:\Environmental\W-5518_hyd_EC_PSH_06.dgn