



5/22/2016

PROJECT REFERENCE NO. <i>U-2707</i>	SHEET NO. <i>2A-4</i>
ROADWAY DESIGN ENGINEER 2/10/2016 SEAL 22568 Steve Smith	PAVEMENT DESIGN ENGINEER 2/12/2016 SEAL 031484 Vladimir G. Mitchev



* SHOULDER WIDTH WILL BE 11' IF GUARDRAIL IS REQUIRED



PAVEMENT SCHEDULE	
C1	1.5" S9.5B
C2	3.0" S9.5B
C3	VAR. DEPTH S9.5B
D1	2.5" I19.0B
D2	3.5" I19.0B
D3	4.0" I19.0B
D4	VAR. DEPTH I19.0B
E1	4.0" B25.0B
E2	4.5" B25.0B
E3	5.5" B25.0B
E4	VAR. DEPTH B25.0B
J1	8.0" ABC
K	LIME OR CEMENT STABILIZATION
N	GEOTEXTILE FOR PVMT. STAB.
P	PRIME COAT
R	2'-6" CONCRETE CURB AND GUTTER
T	EARTH MATERIAL
U	EXISTING PAVEMENT
W	WEDGING
V	0-1.5" MILLING

NOTE: PAVEMENT EDGE SLOPE ARE 1:1 UNLESS OTHERWISE NOTED. SHOULDER DRAINS NOT REQUIRED.

2/1/2016
C:\Users\N\Project\112707-Relay-tyr.dgn
US158.dwg