




NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.



CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 06

| | |
|--|-----------------------------|
| PROJECT REFERENCE NO. U-2707 | SHEET NO. EC-06/CONST.06 |
| ROADWAY DESIGN ENGINEER | HYDRAULICS ENGINEER |
| PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION | |







MATCH LINE SHEET 5
-L- STA 37+50 SEE SHEET 5

MATCH LINE SHEET 7
-L- STA 51+50 SEE SHEET 7




INSTALL FILTRATION GEOTEXTILE UNDER TEMPORARY ROCK SILT CHECK(S) TYPE A IN PERMITTED WETLANDS.

NOTES: ANY DEVIATION FROM OPTIONS GIVEN WILL REQUIRE PRIOR APPROVAL BY ENGINEER.

ADDITIONAL EROSION CONTROL DEVICES MAY NEED TO BE INSTALLED AS DIRECTED BY THE ENGINEER.



85 x 28 x 3
1.5 inch Skimmer
with 1.375 inch
Orifice Diameter
9 ft. weir
ID 0603



Pls Sta 38+43.98 PIs Sta 47+99.32 Pls Sta 53+94.10
 $\Theta_s = 3' 20' 00.9''$ $\Theta_s = 3' 26' 46.9''$ $\Delta = 44' 18' 15.0''$ (LT)
 $L_s = 160.00'$ $L_s = 160.00'$ $D = 4' 18' 28.6''$
 $LT = 106.69'$ $LT = 106.69'$ $T = 541.47'$
 $ST = 53.35'$ $ST = 53.35'$ $R = 1,330.00'$
 $SE = 0.06$