



CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 07

PROJECT REFERENCE NO. U-2707	SHEET NO. EC-07/CONST.07
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
PRELIMINARY PLANS DO NOT USE FOR CONSTRUCTION	



22Z



64 x 24 x 3
1.5 inch Skimmer
with 1.125 inch
Orifice Diameter
6 ft. weir
ID 0701

80 x 28 x 3
1.5 inch Skimmer
with 1.25 inch
Orifice Diameter
9 ft. weir
ID 0702

67 x 25 x 3
1.5 inch Skimmer
with 1.25 inch
Orifice Diameter
6 ft. weir
ID 0703

-L- STA 51+50 SEE SHEET 6


MATCH LINE
-L- STA 65+00
SEE SHEET 8

20-B


-L-

PI Sta 53+94.10	PIs Sta 59+34.41
$\Delta = 44^{\circ} 18' 15.0''$ (LT)	$\Theta s = 3^{\circ} 26' 46.9''$
$D = 4' 18' 28.6''$	$Ls = 160.00'$
$L = 1,028.43'$	$LT = 106.69'$
$T = 541.47'$	$ST = 53.35'$
$R = 1,330.00'$	
$SE = 0.06$	

23



-L- STA. 51+50 TO -L- STA. 52+50 LT
-L- STA. 59+50 TO -L- STA. 62+00 LT
-L- STA. 62+00 TO -L- STA. 63+00 LT



-L- STA. 61+85 LT

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.

NOTES: ANY DEVIATION FROM OPTIONS GIVEN WILL
REQUIRE PRIOR APPROVAL BY ENGINEER.

ADDITIONAL EROSION CONTROL DEVICES MAY
NEED TO BE INSTALLED AS DIRECTED BY THE
ENGINEER.