
This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document –

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page.


This file or an individual page shall not be considered a certified document.

TRANSPORTATION MANAGEMENT PLAN

GRANVILLE COUNTY **DIVISION** 5



BRIDGE #178 - SR 1304 (SUNSET ROAD) OVER FOX CREEK



DENOTES OFF-SITE DETOUR

TYPE OF WORK: GRADING, PAVING, DRAINAGE AND STRUCTURE


WORK ZONE SAFETY & MOBILITY "from the MOUNTAINS to the COAST"

N.C.D.O.T. WORK ZONE TRAFFIC CONTROL 1561 MAIL SERVICE CENTER (MSC) RALEIGH, NC 27699-1561 750 N. GREENFIELD PARKWAY, GARNER, NC 27529 (DELIVERY)
PHONE: (919) 773-2800 FAX: (919) 771-2745

J. S. BOURNE, PE STATE TRAFFIC MANAGEMENT ENGINEER

D. W. BISSETTE, PE CENTRAL WORK ZONE TRAFFIC CONTROL ENGINEER

HELEN SHYU, PE TRAFFIC CONTROL PROJECT DESIGN ENGINEER



INDEX OF SHEETS

SHEET NO. TITLE TMP-1 TITLE SHEET, VICINITY MAP AND INDEX OF SHEETS LIST OF APPLICABLE ROADWAY STANDARD DRAWINGS TMP-1A TMP-1B TRANSPORTATION OPERATIONS PLAN: TRAFFIC MANAGEMENT STRATEGY AND GENERAL NOTES TMP-2 SPECIAL SIGN DESIGN - SUNSET ROAD

SR 1304 (SUNSET ROAD) ROAD CLOSURE AND DETOUR

TEMPORARY TRAFFIC CONTROL PHASING

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



Stantec Consulting Services Inc. 801 Jones Franklin Rd-Suite 300 Raleigh, NC 27606 Tel. 919.851.6866 Fax. 919.851.7024 License No. F-0672

BETSY L. WATSON, PE

PRINCIPAL GEORGE M. KARAGEORGE, PE SENIOR TRANSPORTATION ENGINEER ANDREW GOOD

TRAFFIC TECHNICIAN



TMP-1

2

LEGEND

PROJ. REFERENCE NO. SHEET NO. TMP-1A B-5157

ROADWAY STANDARD DRAWINGS

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" -PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2012 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1101.01 1101.02 1101.03 1101.04 1101.05 1101.06 1101.11	WORK ZONE ADVANCE WARNING SIGNS TEMPORARY LANE CLOSURES TEMPORARY ROAD CLOSURES TEMPORARY SHOULDER CLOSURES WORK ZONE VEHICLE ACCESSES WARNING SIGNS FOR BLASTING ZONES TRAFFIC CONTROL DESIGN TABLES STATIONARY WORK ZONE SIGNS
1110.02 1115.01	PORTABLE WORK ZONE SIGNS FLASHING ARROW BOARDS
1130.01 1135.01 1145.01 1150.01 1160.01 1165.01 1170.01	DRUMS CONES BARRICADES FLAGGING DEVICES TEMPORARY CRASH CUSHION WORK VEHICLE LIGHTING SYSTEMS AND TMA DELINEATION PORTABLE CONCRETE BARRIER
1180.01 1205.01 1205.02 1205.12 1261.01 1261.02 1262.01 1264.01 1264.02	SKINNY - DRUM PAVEMENT MARKINGS - LINE TYPES AND OFFSETS PAVEMENT MARKINGS - TWO LANE AND MULTILANE ROADWAYS PAVEMENT MARKINGS - BRIDGES GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING GUARDRAIL END DELINEATION OBJECT MARKERS - TYPES OBJECT MARKERS - INSTALLATION

GENERAL

DIRECTION OF TRAFFIC FLOW

DIRECTION OF PEDESTRIAN TRAFFIC FLOW

——— EXIST. PVMT.

— PROPOSED PVMT. NORTH ARROW

TEMP. SHORING (LOCATION PURPOSES ONLY)

WORK AREA

SIGNALS

EXISTING PROPOSED



PAVEMENT MARKINGS

——EXISTING LINES ——TEMPORARY LINES

TRAFFIC CONTROL DEVICES

BARRICADE (TYPE III)

● SKINNY DRUM ○ TUBULAR MARKER

FLASHING ARROW BOARD

FLAGGER

LAW ENFORCEMENT

TRUCK MOUNTED ATTENUATOR (TMA)

CHANGEABLE MESSAGE SIGN TEMPORARY CRASH CUSHION

PORTABLE CONCRETE BARRIER

TEMPORARY SIGNING

PORTABLE SIGN

STATIONARY SIGN

STATIONARY OR PORTABLE SIGN

PAVEMENT MARKERS

CRYSTAL/CRYSTAL

CRYSTAL/RED ◆ YELLOW/YELLOW

PAVEMENT MARKING SYMBOLS

PAVEMENT MARKING SYMBOLS

EXISTING PAVEMENT MARKING SYMBOLS (HOLLOW)


PAVEMENT MARKING ALPHANUMERIC CHARACTERS

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



Stantec Consulting Services Inc. 801 Jones Franklin Road-Suite 300 Raleigh, NC 27606 Tel. (919) 851-6866 Fax. (919) 851-7024 www.stantec.com License No. F-0672





ROADWAY STANDARD DRAWINGS LEGEND

GENERAL NOTES

CHANGES MAY BE REQUIRED WHEN PHYSICAL DIMENSIONS IN THE DETAIL DRAWINGS, STANDARD DETAILS, AND ROADWAY DETAILS ARE NOT ATTAINABLE TO MEET FIELD CONDITIONS OR RESULT IN DUPLICATE OR UNDESIRED OVERLAPPING OF DEVICES. MODIFICATION MAY INCLUDE: MOVING, SUPPLEMENTING, COVERING, OR REMOVAL OF DEVICES AS DIRECTED BY THE ENGINEER.

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT EXCEPT WHEN OTHERWISE NOTED IN THE PLAN OR DIRECTED BY THE ENGINEER.

LANE AND SHOULDER CLOSURE REQUIREMENTS

- A) REMOVE LANE CLOSURE DEVICES FROM THE LANE WHEN WORK IS NOT BEING PERFORMED BEHIND THE LANE CLOSURE OR WHEN A LANE CLOSURE IS NO LONGER NEEDED OR AS DIRECTED BY THE ENGINEER.
- B) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN 15 FT OF AN OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN SHOULDER USING ROADWAY STANDARD DRAWING NO. 1101.04 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL OR A LANE CLOSURE IS INSTALLED.
- C) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING ON THE SHOULDER ADJACENT TO AN UNDIVIDED FACILITY AND WITHIN 5 FT OF AN OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN TRAVEL LANE USING ROADWAY STANDARD DRAWING NO. 1101.02 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL.
- D) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN A LANE OF TRAVEL OF AN UNDIVIDED OR DIVIDED FACILITY, CLOSE THE LANE ACCORDING TO THE TRANSPORTATION MANAGEMENT PLANS, ROADWAY STANDARD DRAWINGS, OR AS DIRECTED BY THE ENGINEER. CONDUCT THE WORK SO THAT ALL PERSONNEL AND/OR EQUIPMENT REMAIN WITHIN THE CLOSED TRAVEL LANE.
- E) DO NOT WORK SIMULTANEOUSLY WITHIN 15 FT ON BOTH SIDES OF AN OPEN TRAVELWAY, RAMP, OR LOOP WITHIN THE SAME LOCATION UNLESS PROTECTED WITH GUARDRAIL OR BARRIER.

TRAFFIC PATTERN ALTERATIONS

F) NOTIFY GRANVILLE COUNTY SCHOOLS, EMERGENCY SERVICES, AND ENGINEER THIRTY (30) CALENDAR DAYS PRIOR TO ANY TRAFFIC PATTERN ALTERATION.

SIGNING

G) PROVIDE SIGNING AND DEVICES REQUIRED TO CLOSE THE ROAD ACCORDING TO THE ROADWAY STANDARD DRAWINGS AND TRANSPORTATION MANAGEMENT PLANS.

AND

PROVIDE SIGNING REQUIRED FOR THE OFF-SITE DETOUR ROUTE AS SHOWN IN THE TRANSPORTATION MANAGEMENT PLANS.

H) COVER OR REMOVE ALL SIGNS AND DEVICES REQUIRED TO CLOSE THE ROAD WHEN ROAD CLOSURE IS NOT IN OPERATION.

AND

COVER OR REMOVE ALL SIGNS REQUIRED FOR THE OFF-SITE DETOUR WHEN THE DETOUR IS NOT IN OPERATION.

I) ENSURE ALL NECESSARY SIGNING IS IN PLACE PRIOR TO ALTERING ANY TRAFFIC PATTERN.

PROJ. REFERENCE NO.	SHEET NO.
B-5157	TMP-1B

TRAFFIC CONTROL DEVICES

J) PLACE TYPE III BARRICADES WITH "ROAD CLOSED" SIGN R11-2 ATTACHED, OF SUFFICIENT LENGTH TO CLOSE ENTIRE ROADWAY.

MISCELLANEOUS

- K) MAINTAIN VEHICULAR ACCESS TO ALL DRIVEWAYS DURING THE LIFE OF THE CONTRACT, UNLESS OTHERWISE NOTED IN THE PHASING OR DIRECTED BY THE ENGINEER. USE INCIDENTAL STONE WHEN NECESSARY.
- L) ALL DIMENSIONS AND STATIONS IN THE TRANSPORTATION MANAGEMENT PLAN AND PHASING ARE APPROXIMATE (+/-); FIELD ADJUST AS NECESSARY OR AS DIRECTED BY THE ENGINEER.
- M) ENSURE THE OVERSIZE/OVERWEIGHT PERMIT UNIT (919) 733-4740 HAS BEEN ADVISED OF THE ONGOING TRAFFIC OPERATIONS THROUGH THE DIVISION OFFICE.

TRAFFIC MANAGEMENT STRATEGY

PROPOSED BRIDGE AND ROADWAY CONSTRUCTION WILL BE PERFORMED UNDER A ROAD CLOSURE, WITH TRAFFIC OPERATING ON AN OFF-SITE DETOUR (6.1 MILES)


ROADS USED FOR OFF-SITE DETOUR INCLUDE BOB DANIEL RD., AND GOOCHS MILL RD.

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



Stantec Consulting Services Inc. 801 Jones Franklin Road-Suite 300 Raleigh, NC 27606 Tel. (919) 851-6866 Fax. (919) 851-7024 www.stantec.com License No. F-0672





TRANSPORTATION OPERATIONS PLAN

TRAFFIC MANAGEMENT STRATEGY GENERAL NOTES

PROJ. REFERENCE NO.	SHEET NO.
B-5157	TMP-2


SIGN NUMBER: SD-1 BACKG COLOR: Fluorescent Orange TYPE: STATIONARY COPY COLOR: Black QUANTITY: SEE PLANS X Y WID HT SYMBOL SIGN WIDTH: 42" HEIGHT: 12" TOTAL AREA: 3.5 Sq.Ft. BORDER TYPE: RECESSED RADII: 1.5" WIDTH: 0.5" RECESS: 0.38" NO. Z BARS: LENGTH:

MAT'L: 0.080" (2.0MM) ALUMINUM

USE NOTES

- Legend and border shall be direct applied black non-reflective sheeting.
- 2. Background shall be NC GRADE B Fluorescent Orange retroreflective sheeting.

DESIGN BY: RRH CHECKED BY: GMK
PROJECT ID: B-5157 DIV: 5



Spacing Factor is 1 unless specified otherwise


LETTER POSITIONS


Letter spacings are to start of next letter											Series/Size Text Length		
	S	U	N	S	E	Т		R	D				C 2000
5.1	3.6	3.9	3.7	3.7	3	2.5	5	3.7	2.8	5.1			31.9

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



Stantec Consulting Services Inc. 801 Jones Franklin Road-Suite 300 Raleigh, NC 27606 Tel. (919) 851-6866 Fax. (919) 851-7024 www.stantec.com License No. F-0672





SPECIAL SIGN DESIGN SUNSET ROAD

PROJ. REFERENCE NO.	SHEET NO.
B-5157	TMP-3

PHASE I (TMP-4)

STEP 1:

USING ROADWAY STANDARD DRAWING 1101.03, SHEET 1 OF 9, AND TMP-4, PLACE TRAFFIC ON OFFSITE DETOUR ROUTE, AND CLOSE SR 1304 (SUNSET ROAD).

STEP 2:

WITH SR 1304 CLOSED TO TRAFFIC, PERFORM THE FOLLOWING:

- -REMOVE EXISTING BRIDGE.
- -CONSTRUCT PROPOSED BRIDGE.
- -CONSTRUCT PROPOSED ROADWAY THROUGH THE FINAL SURFACE COURSE.
- -PLACE FINAL PAVEMENT MARKINGS AND TIE TO EXISTING MARKINGS.

PHASE II

STEP 1:

REMOVE ROAD CLOSURE DEVICES AND DETOUR SIGNS AND OPEN SR 1304 (SUNSET ROAD) TO TRAFFIC.

STEP 2:


USING TEMPORARY LANE CLOSURES PER ROADWAY STANDARD DRAWING 1101.02 SHEET 1 OF 15, PERFORM ANY PUNCHLIST ITEMS AS REQUIRED BY THE ENGINEER.

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED



Stantec Consulting Services Inc. 801 Jones Franklin Road-Suite 300 Raleigh, NC 27606 Tel. (919) 851-6866 Fax. (919) 851-7024 www.stantec.com License No. F-0672





TEMPORARY TRAFFIC CONTROL PHASING

