




PROJECT REFERENCE NO. R-4416	SHEET NO. EC-10/CONST.10
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER



-L- LINE	
PIs Sta 91+00.04	PI Sta 101+21.29
$\theta_s = 10^\circ 40' 27.4''$	$\Delta = 103^\circ 47' 40.9''$ (RT)
$L_s = 272.00'$	$D = 7^\circ 50' 55.5''$
$LT = 181.66'$	$L = 1,322.44'$
$ST = 90.97'$	$T = 930.9'$
	$R = 7,300.0'$
	$D_s = 45\text{mph}$
	$SE = .08$



CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 10

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.

FOR -L- PROFILE SEE SHEET 23

8/17/99
C:\FEB-2006\JH4\TS\REV\N-R-4416 (Clay Co. DDRL)\Revisions 2-11-2006\R-4416-EC.psh10.dgn
C:\FEB-2006\JH4\TS\REV\N-R-4416 (Clay Co. DDRL)\Revisions 2-11-2006\R-4416-EC.psh10.dgn