	MANAGEMENT STRATEGIES	C
FROM TRAFFIC. F STREET, AND OLI TEMPORARY TRA MARKINGS, TEM SHOULDER CLOS	OUNDABOUT WILL BE CONSTRUCTED PRIMARILY AWAY ROPOSED IMPROVEMENTS ALONG S MAIN STREET, S CHERRY WINSTON ROAD WILL BE CONSTRUCTED IN 3 PHASES USING FFIC PATTERNS MAINTAINED BY TEMPORARY PAVEMENT ORARY SIGNALS, AND SIGNING. TEMPORARY LANE AND JRES, AND TEMPORARY 1 LANE 2 WAY FLAGGER OPERATIONS NECESSARY OUTSIDE OF PEAK HOUR TRAFFIC TIMES TO TRUCTION.	Ľ
	GENERAL NOTES	L
DRAWINGS, STA TO MEET FIELD (OVERLAPPING O	E REQUIRED WHEN PHYSICAL DIMENSIONS IN THE DETAIL NDARD DETAILS, AND ROADWAY DETAILS ARE NOT ATTAINABLE ONDITIONS OR RESULT IN DUPLICATE OR UNDESIRED F DEVICES. MODIFICATION MAY INCLUDE: MOVING, F, COVERING, OR REMOVAL OF DEVICES AS DIRECTED BY THE	E F
	GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF ON PROJECT EXCEPT WHEN OTHERWISE NOTED IN THE PLAN THE ENGINEER.	C
TIME RESTRICTIONS		
A) DO NOT CLOSE (R NARROW TRAVEL LANES AS FOLLOWS:	
ROAD NAME	DAY AND TIME RESTRICTIONS	
S MAIN STREET S CHERRY STREET OLD WINSTON RC		ŀ
B) DO NOT CLOSE (EVENTS AS FOLL(R NARROW TRAVEL LANES DURING HOLIDAYS AND SPECIAL WS:	
ROAD NAME		,
S MAIN STREET S CHERRY STREET OLD WINSTON RC	AD	-,
HOLIDAY		J
	XPECTED OCCURRENCE THAT CREATES UNUSUALLY HIGH TRAFFIC DIRECTED BY THE ENGINEER.	F
TO 7:00 P.M	R'S, BETWEEN THE HOURS OF 6:00 A.M. DECEMBER 31st ANUARY 2ND. IF NEW YEAR'S DAY IS ON A FRIDAY, INDAY, OR MONDAY THEN UNTIL 7:00 P.M. THE FOLLOWING	r
3. FOR EASTER, 7:00 P.M. MO	BETWEEN THE HOURS OF 6:00 A.M. THURSDAY AND NDAY.	
4. FOR MEMORI 7:00 P.M. TUE	AL DAY, BETWEEN THE HOURS OF 6:00 A.M. FRIDAY TO SDAY.	
	DENCE DAY, BETWEEN THE HOURS OF 6:00 A.M. THE NDEPENDENCE DAY AND 7:00 P.M. THE DAY AFTER TE DAY.	L
THEN BETWEE	NCE DAY IS ON A FRIDAY, SATURDAY, SUNDAY OR MONDAY IN THE HOURS OF 6:00 A.M. THE THURSDAY BEFORE I'E DAY AND 7:00 P.M. THE TUESDAY AFTER I'E DAY.	
6. FOR LABOR D 7:00 P.M. TUE	AY, BETWEEN THE HOURS OF 6:00 A.M. FRIDAY AND SDAY.	
7. FOR THANKS 7:00 P.M. MO	GIVING DAY, BETWEEN THE HOURS OF 6:00 A.M. TUESDAY TO NDAY.	
	AS, BETWEEN THE HOURS OF 6:00 A.M. THE FRIDAY EEK OF CHRISTMAS DAY AND 7:00 P.M. THE FOLLOWING	

TUESDAY AFTER THE WEEK OF CHRISTMAS.

C) DO NOT STOP TRAFFIC AS FOLLOWS:

ROAD NAME	
S MAIN STREET	

S CHERRY STREET

DAY AND TIME RESTRICTIONS

4:00 PM - 7:00 PM

DURATION AND OPERATION

6:00 AM - 9:00 AM AND **15 MINUTES FOR PAVEMENT** MARKING TIE-INS OLD WINSTON ROAD MONDAY THRU FRIDAY

D) DO NOT CONDUCT ANY HAULING OPERATIONS AGAINST THE FLOW OF TRAFFIC OF AN OPEN TRAVELWAY UNLESS THE HAULING OPERATION IS PROTECTED BY BARRIER OR GUARDRAIL OR AS DIRECTED BY THE ENGINEER.

LANE AND SHOULDER CLOSURE REQUIREMENTS

- E) REMOVE LANE CLOSURE DEVICES FROM THE LANE WHEN WORK IS NOT BEING PERFORMED BEHIND THE LANE CLOSURE OR WHEN A LANE CLOSURE IS NO LONGER NEEDED OR AS DIRECTED BY THE ENGINEER.
- F) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN 15 FT OF AN **OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN SHOULDER USING ROADWAY** STANDARD DRAWING NO. 1101.04 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL OR A LANE CLOSURE IS INSTALLED.
- G) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING ON THE SHOULDER ADJACENT TO AN UNDIVIDED FACILITY AND WITHIN 5 FT OF AN OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN TRAVEL LANE USING ROADWAY STANDARD DRAWING NO. 1101.02 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL.

WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING ON THE SHOULDER ADJACENT TO A DIVIDED FACILITY AND WITHIN 10 FT OF AN OPEN TRAVEL LANE, CLOSE THE NEAREST OPEN TRAVEL LANE USING ROADWAY STANDARD DRAWING NO. 1101.02 UNLESS THE WORK AREA IS PROTECTED BY BARRIER OR GUARDRAIL.

- H) WHEN PERSONNEL AND/OR EQUIPMENT ARE WORKING WITHIN A LANE OF TRAVEL OF AN UNDIVIDED OR DIVIDED FACILITY, CLOSE THE LANE ACCORDING TO THE TRAFFIC CONTROL PLANS, ROADWAY STANDARD DRAWINGS, OR AS DIRECTED BY THE ENGINEER. CONDUCT THE WORK SO THAT ALL PERSONNEL AND/OR EQUIPMENT REMAIN WITHIN THE CLOSED TRAVEL LANE.
- DO NOT WORK SIMULTANEOUSLY WITHIN 15 FT ON BOTH SIDES OF AN OPEN TRAVELWAY, RAMP, OR LOOP WITHIN THE SAME LOCATION UNLESS PROTECTED WITH GUARDRAIL OR BARRIER.
- DO NOT INSTALL MORE THAN ONE LANE CLOSURE IN ANY ONE DIRECTION ON ALL STREETS.
- PAVEMENT EDGE DROP OFF REQUIREMENTS
- *K)* BACKFILL AT A 6:1 SLOPE UP TO THE EDGE AND ELEVATION OF EXISTING PAVEMENT IN AREAS ADJACENT TO AN OPENED TRAVEL LANE THAT HAS AN EDGE OF PAVEMENT DROP-OFF AS FOLLOWS:

BACKFILL DROP-OFFS THAT EXCEED 2 INCHES ON ROADWAYS WITH POSTED SPEED LIMITS OF 45 MPH OR GREATER.

BACKFILL DROP-OFFS THAT EXCEED 3 INCHES ON ROADWAYS WITH POSTED SPEED LIMITS LESS THAN 45 MPH.

BACKFILL WITH SUITABLE COMPACTED MATERIAL, AS APPROVED BY THE ENGINEER, AT NO EXPENSE TO THE DEPARTMENT.

DO NOT EXCEED A DIFFERENCE OF 2 INCHES IN ELEVATION BETWEEN OPEN LANES OF TRAFFIC FOR NOMINAL LIFTS OF 1.5 INCHES. INSTALL ADVANCE WARNING "UNEVEN LANES" SIGNS (W8-11) 100 FT IN ADVANCE AND A MINIMUM OF EVERY HALF MILE THROUGHOUT THE UNEVEN AREA.

TRAFFIC PATTERN ALI

M) NOTIFY THE ENGI TRAFFIC PATTERN

SIGNING

- N) INSTALL ADVANC 40 FT FROM THE EL (3) DAYS PRIOR TO
- **O) ENSURE ALL NECE** TRAFFIC PATTERN.
- P) INSTALL BLACK ON (W8-1) 100 FT IN A ENGINEER.

TRAFFIC CONTROL DE


- Q) WHEN LANE CLOS AREAS NO GREATE 10 FT ON-CENTER **REFER TO STANDA** 1130 (DRUMS), 113 REQUIREMENTS.
- R) PLACE TYPE III BAI ATTACHED, OF SUF
- S) PLACE ADDITIONA PERPENDICULAR TO UNOPENED LANES
- **PAVEMENT MARKING**
- T) INSTALL TEMPORA **ON INTERIM LAYER**
- ROAD NAME

ALL

- U) PLACE ONE APPLI SECOND APPLICAT **APPLICATION AND**
- V) TIE PROPOSED PAN LINES.
- W) REMOVE/REPLACE MARKERS BY THE E

MISCELLANEOUS

- X) LAW ENFORCEMEN **INTERSECTIONS AS**
- Y) IN THE EVENT A TIL TIE-IN AREA TO AN THE ENGINEER. PL AND BLACK ON OR 100 FT RESPECTIVE TO DELINEATE THE



1/4/2016

			PROJ. REFERENCE NO.	SHEET NO.		
			W-5510	TMP-1B		
TERATIONS INEER TWENTY ONE (21) CALENDAR DAYS PRIOR TO ANY ALTERATION.						
CE WORK ZONE WARNING SIGNS WHEN WORK IS WITHIN DGE OF TRAVEL LANE AND NO MORE THAN THREE O THE BEGINNING OF CONSTRUCTION.						
CESSARY SIGNING IS IN PLACE PRIOR TO ALTERING ANY N ORANGE ''DIP'' SIGNS (W8-2) AND/OR "BUMP" SIGNS ADVANCE OF THE UNEVEN AREA, OR AS DIRECTED BY THE						
EVICES						
ER IN FEET 1 IN RADII, AI ARD SPECIFI	NOT IN EFFECT SPACE THAN TWICE THE POST ND 3 FT OFF THE EDGE CATIONS FOR ROADS AND 1180 (SKINNY D	ED SPEED LIM OF AN OPEN AND STRUCTU	IT (MPH) EXCEPT, TRAVELWAY. RES SECTIONS	K		
-	NRRICADES, WITH "ROAD CLOSED" SIGN R11-2 FFICIENT LENGTH TO CLOSE ENTIRE ROADWAY.					
TO THE EDG	THREE CHANNELIZING E OF TRAVELWAY ON S ED TO TRAFFIC.		S WHEN			
GS AND MARKERS						
ARY PAVEMENT MARKINGS RS OF PAVEMENT AS FOLLOWS:						
МА	RKING					
P	AINT					
ICATION OF PAINT FOR TEMPORARY TRAFFIC PATTERNS. PLACE A TION OF PAINT SIX (6) MONTHS AFTER THE INITIAL D EVERY SIX MONTHS AS DIRECTED BY THE ENGINEER.						
VEMENT MA	ARKING LINES TO EXIS	TING PAVEME	NT MARKING			
E ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND END OF EACH DAY'S OPERATION.						
	USED TO MAINTAIN TI BY THE ENGINEER.	RAFFIC THROU	GH THE WORK ARE	A AND/OR		
N APPROPRI LACE BLACK RANGE ''PA ELY IN ADVA	OT BE MADE IN ONE D ATE ROADWAY ELEVA ON ORANGE "LOOSE VEMENT ENDS" SIGNS NCE OF THE UNEVEN OADWAY ALONG UNI	TION AS DETE GRAVEL" SIGN 5 (W8-3) 100 FI AREAS. USE D	RMINED BY S (W8-7) ⁻ AND			
DERED FINAL S COMPLETED						
DATE:	JISTOF NORTH CAME					



TRANSPORTATION **OPERATIONS** PLAN