This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document –

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page.

This file or an individual page shall not be considered a certified document.

2

~

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SIGNING PLAN GRANVILLE COUNTY

LOCATION: BRIDGE NO 125 OVER AARONS CREEK ON SR 1400 (GRASSY CREEK – VIRGILINA RD)

PROJECT REFERENCE NO. SIGN-1 B-5171

UNLESS ALL SIGNATURES COMPLETED

GENERAL NOTES

- . SIGNS FURNISHED BY STATE
- . ALL TYPE 'D' SIGNS SHALL BE MOUNTED ON TWO U-CHANNEL POSTS UNLESS OTHERWISE INDICATED ON THE PLANS.
- . IF REMOVAL OR RELOCATION OF SIGNS ON PRIVATE STREET (NON-STATE MAINTAINED) IS REQUIRED DUE TO CONSTRUCTION, THE CONTRACTOR SHALL INFORM THE ENGINEER. THE WORK WILL BE COMPLETED BY OTHERS.
- . WHEN NOT STATIONED OR DIMENSIONED ON PLANS, ALL $^{\prime}\text{E}^{\prime}$ AND $^{\prime}\text{F}^{\prime}$ SIGNS SHALL BE FIELD LOCATED BY THE ENGINEER
- . ALL EXISTING SIGNS ON "U" CHANNEL POST WITHIN THE PROJECT LIMITS SHALL BE REMOVED AND DISPOSED OF UNLESS OTHERWISE NOTED ON PLANS.
- . THE BACKGROUND FOR TYPE E & F SIGNS SHALL BE TYPE C REFLECTIVE SHEETING.
- . SEE ROADWAY PLANS FOR GUARD/GUIDE RAIL DETAILS.

		SUMMARY OF QUANTITIES		
ITEM NO.		ITEM DESCRIPTION	QUANTITY	UNIT
DESC. NO.	SECT. NO.	TILW DESCRIFTION		
4072000000	903	SUPPORTS, 3 LB STEEL U-CHANNEL	61	L.F.
4096000000		SIGN ERECTION, TYPE D	2	EA.
4155000000	907	DISPOSAL OF SIGN SYSTEM, U-CHANNEL	8	EA.

ROADWAY STANDARD DRAWING

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" -PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2012 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

TITLE <u>STD. NO</u>.

904.10 ORIENTATION OF GROUND MOUNTED SIGNS

MOUNTING OF TYPE 'D', 'E' AND 'F' SIGNS ON 'U' CHANNEL POSTS 904.50

NON * MOIL		

GN NUMBER Type					G COLOR:				GN BY: ECT ID:	S.JOHNS B-5171	LOCA		ECKED BY			RGILINA	\ RD)		Jul 22, 20 DIV: 5
QUANTITY	· 2		SYMBOL	<u> </u>	Х	Υ	WID	нт	-0. 151	5 317 1	2007		1400(0						
IGN WIDTH	l: 3'-0)"																	
HEIGHT																			
L AREA:	6.0 Sq	q.Ft.												3'-0"					
RDER TYPE	: FLUSI	Н										-				-			
RECESS											4			•			1 4"		
WIDTH RADII	0.75															-	+		
MADII	. 3		MAT'L - C	125'	′ (3.2 n	nm \ Al III	ит ини						Aa	rn	ns	•	6"D		
Z BARS Length			MAI LI C	71123	(012 11	iiii) ALOI					2′-0″	1 4	Nu	10		' [-	4"		
	USF	NOTES:	1.2								70		Cr	<u>'</u>	k	-	↑ 6″D		
	USE	NUIES.	1,2											CC		_	<u> </u>		
Legend a	nd_bor	der(exc	ept the	se th	nat are	colored	d blac	k)									4 ″		
shall be	direc.	t appli	ed Grac	de C s	sheeting] -					_1_						<u> </u>		
Packanoui						hootine	•									1			
Backgroui						sheeting] -			BORI R=3 TH=0		5.65"		24.7"	•	5.65"			
Backgroui	nd sha	11 be G				sheeting	.			R=3	,	5.65"					is 1 u	nless sį	pecified oth
	nd sha	11 be G						spacing	s are	R=3'	,).75"						is 1 u	nless sį	Series/
	nd shai	11 be G						spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le
	SITIONS	11 be G	o o	n	ective s	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le
ETTER POS	SITIONS A 5.6 4	11 be G	o o	n	s s	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20
ETTER POS	SITIONS A 5.6 4	11 be 6 S a	o 3 4.6	n 4.3	s 2.8 5	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20 24. D 20 20.
ETTER POS	SITIONS A 5.6 4	11 be 6 S a	o 3 4.6	n 4.3	s 2.8 5	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20 24.
ETTER POS	SITIONS A 5.6 4	11 be 6 S a	o 3 4.6	n 4.3	s 2.8 5	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20 24.
ETTER POS	SITIONS A 5.6 4	11 be 6 S a	o 3 4.6	n 4.3	s 2.8 5	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20 24.
ETTER POS	SITIONS A 5.6 4	11 be 6 S a	o 3 4.6	n 4.3	s 2.8 5	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20 24.
ETTER POS	SITIONS A 5.6 4	11 be 6 S a	o 3 4.6	n 4.3	s 2.8 5	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20 24.
ETTER POS	SITIONS A 5.6 4	11 be 6 S a	o 3 4.6	n 4.3	s 2.8 5	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20 24.
ETTER POS	SITIONS A 5.6 4	11 be 6 S a	o 3 4.6	n 4.3	s 2.8 5	Let		spacing	s are	R=3'	,).75"						is 1 u	nless s	Series/ Text Le D 20 24.

INDEX

SHEET NO. DESCRIPTION

SIGN-1

TITLE SHEET, SIGN DESIGN, E-SIGN, & NOTES,

SIGN-2

SIGN DETAIL SHEET

PLAN PREPARED BY: N.C.D.O.T. SIGNING AND DELINEATION UNIT RENEE B. ROACH, P.E. SIGNING & DELINEATION REGIONAL ENGINEER STACEY W. JOHNS SIGNING & DELINEATION DESIGN ENGINEER

