

This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document -


The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page. This file or an individual page shall not be considered a certified document.




	PROJ. REFERENCE NO.SHEET NO.I - 5893TMP - 1
AMESSAGE NO. 1MESSAGE NO. 2NC 274 DETOUR EXIT 13NO. 2CHANGEABLE SIGNMESSAGE SIGNMIN. 1500 EXIT 13DECELERATION LANE	B MESSAGE NO. 1 MESSAGE NO. 2 NO. 1 NO. 2 EXIT 14 DETOUR NC 274 TO CLOSED EXIT 13 CHANGEABLE MESSAGE SIGN MIN. ½ MILE IN ADVANCE OF EXIT 14 DECELERATION LANE
OR AS DIRECTED BY ENGINEER	OR AS DIRECTED BY ENGINEER
C DETOUR M4-9 30" X 24"	D R11-2 48" X 30" ROAD CLOSED TYPE III BARRICADE
EMESSAGE NO. 1MESSAGE NO. 2I-85 NTHIS EXITNC 274EXIT EXITDETOUREXIT 13CHANGEABLEMESSAGE	FMESSAGE NO. 1MESSAGE NO. 2I-85 NDETOUR USECLOSEDI-85 SCHANGEABLEMESSAGE
SIGN MIN. 1500 FT IN ADVANCE OF EXIT 13 DECELERATION LANE OR AS DIRECTED BY ENGINEER	SIGN MIN. 350 FT IN ADVANCE OF I-85 S ENTRANCE RAMP OR AS DIRECTED BY ENGINEER
on no bineoreb br endineen	MIN. 350 FT IN ADVANCE OF I-85 N ENTRANCE RAMP OR AS DIRECTED BY ENGINEER
G DETOUR M4-9 30" X 24"	IMESSAGE NO. 1MESSAGE NO. 2EXIT 14DETOUR NC 274NC 274TO EXIT 13
H DETOUR 30" X 24"	CHANGEABLE MESSAGE SIGN MIN. ¹ / ₂ MILE IN ADVANCE OF EXIT 14 DECELERATION LANE OR AS DIRECTED BY ENGINEER
J R11-2 48" X 30" ROAD CLOSED TYPE III BARRICADE	K R11-2 48" X 30" ROAD CLOSED DETOUR M4-10R 48" X 18" TYPE III BARRICADE
RED FINAL COMPLETED	I-85 EXIT 14 LOOP DETOURS 1 & 2





	PROJ. REFERENCE NO. SHEET NO. I - 5893 TMP - 2
AMESSAGE NO. 1MESSAGE NO. 2I-85 S RAMP 	BMESSAGE NO. 1MESSAGE NO. 2I-85 S DETOUR EXIT 17I-85 S DETOUR EXIT 17CHANGEABLE SIGN
MIN. 350 FT IN ADVANCE OF I-85 S ENTRANCE RAMP OR AS DIRECTED BY ENGINEER MIN. 350 FT IN ADVANCE OF I-85 N ENTRANCE RAMP OR AS DIRECTED BY ENGINEER	MIN. 1500 FT IN ADVANCE OF EXIT 17 DECELERATION LANE OR AS DIRECTED BY ENGINEER
C DETOUR M4-9 $30'' \times 24''$ D DETOUR M4-9 $30'' \times 24''$	E R11-2 48" X 30" ROAD CLOSED DETOUR
F MESSAGE MESSAGE NO. 1 NO. 2	G MESSAGE MESSAGE NO. 1 NO. 2
EXIT 14 NC 274 CLOSED CLOSED EXIT 17 CHANGEABLE MESSAGE SIGN MIN. ¹ / ₂ MILE IN ADVANCE OF EXIT 14 DECELERATION LANE OR AS DIRECTED BY ENGINEER	NC 274 DETOUR EXIT 17 CHANGEABLE MESSAGE SIGN MIN. 1500 FT IN ADVANCE OF
H DETOUR 30" X 24"	I R11-2 48" X 30" ROAD CLOSED
ACE A PORTABLE M4-9) SIGN ON E OF EXIT RAMP.	TYPE III BARRICADE
RED FINAL COMPLETED	I-85 EXIT 14 RAMP DETOURS 3 & 4




	PROJ. REFERENCE NO. SHEET NO. I - 5893 TMP - 3
AMESSAGE NO. 1MESSAGE NO. 2US 321 DETOUR 	B MESSAGE NO. 1 MESSAGE NO. 2 NO. 1 NO. 2 EXIT 17 DETOUR US 321 TO CLOSED EXIT 14 CHANGEABLE MESSAGE SIGN MIN. ½ MILE IN ADVANCE OF EXIT 17 DECELERATION LANE OR AS DIRECTED BY ENGINEER
C DETOUR M4-9 30" X 24"	D R11-2 48" X 30" ROAD CLOSED TYPE III BARRICADE
EMESSAGE NO. 1MESSAGE NO. 2I-85 NTHIS EXIT DETOURSEXIT EXIT 14GETOURSEXIT EXIT EXIT THANGEABLE SIGNMESSAGE SIGNMIN. 1500 FT IN ADVANCE OF EXIT A DECELERATION LANE OR AS DIRECTED BY ENGINEER	FMESSAGE NO. 1NESSAGE NO. 2I-85 NDETOUR USE CLOSEDI-85 SCLOSEDI-85 SCHANGEABLE SIGNMIN. 350 FT IN ADVANCE OF I-85 S ENTRANCE RAMP OR AS DIRECTED BY ENGINEERMIN. 350 FT IN ADVANCE OF I-85 N ENTRANCE RAMP OR AS DIRECTED BY ENGINEER
G DETOUR $30'' \times 24''$ H DETOUR 4-9 $30'' \times 24''$ M4-9 $30'' \times 24''$	IMESSAGE NO. 1MESSAGE NO. 2EXIT 17 US 321 CLOSEDDETOUR TO EXIT 14CHANGEABLE SIGNMIN. 1/2 MILE IT DECELERATION OR AS DIRECTED BY ENGINEER
J R11-2 48" X 30" ROAD CLOSED V TYPE III BARRICADE	K R11-2 48" X 30" ROAD CLOSED Image: Closed DETOUR Image: Closed M4-10R 48" X 18" Image: Closed TYPE III BARRICADE Image: Closed
COMPLETED	I-85 EXIT 17 LOOP DETOURS 5 & 6












DOCUMENT NOT CONSIDERE UNLESS ALL SIGNATURES CO


		PROJ. REFERENCE NO.	SHEET NO.
		I-5893	TMP-6
			`
E			
λE			
ICE OF			
AS			
DE			
_			
E			
λE			
ICE OF			
AS			
DE			
]
$\frac{1}{10} \frac{1}{10} \frac$			
StoF NORTH CALL			
	+		
	1	-85 EXIT 19	
	RAMP	/LOOP DETOU	_{rs} II
TO INE TO THE ACTION OF THE AC		11 & 12	
SEAL O_{A} O_{A			
NE TDAEFIC			
RED FINAL			
OMPLETED			




	PROJ. REFERENCE NO. SHEET NO.
	I - 5893 TMP - 7
BMESSAGE NO. 1MESSAGE NO. 2EXIT 20 EXIT 20 CLOSEDDETOUR TO TO EXIT 19CHANGEABLE SIGNFMIN. 500 FT IN ADVANCE OF EXIT 20 DECELERATION LANE OR AS DIRECTED BY ENGINEER	
DETOUR M4-9 30" X 24"	
GMESSAGE NO. 1MESSAGE NO. 2I-85 NDETOUR NO. 2I-85 NDETOUR USE CLOSEDCLOSEDI-85 SCHANGEABLE SIGNFMIN. 350 FT IN ADVANCE OF 	
I R11-2 48" X 30" ROAD CLOSED DETOUR M4-10L 48" X 18" TYPE III BARRICADE	DETOURM4 - 930" X 24"
AH CARO WE LARO NORTH CARO NORTH CARO NOT CARO NORTH CARO NORTH CARO NORTH CARO NORTH CARO NOT CA	I-85 EXIT 20 RAMP DETOURS 13 & 14









MESSAGE NO. 2

DETOUR

ТО

EXIT 21

MESSAGE

NO. 1

NC 279

CLOSED

EXIT 20

CHANGEABLE MESSAGE SIGN

MIN. 1000 FT IN ADVANCE OF

EXIT 20 EXIT GORE OR AS

DIRECTED BY ENGINEER

 (\mathbf{G})

	I-8	35 S		DETO	UR	
	RAN	lΡ		US	E	
	CLOS	SED		I-85	Ν	
	CHAN	GEAB S	LE IGN	MESS	AGE	
MIN	. 350	FT	IN	ADVA	NCE	OF

OR AS DIRECTED BY ENGINEER

MIN. 350 FT IN ADVANCE OF

OR AS DIRECTED BY ENGINEER


I-85 S ENTRANCE RAMP


I-85 N ENTRANCE RAMP


MESSAGE NO. 1	MESSAGE NO. 2
I-85 S	DETOUR
RAMP	USE
CLOSED	I-85 N
CHANGEABL	EMESSAGE


 (\mathbf{A})


DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED












					PROJ. REFERENCE NO.	SHEET NO.
					I-5893	TMP-9
I - 8		CE RAMP			■ 30″ X 24″	
MI I-3	N. 350 FT I 85 N ENTRAN AS DIRECTE	N ADVANCE CE RAMP	OF			
	48" RC CLC	1-2 X 30" DAD DSED BARRICADE				
à) [MESSAGE NO. 1 I-85 S	MESSAGE NO. 2 DETOUR	H	MESSAG NO. 1 I-85 S	NO. 2	

MESSAGE NO. 1	MESSAGE NO. 2	
I-85 S	DETOUR	
RAMP	USE	
CLOSED	I-85 N	

)	MESSAGE NO. 1	MESSAGE NO. 2
	I-85 S	
	DETOUR	
	EXIT 22	
	CHANGEABL	E MESSAGE



MESSAGE MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR CLOSED EXIT 20 CHANGEABLE MESSAGE MIN. 1000 FT IN ADVANCE OF EXIT 21 DETCLERATION LANE OR AS DIRECTED BY ENGINEER MESSAGE TYPE III BARRICADE TYPE III BARRICADE Image: No. 1 NO. 1 NO. 2 COX RD TYPE III BARRICADE Image: No. 1 NO. 1 NO. 2 COX RD TYPE III BARRICADE
MESSAGE MESSAGE NO. 1 MESSAGE TO CLOSED MESSAGE EXIT 20 CHANGEABLE MESSAGE SIGN MIN. 1000 FT IN ADVANCE OF EXIT 21 DECELERATION LANE OR AS DIRECTED BY ENGINEER MESSAGE ROAD CLOSED VPE III BARRICADE MESSAGE MESSAGE NO. 1 NYPE III BARRICADE POLOSED F MESSAGE MESSAGE NO. 1 NO. 2 COX RD TO CLOSED CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR CARBE TO CLOSED CLOSED EXIT 20 CHANGEABLE MESSAGE SIGN MIN. 1000 FT IN ADVANCE OF EXIT 21 DECELERATION LANE OR AS DIRECTED BY ENGINEER ROAD V 48" X 30" CLOSED CLOSED VIPE III BARRICADE TYPE III BARRICADE (F) MESSAGE MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR CARBE TO CLOSED CLOSED EXIT 20 CHANGEABLE MESSAGE SIGN MIN. 1000 FT IN ADVANCE OF EXIT 21 DECELERATION LANE OR AS DIRECTED BY ENGINEER ROAD V 48" X 30" CLOSED CLOSED VIPE III BARRICADE TYPE III BARRICADE (F) MESSAGE MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR CARBE ABLE MESSAGE SIGN MIN. 1000 FT IN ADVANCE OF EXIT 21 DECELERATION LANE OR AS DIRECTED BY ENGINEER R11-2 48" X 30" ROAD CLOSED CLOSED ROAD CLOSED CLOSED TYPE III BARRICADE (F) MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR (COX RD COX RD COX RD COX RD COX RD CHANGEABLE MESSAGE CHANGEABLE MESSAGE
$\frac{1}{1} \frac{1}{1} \frac{1}$
CLOSED EXIT 20 GHANGEABLE MESSAGE SIGN WIN. 1000 FT IN ADVANCE OF EXIT 21 DECELERATION LANE OR AS DIRECTED BY ENGINEER NUMBER R0AD CLOSED R0AD CLOSED VPE III BARRICADE TYPE III BARRICADE (Inclusion) (Inclusion) <
CHANGEABLE MESSAGE SIGN MIN. 1000 FT IN ADVANCE OF EXIT 21 DECELERATION LANE OR AS DIRECTED BY ENGINEER R11-2 48" X 30" ROAD CLOSED ROAD CLOSED VPE III BARRICADE MESSAGE NO. 1 MESSAGE NO. 1 NO. 2 CLASED EXIT 21 DETOUR CLOSED OK RD CLOSED F MESSAGE NO. 1 NO. 2 COX RD CLOSED EXIT 21 DETOUR CLOSED EXIT 21 DETOUR CLOSED EXIT 22 CHANGEABLE MESSAGE
SIGN MIN. 1000 FT IN ADVANCE OF EXIT 21 DECELERATION LANE OR AS DIRECTED BY ENGINEER Image: state
EXIT 21 DECELERATION LANE OR AS DIRECTED BY ENGINEER R11-2 48" X 30" CLOSED ROAD CLOSED TYPE III BARRICADE TYPE III BARRICADE F MESSAGE NO. 1 NO. 2 COX RD CLOSED EXIT 21 DETOUR CLOSED CHANGEABLE MESSAGE CHANGEABLE MESSAGE
OR AS DIRECTED BY ENGINEER B11-2 48" X 30" ROAD CLOSED TYPE III BARRICADE TYPE III BARRICADE MESSAGE NO. 1 NO. 2 EXIT 21 CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
R11-2 48" X 30" ROAD CLOSED TYPE III BARRICADE MESSAGE MESSAGE NO. 1 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
HESSAGE MESSAGE NUPE III BARRICADE F MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 21 DETOUR CHANGEABLE MESSAGE CHANGEABLE
HESSAGE MESSAGE NUPE III BARRICADE F MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 21 DETOUR CHANGEABLE MESSAGE CHANGEABLE
ROAD CLOSED TYPE III BARRICADE TYPE III BARRICADE Image: Sage message mes
CLOSED TYPE III BARRICADE YPE III BARRICADE Image: Stage message
TYPE III BARRICADE MESSAGE MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE
TYPE III BARRICADE MESSAGE MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE
TYPE III BARRICADE MESSAGE MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
MESSAGE MESSAGE NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
NO. 1 NO. 2 EXIT 21 DETOUR COX RD TO CLOSED EXIT 22 CHANGEABLE MESSAGE CHANGEABLE MESSAGE
EXIT 21 COX RD CLOSEDDETOUR TO EXIT 22COX RD DETOUR EXIT 22CHANGEABLEMESSAGECHANGEABLEMESSAGE
COX RDTODETOURCLOSEDEXIT 22EXIT 22CHANGEABLEMESSAGECHANGEABLE
CHANGEABLE MESSAGE CHANGEABLE MESSAGE
SIGN SIGN
MIN. 500 FT IN ADVANCE OF MIN. 1000 FT IN ADVANCE OF
EXIT 21 DECELERATION LANE EXIT 22 DECELERATION LANE
OR AS DIRECTED BY ENGINEER OR AS DIRECTED BY ENGINEER
DETOUR $_{M4-9}$ H $_{R11-2}$ $_{48'' \times 30''}$
$30'' \times 24''$
CLOSED
TYPE III BARRICADE
ITE III DAMMIUAUE
ITEL III DAMMIUAUE
OF HID
OF HID
I-85 EXIT 21
OFESSION OF HIGH OFESSION I - 85 EXIT 21 SEAL BAMP DETOURS