5/14/99

PROJECT REFERENCE NO.	SHEET NO.
2017CPT.14.03.10221.1,etc.	30

1. *8.33% (12:1) MAX RAMP SLOPE*
2. *CROSS SLOPE: 2.00%*
4. *8.00% MAX CHANGE IN GRADE BETWEEN ROAD SURFACE AND DRIVEWAY*

PAY LIMITS FOR 1 CURB RAMP



DRIVEWAY APRON

OPTION 1



–SEE ROADWAY DETAIL DRAWING 848.05 FOR DETECTABLE WARNING SURFACE AND FOR RAMP NOTES.

–SEE ROADWAY STANDARD DRAWING 848.02 FOR CONCRETE DRIVEWAYS.

DRIVEWAY APRON

OPTION 2

CONTRACT STANDARDS AND DEVELOPMENT UNIT
Office 919-707-6950 FAX 919-250-4119

CURB RAMPS

@ DRIVEWAY OPENINGS

ORIGINAL BY: J.S. HOWERTON DATE: 7/7/11
MODIFIED BY: _____ DATE: _____
CHECKED BY: _____ DATE: _____
FILE SPEC.: stds/2012CurbRamp/CurbRampDetails.dgn

$$$$$$SYSTEM$$$$$$
$$$$$$TIME$$$$$$
$$$$$$USERNAME$$$$$$