











8/17/99

PROJECT REFERENCE NO. <i>R-2915C</i>	SHEET NO. <i>EC-11/CONST.11</i>
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER

**CLEARING AND GRUBBING
 EROSION CONTROL FOR
 CONSTRUCTION SHEET 11**



INSTALL PIPE(S) IN JURISDICTIONAL AREAS WITHOUT IMPACTING STREAM UNTIL AREA STABILIZED AND ACCORDING TO NCDOT BEST MANAGEMENT PRACTICES FOR CONSTRUCTION AND MAINTENANCE ACTIVITIES MANUAL.

CLEAN WATER DIVERSION
 (Not to Scale)

**80 x 40 x 3
 2.0 inch Skimmer
 with 1.625 inch
 Orifice Diameter
 12 ft. weir
 ID 11.2**

**CLASS '1' RIP-RAP
 AT TEMP. PIPE OUTLET
 EST. 2 TONS
 EST. 8 SYGF**

**18 INCH
 TEMPORARY
 PIPE
 FOR CWD**

**CLASS '1' RIP-RAP
 AT TEMP. PIPE OUTLET
 EST. 2 TONS
 EST. 8 SYGF**

**18 INCH
 TEMPORARY
 PIPE
 FOR CWD**

**18 INCH
 TEMPORARY
 PIPE
 FOR CWD**


**CLASS '1' RIP-RAP
 AT TEMP. PIPE OUTLET
 EST. 2 TONS
 EST. 8 SYGF**

**15 INCH
 TEMPORARY
 PIPE
 FOR CWD**

**CLASS '1' RIP-RAP
 AT TEMP. PIPE OUTLET
 EST. 2 TONS
 EST. 6 SYGF**

NOTE:
 PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
 AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
 DRAINAGE OUTLETS.

ENVIRONMENTALLY SENSITIVE AREA
 SEE PROJECT SPECIAL PROVISIONS



MATCH TO SHEET 10 -L- STA. 344+00.00

MATCH TO SHEET 12 -L- STA. 357+00.00

REVISIONS