

This electronic collection of documents is provided for the convenience of the user and is Not a Certified Document –

The documents contained herein were originally issued and sealed by the individuals whose names and license numbers appear on each page, on the dates appearing with their signature on that page.

This file or an individual page shall not be considered a certified document.

TRANSPORTATION MANAGEMENT PLAN PAMLICO COUNTY





LOCATION: REPLACE BRIDGE 16 OVER MASON CREEK ON SR 1324 (FLORENCE RD.)

ATKINS 1616 EAST MILLBROOK ROAD, SUITE 160 RALEIGH, NORTH CAROLINA 27609 (919) 876-6888 NCBEES #F-0326



N.C.D.O.T. WORK ZONE TRAFFIC CONTROL
1561 MAIL SERVICE CENTER (MSC) RALEIGH, NC 27699-1561
750 N. GREENFIELD PARKWAY, GARNER, NC 27529 (DELIVERY)
PHONE: (919) 773-2800 FAX: (919) 771-2745

J. S. BOURNE, P.E. STATE TRAFFIC MANAGEMENT ENGINEER

J. STEVE KITE, P.E. TRAFFIC CONTROL PROJECT ENGINEER

MATT SPRINGER, P.E. TRAFFIC CONTROL PROJECT DESIGN ENGINEER TRAFFIC CONTROL DESIGN ENGINEER



INDEX OF SHEETS

SHEET NO. TITLE TMP - 1 TITLE SHEET, VICINITY MAP, AND INDEX OF SHEETS LIST OF APPLICABLE ROADWAY STANDARD DRAWINGS, TMP-1A LEGEND, GENERAL NOTES, AND PHASING SPECIAL SIGN DESIGN TMP-2 TEMPORARY TRAFFIC CONTROL - OFF-SITE DETOUR

TMP-4


TEMPORARY TRAFFIC CONTROL - DETOUR SIGNS

DOCUMENT NOT CONSIDERED FINAL

APPROVED: Lori D. Stouchk

DATE: 2/13/2017

SEAL



UNLESS ALL SIGNATURES COMPLETED

PROJ. REFERENCE NO. SHEET NO. TMP-1A B-4598

ROADWAY STANDARD DRAWINGS

THE FOLLOWING ROADWAY STANDARDS AS SHOWN IN "ROADWAY STANDARD DRAWINGS" -PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2012 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.

TITLE

1101.01	WORK ZONE ADVANCE WARNING SIGNS
1101.03	TEMPORARY ROAD CLOSURES
1101.11	TRAFFIC CONTROL DESIGN TABLES
1110.01	STATIONARY WORK ZONE SIGNS
1145.01	BARRICADES

LEGEND

GENERAL

DIRECTION OF TRAFFIC FLOW DIRECTION OF PEDESTRIAN TRAFFIC FLOW ----- EXIST. PVMT. NORTH ARROW — PROPOSED PVMT. TEMP. SHORING (LOCATION PURPOSES ONLY) WORK AREA REMOVAL

USER DEFINED (IF NEEDED)

USER DEFINED (IF NEEDED)

TRAFFIC CONTROL DEVICES

BARRICADE (TYPE III)

DRUM SKINNY DRUM O TUBULAR MARKER

TEMPORARY CRASH CUSHION FLASHING ARROW BOARD

FLAGGER LAW ENFORCEMENT

TRUCK MOUNTED ATTENUATOR (TMA)

CHANGEABLE MESSAGE SIGN

TEMPORARY SIGNING

STATIONARY SIGN

STATIONARY OR PORTABLE SIGN

GENERAL NOTES

CHANGES MAY BE REQUIRED WHEN PHYSICAL DIMENSIONS IN THE DETAIL DRAWINGS, STANDARD DETAILS AND ROADWAY DETAILS ARE NOT ATTAINABLE TO MEET FIELD CONDITIONS OR RESULT IN DUPLICATE OR UNDESIRED OVERLAPPING OF DEVICES. MODIFICATION MAY INCLUDE: MOVING, SUPPLEMENTING, COVERING, OR REMOVAL OF DEVICES AS DIRECTED BY THE ENGINEER.

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT EXCEPT WHEN OTHERWISE NOTED IN THE PLAN OR DIRECTED BY THE ENGINEER.

TRAFFIC PATTERN ALTERATIONS

A) NOTIFY THE ENGINEER TWENTY ONE (21) CALENDAR DAYS PRIOR TO ANY TRAFFIC PATTERN ALTERATION.

SIGNING

- B) INSTALL ADVANCED WORK ZONE WARNING SIGNS WHEN WORK IS WITHIN 40 FT FROM THE EDGE OF TRAVEL LANE AND NO MORE THAN THREE (3) DAYS PRIOR TO THE BEGINNING OF CONSTRUCTION.
- C) PROVIDE SIGNING AND DEVICES REQUIRED TO CLOSE THE ROAD ACCORDING TO THE ROADWAY STANDARD DRAWINGS AND TRAFFIC CONTROL PLANS.

PROVIDE SIGNING REQUIRED FOR THE OFF-SITE DETOUR ROUTE AS SHOWN IN THE TRAFFIC CONTROL PLANS.

D) COVER OR REMOVE ALL SIGNS AND DEVICES REQUIRED TO CLOSE THE ROAD WHEN ROAD CLOSURE IS NOT IN OPERATION.

COVER OR REMOVE ALL SIGNS AND DEVICES REQUIRED FOR THE OFF-SITE DETOUR WHEN THE DETOUR IS NOT IN OPERATION.

E) ENSURE ALL NECESSARY SIGNING IS IN PLACE PRIOR TO ALTERING ANY TRAFFIC PATTERN.

TRAFFIC CONTROL DEVICES


F) PLACE TYPE III BARRICADES, WITH "ROAD CLOSED" SIGN R11-2 ATTACHED, OF SUFFICIENT LENGTH TO CLOSE ENTIRE ROAD.

PAVEMENT MARKINGS AND MARKERS

- G) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- H) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS.

PHASING

- STEP 1: INSTALL ALL DETOUR SIGNING KEEPING SIGNS COVERED (SEE SHEET TMP-3)
- STEP 2: USING ROADWAY STANDARD DRAWING 1101.03, SHEET 1 OF 9, CLOSE SR 1324 TO TRAFFIC, UNCOVER ALL DETOUR SIGNING AND SHIFT TRAFFIC TO DETOUR (SEE SHEET TMP-3).
- STEP 3: DISMANTLE AND REMOVE EXISTING BRIDGE
- STEP 4: COMPLETE CONSTRUCTION OF PROPOSED STRUCTURE, APPROACH ROADWAY TIE-INS AND ASSOCIATED ITEMS INCLUDING FINAL PAVEMENT MARKINGS.
- STEP 5: REMOVE ALL DETOUR SIGNING, ALL TRAFFIC CONTROL DEVICES AND OPEN SR 1324 TO TRAFFIC.





ROADWAY STANDARD DRAWINGS, LEGEND, GENERAL NOTES AND PHASING

ATKINS 1616 EAST MILLBROOK ROAD, SUITE 160 RALEIGH, NORTH CAROLINA 27609 (919) 876-6888 NCBEES #F-0326

PROJ. REFERENCE NO. SHEET NO. B-4598 TMP-2

BACKG COLOR: Fluorescent Orange SIGN NUMBER: SP1 COPY COLOR: Black TYPE: STATIONARY QUANTITY: SEE PLANS X Y WID HT SYMBOL SIGN WIDTH: 3'-0" **HEIGHT:** 1'-6" TOTAL AREA: 4.6 Sq.Ft. **BORDER TYPE: INSET RECESS:** 0.38" WIDTH: 0.5" RADII: 1.5" MAT'L: 0.080" (2.0 mm) ALUMINUM NO. Z BARS:

USE NOTES: 1, 2

- 1. Legend and border(except those that are colored black) shall be direct applied Grade B sheeting.
- 2. Background shall be Grade A, B, or C reflective sheeting.

DESIGN BY: LD STOUCHKO

CHECKED BY:

PROJECT ID: B-4598

LOCATION:

Jan 20, 2017

DIV: 2



Spacing Factor is 1 unless specified otherwise

LETTER POSITIONS

LENGTH:

							L	ette	r loca	tions	are	panel	edge	e to	lower	left	corne	r		Series/Siz Text Lengt
	F	L	0	R	E	N	С	E												C 2000
-	4.2	7.5	10.6	14.6	18.2	21.6	25.4	29.2												27.6
	R	0	Α	D																C 2000
	11.1	14.6	18.2	22.1																13.8
-																				
			<u> </u>											<u> </u>						
-																				
1																				
-																				

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

APPROVED: Low D. Stouchko

OF HIGHWAY
OF NORTH CARPOLLA

WORTH CARPOLLA


WORTH CARPOLLA

TRAFFIC


TRAFFIC


SEAL 034437 SPECIAL SIGN
DESIGN
FLORENCE ROAD


ATKINS 1616 EAST MILLBROOK ROAD, SUITE 160 RALEIGH, NORTH CAROLINA 27609 (919) 876-6888 NCBEES #F-0326




PROJ. REFERENCE NO.	SHEET NO.
B-4598	TMP-4






















M4-8 24" X 12"

M4-8 24" X 12"







21" X 15"

M6-1 21" X 15"

21" X 15"

APPROVED: Lovi D. Konchko DATE: 2/17/2017 SEAL 034437 DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

FLORENCE ROAD SR1324 DETOUR SIGNS