B-5236 SHEET No. SHEET NO.

SURVEY CONTROL SHEET B-5236

ROW MARKER IRON PIN AND CAP-E

ALIGN	STATION	OFFSET	NORTH	EAST		
	11+50.00	-50.00	1238Ø9.1781	2326627.3226		
L	11+50.00	-30.00	123809.8080	2326647.3127		
	19+00.00	-50.00	124558.8060	23266Ø3.7Ø18		
L	19+00.00	-30.00	124559.4359	2326623.6919		

TYPE	STATION	NORTH	EAST			
POT	10+00.00	123660.8272	2326682.0219			
POT	21+20.41	124780.6775	2326646.7355			

DATUM DESCRIPTION

THE LOCALIZED COORDINATE SYSTEM DEVELOPED FOR THIS PROJECT IS BASED ON THE STATE PLANE COORDINATES ESTABLISHED BY NCDOT FOR MONUMENT "B5236-1"

WITH NAD 83/NSRS 2007 STATE PLANE GRID COORDINATES OF NORTHING: 2326698.694(ft) EASTING: 124079.711(ft) ELEVATION: 6.616(ft)

THE AVERAGE COMBINED GRID FACTOR USED ON THIS PROJECT (GROUND TO GRID) IS: 0.9999173520

THE N.C. LAMBERT GRID BEARING AND LOCALIZED HORIZONTAL GROUND DISTANCE FROM "B5236-1" TO -L- L STATION 10+00.00 IS S 2° 16' 45" W 419.22

ALL LINEAR DIMENSIONS ARE LOCALIZED HORIZONTAL DISTANCES VERTICAL DATUM USED IS NAVD 88