


APPROVED: *Charles A. Johnson, III*
 DATE: 7/6/2017




DOCUMENT NOT CONSIDERED FINAL
 UNLESS ALL SIGNATURES COMPLETED

SIGN NUMBER: 1
 TYPE: A (OVHD)
 QUANTITY: 1
 SIGN WIDTH: 15'-6"
 HEIGHT: 8'-0"
 TOTAL AREA: 124.0 Sq.Ft.
 BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 178.0

SYMBOL	X	Y	WID	HT
M1_4	56	59.1	24	24
Type 'C' Arrow	9	9	24	16.5
Type 'C' Arrow	153	9	24	16.5

DESIGN BY: TRT
 PROJECT ID: U-4751
 CHECKED BY: ADK/CAJ
 DIV: 03
 DATE: March 2017



- NOTES:
- Legend and border shall be direct applied Grade A reflective sheeting.
 - Arrows and shields shall be Grade A reflective sheeting on 0.032" aluminum and demountable.
 - Background shall be Grade C reflective sheeting.


LETTER POSITIONS

Letter spacings are to start of next letter												Series/Size Text Length
	N	O	R	T	H							E 2000
90	8.1	2.1	8.6	7.4	7.4	6.5	56					40
	M	a	r	k	e	t	S	t				EM 2000
40.8	15.8	14.2	9.9	11.8	11.7	7	13.4	13.7	7	40.8	104.4	

SIGN NUMBER: 2
 TYPE: A (OVHD)
 QUANTITY: 1
 SIGN WIDTH: 8'-0"
 HEIGHT: 7'-6"
 TOTAL AREA: 60.0 Sq.Ft.
 BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 88.0

SYMBOL	X	Y	WID	HT
M1-5-3-24-7C	11	55.9	24	24
R3-5(R)	26	10	30	36

DESIGN BY: TRT
 PROJECT ID: U-4751
 CHECKED BY: ADK/CAJ
 DIV: 03
 DATE: March 2017



- NOTES:
- Legend and border shall be direct applied Grade A reflective sheeting.
 - Shields shall be Grade A reflective sheeting on 0.032" aluminum and demountable.
 - Background shall be Grade C reflective sheeting.
 - R3-5(R) shall be Grade A white reflective sheeting on 0.032" aluminum and demountable. Legend and arrow shall be direct applied non-reflective sheeting.
 - The North Carolina route number for the facility is to be determined and will be provided prior to sign fabrication.

LETTER POSITIONS

Letter spacings are to start of next letter												Series/Size Text Length
	N	O	R	T	H							E 2000
45	8.1	2.1	8.6	7.4	7.4	6.5	11					40

SIGN NUMBER: 3
 TYPE: A (OVHD)
 QUANTITY: 1
 SIGN WIDTH: 19'-0"
 HEIGHT: 10'-6"
 TOTAL AREA: 199.5 Sq.Ft.
 BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 3
 LENGTH: 220.0

SYMBOL	X	Y	WID	HT
M1_4	50	56.5	24	24
M1_4	106	56.5	24	24
M1_4	162	56.5	24	24

DESIGN BY: TRT
 PROJECT ID: U-4751
 CHECKED BY: ADK/CAJ
 DIV: 03
 DATE: March 2017



- NOTES:
- Legend and border shall be direct applied Grade A reflective sheeting.
 - Shields shall be Grade A reflective sheeting on 0.032" aluminum and demountable.
 - Background shall be Grade C reflective sheeting.


LETTER POSITIONS

Letter spacings are to start of next letter												Series/Size Text Length								
	T	O											E 2000							
111	7.1	6.7	103.1									13.8								
	S	O	U	T	H						E 2000									
42	8.1	1.5	8.6	7.8	7.4	6.5	146.1					39.8								
	E	A	S	T							E 2000									
102.5	7.5	1	9	7.4	6	94.6						30.9								
	T	O										E 2000								
167	7.1	6.7	47.1									13.8								
	W	r	i	g	h	t	s	v	i	l	e	B	e	a	c	h	E 2000			
13.6	17.3	9.9	6.8	14.1	12.8	9.7	11.5	14.1	8	8	6.8	8.8	13.3	13.3	11.7	12.9	12.9	8.8	13.6	200.9
	N	E	X	T	E	X	I	T									E 2000			
75.3	10.7	8.9	9.8	7.5	10	8.9	10.7	3.5	7.5	75.3										77.5

SIGN NUMBER: 4
 TYPE: A (OVHD)
 QUANTITY: 1
 SIGN WIDTH: 8'-0"
 HEIGHT: 6'-0"
 TOTAL AREA: 48.0 Sq.Ft.
 BORDER TYPE: FLUSH
 RECESS: 0"
 WIDTH: 2"
 RADII: 12"
 NO. Z BARS: 2
 LENGTH: 88.0

SYMBOL	X	Y	WID	HT
M1-5-3-24-7C	11	36.9	24	24
Type 'A' Arrow	33	11.1	18.3	30

DESIGN BY: TRT
 PROJECT ID: U-4751
 CHECKED BY: ADK/CAJ
 DIV: 03
 DATE: March 2017



- NOTES:
- Legend and border shall be direct applied Grade A reflective sheeting.
 - Arrows and shields shall be Grade A reflective sheeting on 0.032" aluminum and demountable.
 - Background shall be Grade C reflective sheeting.
 - The North Carolina route number for the facility is to be determined and will be provided prior to sign fabrication.

LETTER POSITIONS

Letter spacings are to start of next letter												Series/Size Text Length
	N	O	R	T	H							E 2000
45	8.1	2.1	8.6	7.4	7.4	6.5	11					40