


PROJECT REFERENCE NO.	SHEET NO.
B-5334	EC-4/CONST.4
RW SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER





-L- CURVE DATA
 PI Sta 13+69.25
 $\Delta = 41^{\circ}12'19.5"$ (LT)
 $D = 6^{\circ}52'41.7"$
 $L = 599.07'$
 $T = 313.15'$
 $R = 833.00'$
 $SE = 06$
 $RO = \text{SEE PLANS}$

-YI- CURVE DATA
 PI Sta 10+70.39
 $\Delta = 70^{\circ}16'57.0"$ (RT)
 $D = 57^{\circ}17'44.8"$
 $L = 122.67'$
 $T = 70.39'$
 $R = 100.00'$
 $SE = 02$
 $RO = \text{SEE PLANS}$


NOTE:
 PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.

CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 4


NOTE:
 UTILIZE SPECIAL STILLING BASIN(S) WHERE APPLICABLE.



FROM STA. -L- 18+70 TO STA. 19+30 LT
 FROM STA. -YI- 10+65 TO STA. 11+70 RT
 FROM STA. -YI- 10+85 TO STA. 11+70 LT



FROM STA. -L- 13+00 TO STA. 13+55 RT
 EST. 20 CY DDE



FOR -L- PROFILE, SEE SHEET NO. 5
 FOR -YI- PROFILE, SEE SHEET NO. 5
 FOR STRUCTURE PLANS, SEE SHEETS S-1 THRU S-2

8/17/99
 23-AUG-2017 13:19
 R:\Environment\1\Design\B5334-EC.psh_4.dgn