



TYPICAL "BLOW THRU" CONTAINMENT AND FORMWORK

A METHOD TO CAPTURE WATER AND DEBRIS FROM BLOW THRU DURING HYDRO-DEMOLITION SHALL BE INSTALLED IN AREAS INDICATED AS CLASS III SURFACE PREPERATION.

SUBMIT DETAILS OF PROPOSED FORMWORK FOR APPROVAL PRIOR TO BEGINNING WORK.

COST FOR INSTALLING AND REMOVING FORMWORK SHALL BE INCIDENTAL TO THE PRICE PER SQ. YARD OF HYDRO-DEMOLITION.

> SCARIFICATION, SHOTBLASTING AND POLYESTER POLYMER CONCRETE (PPC) OVERLAY CLASS II SURFACE PREPARATION AND CONCRETE

> > DECK REPAIR FOR PPC OVERLAY

CLASS III SURFACE PREPARATION AND HYDRO-DEMOLITION OF BRIDGE DECK

> SHOTBLASTING AND EPOXY OVERLAY

PROJECT NO. 15BPR.15

NEW HANOVER COUNTY

STATION:_

SHEET 5 OF 5

STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

SURFACE PREPARATION AND PPC OVERLAY

SHEET NO.

S-16

TOTAL SHEETS

DATE:

DocuSigned by: Jason R Doughty 5F73FA2DEA974E8...

SEAL 032967

REVISIONS NO. BY: DATE:

MODJESKI and MASTERS Experience great bridges.

> 333 FAYETTEVILLE STREET, SUITE 505 RALEIGH, NC 27601 NC LICENSE NO. C-2979

UNLESS ALL SIGNATURES COMPLETED

DATE : OCT 2017
DATE : OCT 2017
DATE : DEC 2017 DESIGNED BY: J.BORUTA
DRAWN BY: K.WHITE CHECKED BY: B.LOFLIN DESIGN ENGINEER
OF RECORD: J. DOUGHTY _ DATE : <u>DEC 2017</u>

DOCUMENT NOT CONSIDERED FINAL