

| PAVEMENT SCHEDULE | | | | |
|-------------------|--|--|--|--|
| C2 | PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ. YD. | | | |
| СЗ | PROP. APPROX. 2.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5B, TWO LAYER AT AN AVERAGE RATE OF 110 LBS., PER SQ.YD. | | | |
| C4 | PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 168 LBS. PER SQ. YD. | | | |
| C5 | PROP. APPROX. 2.0" ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5C, AT AN AVERAGE RATE OF 224 LBS. PER SQ. YD. | | | |
| C6 | PROP. ASPHALT SURFACE TREATMENT, MATCOAT #67, AT AN AVERAGE RATE OF 25 LBS. PER SQ. YD. (STONE) AND 0.35 GALLONS PER SQ. YD. (LIQUID ASPHALT) | | | |
| С8 | PROP. ASPHALT SURFACE TREATMENT, DOUBLE SEAL: TOP LAYER #78 STONE AT 12 LBS./SY,AND 0.25 GALS./SY EMULSION BOTTOM LAYER #78 AT 18 LBS/SY, AND 0.30 GALS./SY EMULSION | | | |
| D2 | PROP. APPROX. 2.5" ASPHALT CONCRETE INTERMEDIATE COURSE, TYPE I19.0C AT AN AVERAGE RATE OF 285 LBS. PER SQ. YD. | | | |
| F | PROPOSED FULL DEPTH RECLAMATION AT A DEPTH OF 12 INCHES WITH PORTLAND CEMENT TREATED BASE AT AN AVERAGE RATE OF 73 LBS/SY | | | |
| J | ABC STONE 12" DEPTH | | | |
| V1 | INCIDENTAL MILLING | | | |
| V2 | MILLING 1.0" DEPTH | | | |
| ٧3 | MILLING 1.5" DEPTH | | | |
| V4 | MILLING 2.0" DEPTH | | | |
| V5 | MILLING 2.5" DEPTH | | | |
| V6 | MILLING 4.0" DEPTH | | | |
| Т | SHOULDER RECONSTRUCTION | | | |





| STATE | PROJECT NO. | SHEET NO. | TOTAL SHEETS |
|---------|----------------------------|-----------|-----------------|
| N.C. | | 25 | |
| WBS NO. | 2018CPT.10.11.10601.1,etc. | | |