


-YI-  
PI Sta. 17+33.80  
 $\Delta = 26^\circ 30' 22.4''$  (RT)  
D = 7' 00" 00.3"  
L = 378.66'  
T = 192.78'  
R = 818.50'  
Runoff = 200'  
Se = 8%  
V<sub>D</sub> = 50 MPH

-YIRPA-  
PIs Sta. 13+97.81  
Os = 1' 28' 54.4"  
Ls = 120.00'  
LT = 80.00'  
ST = 40.00'



THE ALIGNMENTS FOR VERTICAL PROFILES -WBL- & -EBL- ARE BASED ON OFFSETTING THE HORIZONTAL ALIGNMENT -L- 15 FEET LEFT AND RIGHT.

FOR DETOUR CONSTRUCTION, SEE SHEETS 2B-1 THRU 2B-3

FOR -L- PROFILE (-WBL-), SEE SHEET 7

FOR -L- PROFILE (-EBL-), SEE SHEET 9

FOR -YI- PROFILE, SEE SHEET 11

FOR -YIRPA- PROFILE, SEE SHEET 12

FOR -YIRPB- PROFILE, SEE SHEET 12

FOR -YIRPC- PROFILE, SEE SHEET 13

FOR -YIRPD- PROFILE, SEE SHEET 13

FOR STRUCTURE PLANS, SEE SHEETS S-1 THRU S-7

5/21/14/599  
 REVISIONS  
 3/6/2018  
 11/15/2018