

December 14, 2016

Mr. Terry Fox, L.G.
North Carolina Department of Transportation
Geotechnical Engineering Unit
1589 Mail Service Center
Raleigh, North Carolina 27699-1589

Reference: **Preliminary Site Assessment**
William Sherman, et. al. Property (Parcel #167)
5409 Raeford Road
Fayetteville, Cumberland County, North Carolina
State Project: U-4405
WBS Element 39049.1.1
SIES Project No. 2016.0054.NDOT

Dear Mr. Fox:

Solutions-IES, Inc., (SIES) has completed the Preliminary Site Assessment conducted at the above-referenced property. The work was performed in accordance with the Technical and Cost proposal dated September 26, 2016, and the North Carolina Department of Transportation's (NCDOT's) Notice to Proceed dated September 26, 2016. Activities associated with the assessment consisted of conducting a geophysical investigation, collecting soil samples for analysis, and reviewing applicable North Carolina Department of Environmental Quality (NCDEQ) records. The purpose of this report is to document the field activities, present the laboratory analyses, and provide recommendations regarding the property.

Location and Description

The William Sherman, et. al., Property (Parcel #167) is located at 5409 Raeford Road in Fayetteville, Cumberland County, North Carolina. The property is situated on the south side of Raeford Road approximately 600 feet east of the intersection of Raeford Road and Duke Street (**Figure 1**). The property consists of an active auto service and body shop (Rim Repair). According to the NCDOT information, the site has historically been used for general service automotive repairs. No visual evidence of underground storage tanks (USTs) was noted during the assessment activities.

An asphalt parking and rear access area surrounds the building (**Figure 2**). The east side of the building houses the offices and parts storage. The west side of the building is characterized by three bays where repairs are conducted. The proposed easement was not marked at the site on the dates of the field work, but NCDOT plan sheets show that the easement will affect the property from the road to the building.

The NCDOT requested a Preliminary Site Assessment for the right-of-way/easement because the property contains an active automotive repair shop. The scope of work as defined in the Request for Technical and Cost Proposal was to evaluate the site with respect to the presence of unknown USTs and assess where contamination exists on the right-of-way/proposed easement. Because the property contains an automotive repair facility, the NCDOT directed SIES to evaluate the right-of-way/easement for the presence of solvents in addition to petroleum. An estimate of the quantity of impacted soil was to be provided, should impacted soils be encountered.

SIES reviewed the on-line NCDEQ Incident Management database and no incident number was assigned to the site. SIES also examined the UST registration database and found no tanks registered to the property address.

Geophysical Survey

Prior to SIES' mobilization to the site, Pyramid Environmental & Engineering of Greensboro, NC (Pyramid) conducted a geophysical survey in the right-of-way/proposed easement to determine if unknown USTs were present in that area. The geophysical survey consisted of an electromagnetic survey using a Geonics EM61 time-domain electromagnetic induction meter to locate buried metallic objects, specifically metallic USTs.

A survey grid was laid out along the right-of-way/proposed easement with the X-axis oriented approximately parallel to Raeford Road and the Y-axis oriented approximately perpendicular to Raeford Road. The grid was positioned to cover the entire right-of-way/proposed easement, as shown on **Figure 2** of the geophysical survey report in **Attachment A**.

The survey lines were spaced five feet apart and magnetic data were collected continuously along each survey line with a data logger. After collection, the data were reviewed in the field with graphical computer software.

Access was available to all areas of the investigation area, and several anomalies were detected with the geophysical survey. The anomalies were attributed to visible cultural features, metallic debris, underground utilities, signage, or vehicles. The data did not show evidence of metallic USTs within the right-of-way/proposed easement. For these reasons, a ground penetrating radar survey was not required to verify any unknown EM anomalies. Pyramid's detailed report of findings and interpretations is presented in **Attachment A**.

Site Assessment Activities

On October 27, 2016, SIES mobilized to the site to conduct a Geoprobe® direct-push investigation to evaluate subsurface soil conditions on the right-of-way/easement to a depth of 10 feet below ground surface (ft bgs). Four direct-push holes (167-SB-1 through 167-SB-4) were advanced throughout the right-of-way/proposed easement (**Figure 2**). The soil boring logs are included as **Attachment B**. Borings 167-SB-1 and 167-SB-4 were located to evaluate the subsurface conditions at the repair bays and borings 167-SB-2 and 167-SB-3 were placed to assess the remainder of the study area at the east side of the building and along Raeford Road (see photos in **Attachment C**).

Continuous sampling using a Geoprobe® resulted in good recovery of soil samples from the direct-push holes. Soil samples were collected and contained in four-foot long acetate sleeves inside the direct-push Macro-Core® sampler. Each of the sleeves was divided into two-foot long sections for soil sample screening. Soil from each two-foot interval was placed in a resealable plastic bag and the bag was set aside to allow volatilization of organic compounds from the soil to the bag headspace. A photoionization detector (PID) probe was inserted into the bag for field screening and the reading was recorded (**Table 1**).

If the PID concentrations in a boring were consistently low, one sample from the bottom interval was selected for analysis. If the PID concentrations were elevated, samples at the elevated and bottom intervals were selected for analyses. The PID results were consistently low (**Table 1**), therefore one sample from the bottom interval of each boring was collected for analysis.

The selected soil samples were submitted to an on-site mobile laboratory for analysis of total petroleum hydrocarbons (TPH) diesel range organics (DRO) and gasoline range organics (GRO) using ultraviolet fluorescence (UVF) methodology. To evaluate the property with respect to solvents, the soil sample from each boring was submitted to Pace Analytical in Huntersville, NC, for analysis of volatile organic compounds (VOCs) using Method 8260. Each boring was backfilled with bentonite and drill cuttings to the surface after completion.

The lithology encountered by the direct-push samples was generally consistent throughout the site. The ground surface was covered with about 0.5 feet of asphalt. Below this surface cover was a light brown to tan silty fine-grained sand present to a depth ranging from six to seven ft bgs. This unit is underlain by a dark brown fine-grained sand. No bedrock or groundwater were noted in any of the borings.

According to the 1985 Geologic Map of North Carolina, the site is within of Coastal Plain Physiographic Province in North Carolina near the contact between the Cretaceous Black Creek and Middendorf Formations. The strata of the Black Creek Formation consist of gray to black clay, thin lenses of fine-grained sand and thick lenses of cross-bedded sand. The lithology may also include glauconite and fossils. In comparison, the Middendorf Formation consists of sand, sandstone, and mudstone that are laterally discontinuous. The soils observed at the site are consistent with the Middendorf Formation as the parent material.

Analytical Results

The laboratory data are summarized in **Table 1** and the complete report is presented in **Attachment D**. Four soil samples were submitted for analysis. Of these samples, two contained detectable GRO compounds at 0.68 and 9.1 milligrams per kilogram (mg/kg). Three of the soil samples contained detectable DRO compounds at concentrations ranging from 1.4 to 24.1 mg/kg. The action levels are 50 mg/kg for GRO and 100 mg/kg for DRO¹. None of the soil samples analyzed for this site contained DRO or GRO concentrations above their respective action levels.

The soil sample from each boring was submitted for VOC analysis using Method 8260. As presented in **Attachment D**, no compounds were detected above the method reporting limit. However, the reporting limit was set at a concentration higher than the detection limit, which is the lowest concentration at which a compound can be detected and is usually below applicable action levels for solvents. If a concentration was detected above the detection limit, but below the reporting limit, it was assigned an estimated, or "J", value. No values flagged with J were reported.

Conclusions and Recommendations

A Preliminary Site Assessment was conducted to evaluate the William Sherman Property (Parcel #167) located at 5409 Raeford Road in Fayetteville, Cumberland County, North Carolina. A geophysical survey conducted at the site indicated that no metallic USTs were detected within the right-of-way/proposed easement on the site. Four soil borings were advanced to evaluate the subsurface soil conditions along the right-of-way/proposed easement. None of the four soil samples analyzed had a GRO or DRO concentration above the action level. Analysis of the four soil samples for VOCs indicated that no concentrations were detected above the method reporting limit.

¹ NCDEQ, *Guidelines for North Carolina Action Limits for Total Petroleum Hydrocarbons (TPH)*, July 26, 2016.

The UVF analytical results (**Table 1**) of the soil samples collected on October 27, 2016 indicate that none of the soil samples contained DRO or GRO concentrations above the action level. Therefore, no estimate of the volume of soil requiring possible remediation was made.


SIES appreciates the opportunity to work with the NCDOT on this project. Because UVF compounds were detected in the soil samples, SIES recommends that a copy of this report be submitted to the Division of Waste Management, UST Section, in the Fayetteville Regional Office. If you have any questions, please contact us at (919) 873-1060.

Sincerely,



Michael W. Branson, P.G.
Project Manager

Attachments



John Palmer, P.G.
Senior Hydrogeologist

TABLE 1
SOIL FIELD SCREENING AND ANALYTICAL RESULTS
SHERMAN PROPERTY (PARCEL #167)
FAYETTEVILLE, CUMBERLAND COUNTY, NORTH CAROLINA
STATE PROJECT: U-4405
WBS ELEMENT 39049.1.1
SIES PROJECT NO. 2016.0054.NDOT

SAMPLE ID	DEPTH (ft)	PID READING (ppm)	SAMPLE ID	ANALYTICAL RESULTS (mg/kg)	
				UVF GRO	UVF DRO
167-SB-1	Action Level (mg/kg)			50	100
	0 - 2	0.0			
	2 - 4	0.0			
	4 - 6	0.0			
	6 - 8	0.1			
	8 - 10	0.0	167-SB-1-8-10	9.1	1.4
167-SB-2	0 - 2	0.0			
	2 - 4	0.0			
	4 - 6	0.1			
	6 - 8	0.1			
	8 - 10	1.3	167-SB-2-8-10	<0.63	7.5
167-SB-3	0 - 2	0.0			
	2 - 4	0.0			
	4 - 6	0.1			
	6 - 8	0.0			
	8 - 10	0.2	167-SB-3-8-10	0.68	<0.68
167-SB-4	0 - 2	0.0			
	2 - 4	0.1			
	4 - 6	0.0			
	6 - 8	0.0			
	8 - 10	0.0	167-SB-4-8-10	<0.73	24.1

1) ft - feet

2) ppm - parts per million.

3) PID - photoionization ionization detector

4) mg/kg - milligrams per kilogram.

5) UVF DRO - Diesel range organics by UVF.

6) UVF GRO - Gasoline range organics by UVF.

7) Action level based upon NCDEQ memo *Guidelines for North Carolina Action Limits for Total Petroleum Hydrocarbons* - July 29, 2016.

8) Soil samples were collected on October 27, 2016.

9) **Bold** values are above the detection level.

FIGURES




PROJECT NUMBER
2016.0054.NDOT

CHECKED BY
JEP

PROJECT MANAGER
MWB

DATE NOVEMBER 2016

FILE FAYETTEVILLE PSAS



SCALE 1:24,000

1 1/2 0 1 MILE
1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 .5 0 1 KILOMETER

SOURCE: U.S. GEOLOGICAL SURVEY 7.5 MIN QUADRANGLE: FAYETTEVILLE, NC (2016)


 **Solutions-IES**
Industrial & Environmental Services

1101 NOWELL ROAD
RALEIGH, NORTH CAROLINA 27607
TEL: (919) 873-1060 FAX: (919) 873-1074

...\\reports\\FIGURES\\167 FIG 1.dgn 10/5/2016 10:06:38 AM

VICINITY MAP
SHERMAN ET. AL. PROPERTY (PARCEL #167)
FAYETTEVILLE, CUMBERLAND COUNTY NORTH CAROLINA

FIGURE



ATTACHMENT A



P Y R A M I D G E O P H Y S I C A L S E R V I C E S
(P R O J E C T 2 0 1 6 - 2 6 5)

GEOPHYSICAL SURVEY

METALLIC UST INVESTIGATION:
PARCEL 167 – WILLIAM D. SHERMAN, JR.
NCDOT PROJECT U-4405

5409 RAEFORD RD., FAYETTEVILLE, CUMBERLAND COUNTY, NC

NOVEMBER 4, 2016

Report prepared for: Mike Branson
Solutions, IES
1101 Nowell Road
Raleigh, North Carolina 27607

Prepared by:


Eric C. Cross, P.G.
NC License #2181

Reviewed by:


Douglas A. Canavello, P.G.
NC License #1066

5 0 3 I N D U S T R I A L A V E N U E , G R E E N S B O R O , N C 2 7 4 0 6

P : 3 3 6 . 3 3 5 . 3 1 7 4 F : 3 3 6 . 6 9 1 . 0 6 4 8

C 2 5 7 : G E O L O G Y C 1 2 5 1 : E N G I N E E R I N G

GEOPHYSICAL INVESTIGATION REPORT
Parcel 167 – 5409 Raeford Road
Fayetteville, Cumberland County, North Carolina

Table of Contents

Executive Summary	1
Introduction.....	2
Field Methodology.....	2
Discussion of Results.....	3
Summary and Conclusions	4
Limitations	5

Figures

- Figure 1 – Parcel 167 Geophysical Survey Boundaries and Site Photographs
Figure 2 – Parcel 167 EM61 Results Contour Map

LIST OF ACRONYMS

CADD	Computer Assisted Drafting and Design
DF	Dual Frequency
EM.....	Electromagnetic
GPR.....	Ground Penetrating Radar
GPS	Global Positioning System
NCDOT.....	North Carolina Department of Transportation
ROW	Right-of-Way
SVE.....	Soil Vapor Extraction
UST	Underground Storage Tank

EXECUTIVE SUMMARY

Project Description: Pyramid Environmental conducted a geophysical investigation for Solutions, IES (Solutions) at Parcel 167, located at 5409 Raeford Road, Fayetteville, NC. The survey was part of a North Carolina Department of Transportation (NCDOT) Right-of-Way (ROW) investigation (NCDOT Project U-4405). Solutions directed Pyramid as to the geophysical survey boundaries at the project site, which were designed to extend from the existing edge of pavement to the proposed ROW lines and/or easement lines within the property, whichever distance was greater. Conducted from October 12-17, 2016, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

Geophysical Results: All EM anomalies were directly attributed to visible cultural features and known utilities. A GPR survey was not required. Collectively, the geophysical data did not show any evidence of unknown metallic USTs at Parcel 167.

INTRODUCTION

Pyramid Environmental conducted a geophysical investigation for Solutions, IES (Solutions) at Parcel 167, located at 5409 Raeford Road, Fayetteville, NC. The survey was part of a North Carolina Department of Transportation (NCDOT) Right-of-Way (ROW) investigation (NCDOT Project U-4405). Solutions directed Pyramid as to the geophysical survey boundaries at the project site, which were designed to extend from the existing edge of pavement to the proposed ROW lines and/or easement lines within the property, whichever distance was greater. Conducted from October 12-17, 2016, the geophysical investigation was performed to determine if unknown, metallic underground storage tanks (USTs) were present beneath the survey area.

The site included a commercial building surrounded by asphalt parking space and grassy medians. Aerial photographs showing the survey area boundaries and ground-level photographs are shown in **Figure 1**.

FIELD METHODOLOGY

The geophysical investigation consisted of an electromagnetic (EM) induction-metal detection survey. Pyramid collected the EM data using a Geonics EM61 metal detector integrated with a Trimble AG-114 GPS antenna. The integrated GPS system allows the location of the instrument to be recorded in real-time during data collection, resulting in an EM data set that is geo-referenced and can be overlain on aerial photographs and CADD drawings. A boundary grid was established around the perimeter of the site with marks every 10 feet to maintain orientation of the instrument throughout the survey and assure complete coverage of the area.

According to the instrument specifications, the EM61 can detect a metal drum down to a maximum depth of approximately 8 feet. Smaller objects (1-foot or less in size) can be detected to a maximum depth of 4 to 5 feet. The EM61 data were digitally collected at approximately 0.8 foot intervals along north-south trending or east-west trending, generally

parallel survey lines spaced five feet apart. The data were downloaded to a computer and reviewed in the field and office using the Geonics NAV61 and Surfer for Windows Version 11.0 software programs.

GPR data were not required at this property due to all EM anomalies being directly attributed to visible cultural features at the ground surface or known utilities (see Discussion of Results below).

Pyramid's classifications of USTs for the purposes of this report are based directly on the geophysical UST ratings provided by the NCDOT. These ratings are as follows:

Geophysical Surveys for Underground Storage Tanks on NCDOT Projects

High Confidence	Intermediate Confidence	Low Confidence	No Confidence
Known UST Active tank - spatial location, orientation, and approximate depth determined by geophysics.	Probable UST Sufficient geophysical data from both magnetic and radar surveys that is characteristic of a tank. Interpretation may be supported by physical evidence such as fill vent pipe, metal cover plate, asphalt/concrete patch, etc.	Possible UST Sufficient geophysical data from either magnetic or radar surveys that is characteristic of a tank. Additional data is not sufficient enough to confirm or deny the presence of a UST.	Anomaly noted but not characteristic of a UST. Should be noted in the text and may be called out in the figures at the geophysicist's discretion.

DISCUSSION OF RESULTS

Discussion of EM Results

A contour plot of the EM61 results obtained across the survey area at the property is presented in **Figure 2**. Each EM anomaly is numbered for reference in the figure. The following table presents the list of EM anomalies and the cause of the metallic response, if known:

LIST OF METALLIC ANOMALIES IDENTIFIED BY EM SURVEY

Metallic Anomaly #	Cause of Anomaly	Investigated with GPR
1	Telephone Pole	
2	Telephone Pole	
3	Sign	
4	Vehicle	
5	Air Conditioning Unit	
6	Reinforced Concrete and Building Interference	

All of the EM anomalies recorded by the survey are directly attributed to visible cultural features such as signs, utility poles, building structures, a vehicle, an AC unit, and reinforced concrete directly adjacent to the building. For this reason, a GPR survey was not required to verify any unknown anomalies.

Collectively, the geophysical data did not show any evidence of unknown metallic USTs at Parcel 167.

SUMMARY & CONCLUSIONS

Pyramid's evaluation of the EM61 data collected at Parcel 167 in Fayetteville, Cumberland County, North Carolina, provides the following summary and conclusions:

- The EM61 survey provided reliable results for the detection of metallic USTs within the accessible portions of the geophysical survey area.
- All EM anomalies were directly attributed to visible cultural features and known utilities. A GPR survey was not required.
- Collectively, the geophysical data did not show any evidence of unknown metallic USTs at Parcel 167.

LIMITATIONS

Geophysical surveys have been performed and this report was prepared for Solutions, IES in accordance with generally accepted guidelines for EM61 surveys. It is generally recognized that the results of the EM61 surveys are non-unique and may not represent actual subsurface conditions. The EM61 results obtained for this project have not conclusively determined the definitive presence or absence of metallic USTs, but the evidence collected is sufficient to result in the conclusions made in this report. Additionally, it should be understood that areas containing extensive vegetation, reinforced concrete, or other restrictions to the accessibility of the geophysical instruments could not be fully investigated.

N ↑

APPROXIMATE BOUNDARIES OF GEOPHYSICAL SURVEY AREA

NC STATE PLANE, NORTHING (NAD83, FEET)

470750

470700

470650

2008100

2008150

2008200

2008250


2008300

2008350

NC STATE PLANE, EASTING (NAD83, FEET)



View of Survey Area
(Facing Approximately East)



View of Survey Area
(Facing Approximately West)

TITLE	PARCEL 167 - GEOPHYSICAL SURVEY BOUNDARIES AND SITE PHOTOGRAPHS	
PROJECT	5409 RAEFORD ROAD FAYETTEVILLE, NORTH CAROLINA NCDOT PROJECT U-4405	

N ↑

EM61 METAL DETECTION RESULTS

NC STATE PLANE, NORTHING (NAD83, FEET)




NC STATE PLANE, EASTING (NAD83, FEET)

NUMBERS IN BLUE (s) CORRESPOND TO ANOMALY TABLE INCLUDED IN THE REPORT

NO EVIDENCE OF UNKNOWN METALLIC USTs OBSERVED

The contour plot shows the differential results of the EM61 instrument in millivolts (mV). The differential results focus on larger metallic objects such as USTs and drums. The EM61 data were collected on October 13, 2016, using a Geonics EM61 instrument. Verification GPR data were not required due to all anomalies being directly attributed to visible cultural features.

EM61 Metal Detection Response (millivolts)



TITLE PARCEL 167 - EM61 RESULTS CONTOUR MAP

PROJECT 5409 RAEFORD ROAD
FAYETTEVILLE, NORTH CAROLINA
NCDOT PROJECT U-265

 503 INDUSTRIAL AVENUE
GREENSBORO, NC 27460
(336) 335-3174 (p) (336) 691-0648 (f)
Pyramid Geophysics License # C1251 Eng. / License # C257 Geology

DATE 11/02/2016 CLIENT SOLUTIONS, IES

PYRAMID PROJECT # 2016-265 FIGURE 2

ATTACHMENT B

Log of Boring 167-SB-1

BORING LOCATION: Parcel #167, Fayetteville, NC				PROJECT NUMBER: 2016.0054.NDOT	
DRILLING CONTRACTOR: Regional Probing Services				DATE STARTED:	DATE FINISHED: 10/27/2016
DRILLING METHOD: Direct Push BOREHOLE DIAMETER: 2.25"				TOTAL DEPTH (ft bgs): 10 ft bgs	SCREEN INTERVAL (ft bgs): NA
DRILLING EQUIPMENT: Geoprobe 5410				NORTHING: NA	EASTING: NA
SAMPLING METHOD: Macro Core				INITIAL DTW: NA	FINAL DTW: NA
LOGGED BY: Samuel McIntyre CHECKED BY:					
DEPTH (ft bgs)	SAMPLES		PID (ppm)	DESCRIPTION OF MATERIALS	DEPTH (ft bgs)
	Sample ID and Interval	Recovery			
0			0.0	Asphalt.	0
1			0.0		1
2			0.0		2
3			0.0		3
4			0.0		4
5			0.0		5
6			0.0		6
7			0.1		7
8			0.0	Dark brown fine sand. Dry.	8
9			0.0		9
10	167-SB-1-8-10	100%	0.0		10
End of Boring					

Log of Boring 167-SB-2

BORING LOCATION: Parcel #167, Fayetteville, NC				PROJECT NUMBER: 2016.0054.NDOT	
DRILLING CONTRACTOR: Regional Probing Services				DATE STARTED:	DATE FINISHED: 10/27/2016
DRILLING METHOD: Direct Push BOREHOLE DIAMETER: 2.25"				TOTAL DEPTH (ft bgs): 10 ft bgs	SCREEN INTERVAL (ft bgs): NA
DRILLING EQUIPMENT: Geoprobe 5410				NORTHING: NA	EASTING: NA
SAMPLING METHOD: Macro Core				INITIAL DTW: NA	FINAL DTW: NA
LOGGED BY: Samuel McIntyre CHECKED BY:					
DEPTH (ft bgs)	SAMPLES		PID (ppm)	DESCRIPTION OF MATERIALS	DEPTH (ft bgs)
	Sample ID and Interval	Recovery			
0				Asphalt.	0
1					1
2					2
3					3
4					4
5					5
6					6
7					7
8					8
9					9
10					10
167-SB-2-8-10				End of Boring	

Log of Boring 167-SB-3

BORING LOCATION: Parcel #167, Fayetteville, NC				PROJECT NUMBER: 2016.0054.NDOT	
DRILLING CONTRACTOR: Regional Probing Services				DATE STARTED:	DATE FINISHED: 10/27/2016
DRILLING METHOD: Direct Push BOREHOLE DIAMETER: 2.25"				TOTAL DEPTH (ft bgs): 10 ft bgs	SCREEN INTERVAL (ft bgs): NA
DRILLING EQUIPMENT: Geoprobe 5410				NORTHING: NA	EASTING: NA
SAMPLING METHOD: Macro Core				INITIAL DTW: NA	FINAL DTW: NA
LOGGED BY: Samuel McIntyre CHECKED BY:					
DEPTH (ft bgs)	SAMPLES			DESCRIPTION OF MATERIALS	DEPTH (ft bgs)
	Sample ID and Interval	Recovery	PID (ppm)		
0				Asphalt.	0
1					1
2					2
3					3
4					4
5					5
6					6
7					7
8					8
9					9
10					10
167-SB-3-8-10				End of Boring	

Log of Boring 167-SB-4

BORING LOCATION: Parcel #167, Fayetteville, NC				PROJECT NUMBER: 2016.0054.NDOT	
DRILLING CONTRACTOR: Regional Probing Services				DATE STARTED:	DATE FINISHED: 10/27/2016
DRILLING METHOD: Direct Push BOREHOLE DIAMETER: 2.25"				TOTAL DEPTH (ft bgs): 10 ft bgs	SCREEN INTERVAL (ft bgs): NA
DRILLING EQUIPMENT: Geoprobe 5410				NORTHING: NA	EASTING: NA
SAMPLING METHOD: Macro Core				INITIAL DTW: NA	FINAL DTW: NA
LOGGED BY: Samuel McIntyre CHECKED BY:					
DEPTH (ft bgs)	SAMPLES		PID (ppm)	DESCRIPTION OF MATERIALS	DEPTH (ft bgs)
	Sample ID and Interval	Recovery			
0				Asphalt.	0
1					1
2					2
3					3
4					4
5					5
6					6
7					7
8	167-SB-4-8-10	80%	0.0	Light brown and tan silty fine sand. Dry.	8
9		100%	0.1		9
10		100%	0.0	Dark brown fine sand. Dry.	10
End of Boring					

ATTACHMENT C



PHOTO 1 - VIEW OF SOIL BORING LOOKING SOUTHEAST



PHOTO 2 - VIEW OF SOIL BORING LOOKING NORTH




PHOTO 3 - VIEW OF SOIL BORING LOOKING SOUTHWEST



PHOTO 4 - VIEW OF SOIL BORING LOOKING SOUTHWEST

ATTACHMENT D

QED

Hydrocarbon Analysis Results

Client: NCDOT
Address: Parcel 167: 5409 Raeford Road
 Fayetteville, NC

Samples taken 10/27/2016
Samples extracted 10/27/2016
Samples analysed 10/27/2016

Contact: **Operator** Candy Elliott

Project: 2016.0054.NDOT





Matrix	Sample ID	Dilution used								Ratios			HC Fingerprint Match
			BTEX (C6 - C9)	GRO (C5 - C10)	DRO (C10 - C35)	TPH (C5 - C35)	Total Aromatics (C10-C35)	16 EPA PAHs	BaP	% light	% mid	% heavy	
			<0.6	9.1	1.4	10.5	0.41	<0.03	<0.002	96.2	1.8	2	Deg.PHC (FCM) (P) (BO) 42.2%
S	167-SB-1-8-10	24.1	<0.6	9.1	1.4	10.5	0.41	<0.03	<0.002	96.2	1.8	2	Deg.PHC (FCM) (P) (BO) 42.2%
S	167-SB-2-8-10	25.2	<0.63	<0.63	7.5	7.5	6.2	0.65	0.022	3.7	79.2	17	Road Tar (FCM) 81.7%
S	167-SB-3-8-10	27.1	<1.4	0.68	<0.68	0.68	<0.14	<0.02	<0.003	82.6	13.2	4.2	Residual.PHC (FCM)
S	167-SB-4-8-10	29.4	<0.73	<0.73	24.1	24.1	14.8	0.65	0.006	0	89.7	10.3	V.Deg.PHC (FCM) 57%
Initial Calibrator QC check			OK										

Results generated by a QED HC-1 analyser. Concentration values in mg/kg for soil samples and mg/L for water samples. Soil values are not corrected for moisture or stone content
 Fingerprints provide a tentative hydrocarbon identification. The abbreviations are:- FCM = Results calculated using Fundamental Calibration Mode : % = confidence for sample fingerprint match to library
 (SBS) or (LBS) = Site Specific or Library Background Subtraction applied to result : (PFM) = Poor Fingerprint Match : (T) = Turbid : (P) = Particulate present

Project:

QED Hydrocarbon Fingerprints

10/27/2016



November 04, 2016

Mike Branson
Solutions-IES
1101 Nowell Road
Raleigh, NC 27607


RE: Project: PARCEL 167 39049.1.1
Pace Project No.: 92317872

Dear Mike Branson:

Enclosed are the analytical results for sample(s) received by the laboratory on October 31, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Taylor Ezell
taylor.ezell@pacelabs.com
Project Manager

Enclosures

cc: Chemical Testing Engineer, Materials and Tests Unit
Samuel McIntyre, Solutions-IES



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Charlotte Certification IDs

9800 Kincey Ave. Ste 100, Huntersville, NC 28078
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12

South Carolina Certification #: 99006001
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
Virginia/VELAP Certification #: 460221

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92317872001	167-SB-1-8-10	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	KDF	1	PASI-C
92317872002	167-SB-2-8-10	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	KDF	1	PASI-C
92317872003	167-SB-3-8-10	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	KDF	1	PASI-C
92317872004	167-SB-4-8-10	EPA 8260	DLK	70	PASI-C
		ASTM D2974-87	KDF	1	PASI-C

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Sample: 167-SB-1-8-10 Lab ID: 92317872001 Collected: 10/27/16 13:30 Received: 10/31/16 08:52 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	118	1		11/01/16 17:30	67-64-1	
Benzene	ND	ug/kg	5.9	1		11/01/16 17:30	71-43-2	
Bromobenzene	ND	ug/kg	5.9	1		11/01/16 17:30	108-86-1	
Bromochloromethane	ND	ug/kg	5.9	1		11/01/16 17:30	74-97-5	
Bromodichloromethane	ND	ug/kg	5.9	1		11/01/16 17:30	75-27-4	
Bromoform	ND	ug/kg	5.9	1		11/01/16 17:30	75-25-2	
Bromomethane	ND	ug/kg	11.8	1		11/01/16 17:30	74-83-9	
2-Butanone (MEK)	ND	ug/kg	118	1		11/01/16 17:30	78-93-3	
n-Butylbenzene	ND	ug/kg	5.9	1		11/01/16 17:30	104-51-8	
sec-Butylbenzene	ND	ug/kg	5.9	1		11/01/16 17:30	135-98-8	
tert-Butylbenzene	ND	ug/kg	5.9	1		11/01/16 17:30	98-06-6	
Carbon tetrachloride	ND	ug/kg	5.9	1		11/01/16 17:30	56-23-5	
Chlorobenzene	ND	ug/kg	5.9	1		11/01/16 17:30	108-90-7	
Chloroethane	ND	ug/kg	11.8	1		11/01/16 17:30	75-00-3	
Chloroform	ND	ug/kg	5.9	1		11/01/16 17:30	67-66-3	
Chloromethane	ND	ug/kg	11.8	1		11/01/16 17:30	74-87-3	
2-Chlorotoluene	ND	ug/kg	5.9	1		11/01/16 17:30	95-49-8	
4-Chlorotoluene	ND	ug/kg	5.9	1		11/01/16 17:30	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	5.9	1		11/01/16 17:30	96-12-8	
Dibromochloromethane	ND	ug/kg	5.9	1		11/01/16 17:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	5.9	1		11/01/16 17:30	106-93-4	
Dibromomethane	ND	ug/kg	5.9	1		11/01/16 17:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	5.9	1		11/01/16 17:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	5.9	1		11/01/16 17:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	5.9	1		11/01/16 17:30	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	11.8	1		11/01/16 17:30	75-71-8	
1,1-Dichloroethane	ND	ug/kg	5.9	1		11/01/16 17:30	75-34-3	
1,2-Dichloroethane	ND	ug/kg	5.9	1		11/01/16 17:30	107-06-2	
1,1-Dichloroethene	ND	ug/kg	5.9	1		11/01/16 17:30	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	5.9	1		11/01/16 17:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	5.9	1		11/01/16 17:30	156-60-5	
1,2-Dichloropropane	ND	ug/kg	5.9	1		11/01/16 17:30	78-87-5	
1,3-Dichloropropane	ND	ug/kg	5.9	1		11/01/16 17:30	142-28-9	
2,2-Dichloropropane	ND	ug/kg	5.9	1		11/01/16 17:30	594-20-7	
1,1-Dichloropropene	ND	ug/kg	5.9	1		11/01/16 17:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	5.9	1		11/01/16 17:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	5.9	1		11/01/16 17:30	10061-02-6	
Diisopropyl ether	ND	ug/kg	5.9	1		11/01/16 17:30	108-20-3	
Ethylbenzene	ND	ug/kg	5.9	1		11/01/16 17:30	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	5.9	1		11/01/16 17:30	87-68-3	
2-Hexanone	ND	ug/kg	59.1	1		11/01/16 17:30	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	5.9	1		11/01/16 17:30	98-82-8	
p-Isopropyltoluene	ND	ug/kg	5.9	1		11/01/16 17:30	99-87-6	
Methylene Chloride	ND	ug/kg	23.7	1		11/01/16 17:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	59.1	1		11/01/16 17:30	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	5.9	1		11/01/16 17:30	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Sample: 167-SB-1-8-10 Lab ID: 92317872001 Collected: 10/27/16 13:30 Received: 10/31/16 08:52 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Naphthalene	ND	ug/kg	5.9	1		11/01/16 17:30	91-20-3	
n-Propylbenzene	ND	ug/kg	5.9	1		11/01/16 17:30	103-65-1	
Styrene	ND	ug/kg	5.9	1		11/01/16 17:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.9	1		11/01/16 17:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/kg	5.9	1		11/01/16 17:30	79-34-5	
Tetrachloroethene	ND	ug/kg	5.9	1		11/01/16 17:30	127-18-4	
Toluene	ND	ug/kg	5.9	1		11/01/16 17:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	5.9	1		11/01/16 17:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	5.9	1		11/01/16 17:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	5.9	1		11/01/16 17:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	5.9	1		11/01/16 17:30	79-00-5	
Trichloroethene	ND	ug/kg	5.9	1		11/01/16 17:30	79-01-6	
Trichlorofluoromethane	ND	ug/kg	5.9	1		11/01/16 17:30	75-69-4	
1,2,3-Trichloroproppane	ND	ug/kg	5.9	1		11/01/16 17:30	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	5.9	1		11/01/16 17:30	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	5.9	1		11/01/16 17:30	108-67-8	
Vinyl acetate	ND	ug/kg	59.1	1		11/01/16 17:30	108-05-4	
Vinyl chloride	ND	ug/kg	11.8	1		11/01/16 17:30	75-01-4	
Xylene (Total)	ND	ug/kg	11.8	1		11/01/16 17:30	1330-20-7	
m&p-Xylene	ND	ug/kg	11.8	1		11/01/16 17:30	179601-23-1	
o-Xylene	ND	ug/kg	5.9	1		11/01/16 17:30	95-47-6	
Surrogates								
Toluene-d8 (S)	101	%	70-130	1		11/01/16 17:30	2037-26-5	
4-Bromofluorobenzene (S)	96	%	70-130	1		11/01/16 17:30	460-00-4	
1,2-Dichloroethane-d4 (S)	120	%	70-132	1		11/01/16 17:30	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	12.1	%	0.10	1		11/01/16 11:49		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Sample: 167-SB-2-8-10 Lab ID: 92317872002 Collected: 10/27/16 13:35 Received: 10/31/16 08:52 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	114	1		11/01/16 17:50	67-64-1	
Benzene	ND	ug/kg	5.7	1		11/01/16 17:50	71-43-2	
Bromobenzene	ND	ug/kg	5.7	1		11/01/16 17:50	108-86-1	
Bromochloromethane	ND	ug/kg	5.7	1		11/01/16 17:50	74-97-5	
Bromodichloromethane	ND	ug/kg	5.7	1		11/01/16 17:50	75-27-4	
Bromoform	ND	ug/kg	5.7	1		11/01/16 17:50	75-25-2	
Bromomethane	ND	ug/kg	11.4	1		11/01/16 17:50	74-83-9	
2-Butanone (MEK)	ND	ug/kg	114	1		11/01/16 17:50	78-93-3	
n-Butylbenzene	ND	ug/kg	5.7	1		11/01/16 17:50	104-51-8	
sec-Butylbenzene	ND	ug/kg	5.7	1		11/01/16 17:50	135-98-8	
tert-Butylbenzene	ND	ug/kg	5.7	1		11/01/16 17:50	98-06-6	
Carbon tetrachloride	ND	ug/kg	5.7	1		11/01/16 17:50	56-23-5	
Chlorobenzene	ND	ug/kg	5.7	1		11/01/16 17:50	108-90-7	
Chloroethane	ND	ug/kg	11.4	1		11/01/16 17:50	75-00-3	
Chloroform	ND	ug/kg	5.7	1		11/01/16 17:50	67-66-3	
Chloromethane	ND	ug/kg	11.4	1		11/01/16 17:50	74-87-3	
2-Chlorotoluene	ND	ug/kg	5.7	1		11/01/16 17:50	95-49-8	
4-Chlorotoluene	ND	ug/kg	5.7	1		11/01/16 17:50	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	5.7	1		11/01/16 17:50	96-12-8	
Dibromochloromethane	ND	ug/kg	5.7	1		11/01/16 17:50	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	5.7	1		11/01/16 17:50	106-93-4	
Dibromomethane	ND	ug/kg	5.7	1		11/01/16 17:50	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	5.7	1		11/01/16 17:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	5.7	1		11/01/16 17:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	5.7	1		11/01/16 17:50	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	11.4	1		11/01/16 17:50	75-71-8	
1,1-Dichloroethane	ND	ug/kg	5.7	1		11/01/16 17:50	75-34-3	
1,2-Dichloroethane	ND	ug/kg	5.7	1		11/01/16 17:50	107-06-2	
1,1-Dichloroethene	ND	ug/kg	5.7	1		11/01/16 17:50	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	5.7	1		11/01/16 17:50	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	5.7	1		11/01/16 17:50	156-60-5	
1,2-Dichloropropane	ND	ug/kg	5.7	1		11/01/16 17:50	78-87-5	
1,3-Dichloropropane	ND	ug/kg	5.7	1		11/01/16 17:50	142-28-9	
2,2-Dichloropropane	ND	ug/kg	5.7	1		11/01/16 17:50	594-20-7	
1,1-Dichloropropene	ND	ug/kg	5.7	1		11/01/16 17:50	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	5.7	1		11/01/16 17:50	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	5.7	1		11/01/16 17:50	10061-02-6	
Diisopropyl ether	ND	ug/kg	5.7	1		11/01/16 17:50	108-20-3	
Ethylbenzene	ND	ug/kg	5.7	1		11/01/16 17:50	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	5.7	1		11/01/16 17:50	87-68-3	
2-Hexanone	ND	ug/kg	57.1	1		11/01/16 17:50	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	5.7	1		11/01/16 17:50	98-82-8	
p-Isopropyltoluene	ND	ug/kg	5.7	1		11/01/16 17:50	99-87-6	
Methylene Chloride	ND	ug/kg	22.8	1		11/01/16 17:50	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	57.1	1		11/01/16 17:50	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	5.7	1		11/01/16 17:50	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Sample: 167-SB-2-8-10 Lab ID: 92317872002 Collected: 10/27/16 13:35 Received: 10/31/16 08:52 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Naphthalene	ND	ug/kg	5.7	1		11/01/16 17:50	91-20-3	
n-Propylbenzene	ND	ug/kg	5.7	1		11/01/16 17:50	103-65-1	
Styrene	ND	ug/kg	5.7	1		11/01/16 17:50	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.7	1		11/01/16 17:50	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/kg	5.7	1		11/01/16 17:50	79-34-5	
Tetrachloroethene	ND	ug/kg	5.7	1		11/01/16 17:50	127-18-4	
Toluene	ND	ug/kg	5.7	1		11/01/16 17:50	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	5.7	1		11/01/16 17:50	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	5.7	1		11/01/16 17:50	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	5.7	1		11/01/16 17:50	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	5.7	1		11/01/16 17:50	79-00-5	
Trichloroethene	ND	ug/kg	5.7	1		11/01/16 17:50	79-01-6	
Trichlorofluoromethane	ND	ug/kg	5.7	1		11/01/16 17:50	75-69-4	
1,2,3-Trichloroproppane	ND	ug/kg	5.7	1		11/01/16 17:50	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	5.7	1		11/01/16 17:50	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	5.7	1		11/01/16 17:50	108-67-8	
Vinyl acetate	ND	ug/kg	57.1	1		11/01/16 17:50	108-05-4	
Vinyl chloride	ND	ug/kg	11.4	1		11/01/16 17:50	75-01-4	
Xylene (Total)	ND	ug/kg	11.4	1		11/01/16 17:50	1330-20-7	
m&p-Xylene	ND	ug/kg	11.4	1		11/01/16 17:50	179601-23-1	
o-Xylene	ND	ug/kg	5.7	1		11/01/16 17:50	95-47-6	
Surrogates								
Toluene-d8 (S)	102	%	70-130	1		11/01/16 17:50	2037-26-5	
4-Bromofluorobenzene (S)	98	%	70-130	1		11/01/16 17:50	460-00-4	
1,2-Dichloroethane-d4 (S)	119	%	70-132	1		11/01/16 17:50	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	12.2	%	0.10	1		11/01/16 11:50		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Sample: 167-SB-3-8-10 Lab ID: 92317872003 Collected: 10/27/16 13:40 Received: 10/31/16 08:52 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	119	1		11/01/16 18:09	67-64-1	
Benzene	ND	ug/kg	6.0	1		11/01/16 18:09	71-43-2	
Bromobenzene	ND	ug/kg	6.0	1		11/01/16 18:09	108-86-1	
Bromochloromethane	ND	ug/kg	6.0	1		11/01/16 18:09	74-97-5	
Bromodichloromethane	ND	ug/kg	6.0	1		11/01/16 18:09	75-27-4	
Bromoform	ND	ug/kg	6.0	1		11/01/16 18:09	75-25-2	
Bromomethane	ND	ug/kg	11.9	1		11/01/16 18:09	74-83-9	
2-Butanone (MEK)	ND	ug/kg	119	1		11/01/16 18:09	78-93-3	
n-Butylbenzene	ND	ug/kg	6.0	1		11/01/16 18:09	104-51-8	
sec-Butylbenzene	ND	ug/kg	6.0	1		11/01/16 18:09	135-98-8	
tert-Butylbenzene	ND	ug/kg	6.0	1		11/01/16 18:09	98-06-6	
Carbon tetrachloride	ND	ug/kg	6.0	1		11/01/16 18:09	56-23-5	
Chlorobenzene	ND	ug/kg	6.0	1		11/01/16 18:09	108-90-7	
Chloroethane	ND	ug/kg	11.9	1		11/01/16 18:09	75-00-3	
Chloroform	ND	ug/kg	6.0	1		11/01/16 18:09	67-66-3	
Chloromethane	ND	ug/kg	11.9	1		11/01/16 18:09	74-87-3	
2-Chlorotoluene	ND	ug/kg	6.0	1		11/01/16 18:09	95-49-8	
4-Chlorotoluene	ND	ug/kg	6.0	1		11/01/16 18:09	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	6.0	1		11/01/16 18:09	96-12-8	
Dibromochloromethane	ND	ug/kg	6.0	1		11/01/16 18:09	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	6.0	1		11/01/16 18:09	106-93-4	
Dibromomethane	ND	ug/kg	6.0	1		11/01/16 18:09	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	6.0	1		11/01/16 18:09	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	6.0	1		11/01/16 18:09	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	6.0	1		11/01/16 18:09	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	11.9	1		11/01/16 18:09	75-71-8	
1,1-Dichloroethane	ND	ug/kg	6.0	1		11/01/16 18:09	75-34-3	
1,2-Dichloroethane	ND	ug/kg	6.0	1		11/01/16 18:09	107-06-2	
1,1-Dichloroethene	ND	ug/kg	6.0	1		11/01/16 18:09	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	6.0	1		11/01/16 18:09	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	6.0	1		11/01/16 18:09	156-60-5	
1,2-Dichloropropane	ND	ug/kg	6.0	1		11/01/16 18:09	78-87-5	
1,3-Dichloropropane	ND	ug/kg	6.0	1		11/01/16 18:09	142-28-9	
2,2-Dichloropropane	ND	ug/kg	6.0	1		11/01/16 18:09	594-20-7	
1,1-Dichloropropene	ND	ug/kg	6.0	1		11/01/16 18:09	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	6.0	1		11/01/16 18:09	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	6.0	1		11/01/16 18:09	10061-02-6	
Diisopropyl ether	ND	ug/kg	6.0	1		11/01/16 18:09	108-20-3	
Ethylbenzene	ND	ug/kg	6.0	1		11/01/16 18:09	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	6.0	1		11/01/16 18:09	87-68-3	
2-Hexanone	ND	ug/kg	59.7	1		11/01/16 18:09	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	6.0	1		11/01/16 18:09	98-82-8	
p-Isopropyltoluene	ND	ug/kg	6.0	1		11/01/16 18:09	99-87-6	
Methylene Chloride	ND	ug/kg	23.9	1		11/01/16 18:09	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	59.7	1		11/01/16 18:09	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	6.0	1		11/01/16 18:09	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Sample: 167-SB-3-8-10 Lab ID: 92317872003 Collected: 10/27/16 13:40 Received: 10/31/16 08:52 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Naphthalene	ND	ug/kg	6.0	1		11/01/16 18:09	91-20-3	
n-Propylbenzene	ND	ug/kg	6.0	1		11/01/16 18:09	103-65-1	
Styrene	ND	ug/kg	6.0	1		11/01/16 18:09	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	6.0	1		11/01/16 18:09	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/kg	6.0	1		11/01/16 18:09	79-34-5	
Tetrachloroethene	ND	ug/kg	6.0	1		11/01/16 18:09	127-18-4	
Toluene	ND	ug/kg	6.0	1		11/01/16 18:09	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	6.0	1		11/01/16 18:09	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	6.0	1		11/01/16 18:09	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	6.0	1		11/01/16 18:09	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	6.0	1		11/01/16 18:09	79-00-5	
Trichloroethene	ND	ug/kg	6.0	1		11/01/16 18:09	79-01-6	
Trichlorofluoromethane	ND	ug/kg	6.0	1		11/01/16 18:09	75-69-4	
1,2,3-Trichloroproppane	ND	ug/kg	6.0	1		11/01/16 18:09	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	6.0	1		11/01/16 18:09	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	6.0	1		11/01/16 18:09	108-67-8	
Vinyl acetate	ND	ug/kg	59.7	1		11/01/16 18:09	108-05-4	
Vinyl chloride	ND	ug/kg	11.9	1		11/01/16 18:09	75-01-4	
Xylene (Total)	ND	ug/kg	11.9	1		11/01/16 18:09	1330-20-7	
m&p-Xylene	ND	ug/kg	11.9	1		11/01/16 18:09	179601-23-1	
o-Xylene	ND	ug/kg	6.0	1		11/01/16 18:09	95-47-6	
Surrogates								
Toluene-d8 (S)	102	%	70-130	1		11/01/16 18:09	2037-26-5	
4-Bromofluorobenzene (S)	95	%	70-130	1		11/01/16 18:09	460-00-4	
1,2-Dichloroethane-d4 (S)	117	%	70-132	1		11/01/16 18:09	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	9.3	%	0.10	1		11/01/16 11:50		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Sample: 167-SB-4-8-10 Lab ID: 92317872004 Collected: 10/27/16 13:45 Received: 10/31/16 08:52 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics		Analytical Method: EPA 8260						
Acetone	ND	ug/kg	118	1		11/02/16 17:16	67-64-1	
Benzene	ND	ug/kg	5.9	1		11/02/16 17:16	71-43-2	
Bromobenzene	ND	ug/kg	5.9	1		11/02/16 17:16	108-86-1	
Bromochloromethane	ND	ug/kg	5.9	1		11/02/16 17:16	74-97-5	
Bromodichloromethane	ND	ug/kg	5.9	1		11/02/16 17:16	75-27-4	
Bromoform	ND	ug/kg	5.9	1		11/02/16 17:16	75-25-2	
Bromomethane	ND	ug/kg	11.8	1		11/02/16 17:16	74-83-9	
2-Butanone (MEK)	ND	ug/kg	118	1		11/02/16 17:16	78-93-3	
n-Butylbenzene	ND	ug/kg	5.9	1		11/02/16 17:16	104-51-8	
sec-Butylbenzene	ND	ug/kg	5.9	1		11/02/16 17:16	135-98-8	
tert-Butylbenzene	ND	ug/kg	5.9	1		11/02/16 17:16	98-06-6	
Carbon tetrachloride	ND	ug/kg	5.9	1		11/02/16 17:16	56-23-5	
Chlorobenzene	ND	ug/kg	5.9	1		11/02/16 17:16	108-90-7	
Chloroethane	ND	ug/kg	11.8	1		11/02/16 17:16	75-00-3	
Chloroform	ND	ug/kg	5.9	1		11/02/16 17:16	67-66-3	
Chloromethane	ND	ug/kg	11.8	1		11/02/16 17:16	74-87-3	
2-Chlorotoluene	ND	ug/kg	5.9	1		11/02/16 17:16	95-49-8	
4-Chlorotoluene	ND	ug/kg	5.9	1		11/02/16 17:16	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/kg	5.9	1		11/02/16 17:16	96-12-8	
Dibromochloromethane	ND	ug/kg	5.9	1		11/02/16 17:16	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/kg	5.9	1		11/02/16 17:16	106-93-4	
Dibromomethane	ND	ug/kg	5.9	1		11/02/16 17:16	74-95-3	
1,2-Dichlorobenzene	ND	ug/kg	5.9	1		11/02/16 17:16	95-50-1	
1,3-Dichlorobenzene	ND	ug/kg	5.9	1		11/02/16 17:16	541-73-1	
1,4-Dichlorobenzene	ND	ug/kg	5.9	1		11/02/16 17:16	106-46-7	
Dichlorodifluoromethane	ND	ug/kg	11.8	1		11/02/16 17:16	75-71-8	
1,1-Dichloroethane	ND	ug/kg	5.9	1		11/02/16 17:16	75-34-3	
1,2-Dichloroethane	ND	ug/kg	5.9	1		11/02/16 17:16	107-06-2	
1,1-Dichloroethene	ND	ug/kg	5.9	1		11/02/16 17:16	75-35-4	
cis-1,2-Dichloroethene	ND	ug/kg	5.9	1		11/02/16 17:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/kg	5.9	1		11/02/16 17:16	156-60-5	
1,2-Dichloropropane	ND	ug/kg	5.9	1		11/02/16 17:16	78-87-5	
1,3-Dichloropropane	ND	ug/kg	5.9	1		11/02/16 17:16	142-28-9	
2,2-Dichloropropane	ND	ug/kg	5.9	1		11/02/16 17:16	594-20-7	
1,1-Dichloropropene	ND	ug/kg	5.9	1		11/02/16 17:16	563-58-6	
cis-1,3-Dichloropropene	ND	ug/kg	5.9	1		11/02/16 17:16	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/kg	5.9	1		11/02/16 17:16	10061-02-6	
Diisopropyl ether	ND	ug/kg	5.9	1		11/02/16 17:16	108-20-3	
Ethylbenzene	ND	ug/kg	5.9	1		11/02/16 17:16	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/kg	5.9	1		11/02/16 17:16	87-68-3	
2-Hexanone	ND	ug/kg	58.9	1		11/02/16 17:16	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/kg	5.9	1		11/02/16 17:16	98-82-8	
p-Isopropyltoluene	ND	ug/kg	5.9	1		11/02/16 17:16	99-87-6	
Methylene Chloride	ND	ug/kg	23.6	1		11/02/16 17:16	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/kg	58.9	1		11/02/16 17:16	108-10-1	
Methyl-tert-butyl ether	ND	ug/kg	5.9	1		11/02/16 17:16	1634-04-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Sample: 167-SB-4-8-10 Lab ID: 92317872004 Collected: 10/27/16 13:45 Received: 10/31/16 08:52 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260/5035A Volatile Organics	Analytical Method: EPA 8260							
Naphthalene	ND	ug/kg	5.9	1		11/02/16 17:16	91-20-3	
n-Propylbenzene	ND	ug/kg	5.9	1		11/02/16 17:16	103-65-1	
Styrene	ND	ug/kg	5.9	1		11/02/16 17:16	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/kg	5.9	1		11/02/16 17:16	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/kg	5.9	1		11/02/16 17:16	79-34-5	
Tetrachloroethene	ND	ug/kg	5.9	1		11/02/16 17:16	127-18-4	
Toluene	ND	ug/kg	5.9	1		11/02/16 17:16	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/kg	5.9	1		11/02/16 17:16	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/kg	5.9	1		11/02/16 17:16	120-82-1	
1,1,1-Trichloroethane	ND	ug/kg	5.9	1		11/02/16 17:16	71-55-6	
1,1,2-Trichloroethane	ND	ug/kg	5.9	1		11/02/16 17:16	79-00-5	
Trichloroethene	ND	ug/kg	5.9	1		11/02/16 17:16	79-01-6	
Trichlorofluoromethane	ND	ug/kg	5.9	1		11/02/16 17:16	75-69-4	
1,2,3-Trichloroproppane	ND	ug/kg	5.9	1		11/02/16 17:16	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/kg	5.9	1		11/02/16 17:16	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/kg	5.9	1		11/02/16 17:16	108-67-8	
Vinyl acetate	ND	ug/kg	58.9	1		11/02/16 17:16	108-05-4	
Vinyl chloride	ND	ug/kg	11.8	1		11/02/16 17:16	75-01-4	
Xylene (Total)	ND	ug/kg	11.8	1		11/02/16 17:16	1330-20-7	
m&p-Xylene	ND	ug/kg	11.8	1		11/02/16 17:16	179601-23-1	
o-Xylene	ND	ug/kg	5.9	1		11/02/16 17:16	95-47-6	
Surrogates								
Toluene-d8 (S)	100	%	70-130	1		11/02/16 17:16	2037-26-5	
4-Bromofluorobenzene (S)	94	%	70-130	1		11/02/16 17:16	460-00-4	
1,2-Dichloroethane-d4 (S)	117	%	70-132	1		11/02/16 17:16	17060-07-0	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	10.1	%	0.10	1		11/01/16 11:50		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

QC Batch:	335217	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV 5035A Volatile Organics
Associated Lab Samples:	92317872001, 92317872002, 92317872003		

METHOD BLANK: 1858123 Matrix: Solid

Associated Lab Samples: 92317872001, 92317872002, 92317872003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	5.1	11/01/16 11:53	
1,1,1-Trichloroethane	ug/kg	ND	5.1	11/01/16 11:53	
1,1,2,2-Tetrachloroethane	ug/kg	ND	5.1	11/01/16 11:53	
1,1,2-Trichloroethane	ug/kg	ND	5.1	11/01/16 11:53	
1,1-Dichloroethane	ug/kg	ND	5.1	11/01/16 11:53	
1,1-Dichloroethene	ug/kg	ND	5.1	11/01/16 11:53	
1,1-Dichloropropene	ug/kg	ND	5.1	11/01/16 11:53	
1,2,3-Trichlorobenzene	ug/kg	ND	5.1	11/01/16 11:53	
1,2,3-Trichloropropane	ug/kg	ND	5.1	11/01/16 11:53	
1,2,4-Trichlorobenzene	ug/kg	ND	5.1	11/01/16 11:53	
1,2,4-Trimethylbenzene	ug/kg	ND	5.1	11/01/16 11:53	
1,2-Dibromo-3-chloropropane	ug/kg	ND	5.1	11/01/16 11:53	
1,2-Dibromoethane (EDB)	ug/kg	ND	5.1	11/01/16 11:53	
1,2-Dichlorobenzene	ug/kg	ND	5.1	11/01/16 11:53	
1,2-Dichloroethane	ug/kg	ND	5.1	11/01/16 11:53	
1,2-Dichloropropane	ug/kg	ND	5.1	11/01/16 11:53	
1,3,5-Trimethylbenzene	ug/kg	ND	5.1	11/01/16 11:53	
1,3-Dichlorobenzene	ug/kg	ND	5.1	11/01/16 11:53	
1,3-Dichloropropane	ug/kg	ND	5.1	11/01/16 11:53	
1,4-Dichlorobenzene	ug/kg	ND	5.1	11/01/16 11:53	
2,2-Dichloropropane	ug/kg	ND	5.1	11/01/16 11:53	
2-Butanone (MEK)	ug/kg	ND	102	11/01/16 11:53	
2-Chlorotoluene	ug/kg	ND	5.1	11/01/16 11:53	
2-Hexanone	ug/kg	ND	51.1	11/01/16 11:53	
4-Chlorotoluene	ug/kg	ND	5.1	11/01/16 11:53	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	51.1	11/01/16 11:53	
Acetone	ug/kg	ND	102	11/01/16 11:53	
Benzene	ug/kg	ND	5.1	11/01/16 11:53	
Bromobenzene	ug/kg	ND	5.1	11/01/16 11:53	
Bromochloromethane	ug/kg	ND	5.1	11/01/16 11:53	
Bromodichloromethane	ug/kg	ND	5.1	11/01/16 11:53	
Bromoform	ug/kg	ND	5.1	11/01/16 11:53	
Bromomethane	ug/kg	ND	10.2	11/01/16 11:53	
Carbon tetrachloride	ug/kg	ND	5.1	11/01/16 11:53	
Chlorobenzene	ug/kg	ND	5.1	11/01/16 11:53	
Chloroethane	ug/kg	ND	10.2	11/01/16 11:53	
Chloroform	ug/kg	ND	5.1	11/01/16 11:53	
Chloromethane	ug/kg	ND	10.2	11/01/16 11:53	
cis-1,2-Dichloroethene	ug/kg	ND	5.1	11/01/16 11:53	
cis-1,3-Dichloropropene	ug/kg	ND	5.1	11/01/16 11:53	
Dibromochloromethane	ug/kg	ND	5.1	11/01/16 11:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

METHOD BLANK: 1858123

Matrix: Solid

Associated Lab Samples: 92317872001, 92317872002, 92317872003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/kg	ND	5.1	11/01/16 11:53	
Dichlorodifluoromethane	ug/kg	ND	10.2	11/01/16 11:53	
Diisopropyl ether	ug/kg	ND	5.1	11/01/16 11:53	
Ethylbenzene	ug/kg	ND	5.1	11/01/16 11:53	
Hexachloro-1,3-butadiene	ug/kg	ND	5.1	11/01/16 11:53	
Isopropylbenzene (Cumene)	ug/kg	ND	5.1	11/01/16 11:53	
m&p-Xylene	ug/kg	ND	10.2	11/01/16 11:53	
Methyl-tert-butyl ether	ug/kg	ND	5.1	11/01/16 11:53	
Methylene Chloride	ug/kg	ND	20.4	11/01/16 11:53	
n-Butylbenzene	ug/kg	ND	5.1	11/01/16 11:53	
n-Propylbenzene	ug/kg	ND	5.1	11/01/16 11:53	
Naphthalene	ug/kg	ND	5.1	11/01/16 11:53	
o-Xylene	ug/kg	ND	5.1	11/01/16 11:53	
p-Isopropyltoluene	ug/kg	ND	5.1	11/01/16 11:53	
sec-Butylbenzene	ug/kg	ND	5.1	11/01/16 11:53	
Styrene	ug/kg	ND	5.1	11/01/16 11:53	
tert-Butylbenzene	ug/kg	ND	5.1	11/01/16 11:53	
Tetrachloroethene	ug/kg	ND	5.1	11/01/16 11:53	
Toluene	ug/kg	ND	5.1	11/01/16 11:53	
trans-1,2-Dichloroethene	ug/kg	ND	5.1	11/01/16 11:53	
trans-1,3-Dichloropropene	ug/kg	ND	5.1	11/01/16 11:53	
Trichloroethene	ug/kg	ND	5.1	11/01/16 11:53	
Trichlorofluoromethane	ug/kg	ND	5.1	11/01/16 11:53	
Vinyl acetate	ug/kg	ND	51.1	11/01/16 11:53	
Vinyl chloride	ug/kg	ND	10.2	11/01/16 11:53	
Xylene (Total)	ug/kg	ND	10.2	11/01/16 11:53	
1,2-Dichloroethane-d4 (S)	%	125	70-132	11/01/16 11:53	
4-Bromofluorobenzene (S)	%	95	70-130	11/01/16 11:53	
Toluene-d8 (S)	%	102	70-130	11/01/16 11:53	

LABORATORY CONTROL SAMPLE: 1858124

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	54.2	59.3	109	74-137	
1,1,1-Trichloroethane	ug/kg	54.2	60.8	112	67-140	
1,1,2,2-Tetrachloroethane	ug/kg	54.2	59.6	110	72-141	
1,1,2-Trichloroethane	ug/kg	54.2	63.7	117	78-138	
1,1-Dichloroethane	ug/kg	54.2	61.4	113	69-134	
1,1-Dichloroethene	ug/kg	54.2	62.2	115	67-138	
1,1-Dichloropropene	ug/kg	54.2	59.5	110	69-139	
1,2,3-Trichlorobenzene	ug/kg	54.2	63.7	118	70-146	
1,2,3-Trichloropropane	ug/kg	54.2	66.4	122	69-144	
1,2,4-Trichlorobenzene	ug/kg	54.2	60.1	111	68-148	
1,2,4-Trimethylbenzene	ug/kg	54.2	59.8	110	74-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

LABORATORY CONTROL SAMPLE: 1858124

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/kg	54.2	69.7	129	65-140	
1,2-Dibromoethane (EDB)	ug/kg	54.2	63.8	118	77-135	
1,2-Dichlorobenzene	ug/kg	54.2	62.6	115	77-141	
1,2-Dichloroethane	ug/kg	54.2	65.5	121	65-137	
1,2-Dichloropropane	ug/kg	54.2	59.8	110	72-136	
1,3,5-Trimethylbenzene	ug/kg	54.2	58.5	108	76-133	
1,3-Dichlorobenzene	ug/kg	54.2	60.2	111	74-138	
1,3-Dichloropropane	ug/kg	54.2	60.7	112	71-139	
1,4-Dichlorobenzene	ug/kg	54.2	59.8	110	76-138	
2,2-Dichloropropane	ug/kg	54.2	63.0	116	68-137	
2-Butanone (MEK)	ug/kg	108	138	127	58-147	
2-Chlorotoluene	ug/kg	54.2	61.1	113	73-139	
2-Hexanone	ug/kg	108	140	129	62-145	
4-Chlorotoluene	ug/kg	54.2	59.7	110	76-141	
4-Methyl-2-pentanone (MIBK)	ug/kg	108	146	135	64-149	
Acetone	ug/kg	108	150	138	53-153	
Benzene	ug/kg	54.2	61.3	113	73-135	
Bromobenzene	ug/kg	54.2	61.5	113	75-133	
Bromochloromethane	ug/kg	54.2	67.2	124	73-134	
Bromodichloromethane	ug/kg	54.2	64.1	118	71-135	
Bromoform	ug/kg	54.2	61.7	114	66-141	
Bromomethane	ug/kg	54.2	63.2	116	53-160	
Carbon tetrachloride	ug/kg	54.2	59.1	109	60-145	
Chlorobenzene	ug/kg	54.2	58.0	107	78-130	
Chloroethane	ug/kg	54.2	62.4	115	64-149	
Chloroform	ug/kg	54.2	63.4	117	70-134	
Chloromethane	ug/kg	54.2	65.4	121	52-150	
cis-1,2-Dichloroethene	ug/kg	54.2	67.2	124	70-133	
cis-1,3-Dichloropropene	ug/kg	54.2	61.6	114	68-134	
Dibromochloromethane	ug/kg	54.2	64.8	120	71-138	
Dibromomethane	ug/kg	54.2	61.8	114	74-130	
Dichlorodifluoromethane	ug/kg	54.2	65.0	120	40-160	
Diisopropyl ether	ug/kg	54.2	67.5	124	69-141	
Ethylbenzene	ug/kg	54.2	58.1	107	75-133	
Hexachloro-1,3-butadiene	ug/kg	54.2	56.2	104	68-143	
Isopropylbenzene (Cumene)	ug/kg	54.2	58.2	107	76-143	
m&p-Xylene	ug/kg	108	119	110	75-136	
Methyl-tert-butyl ether	ug/kg	54.2	66.5	123	68-144	
Methylene Chloride	ug/kg	54.2	68.5	126	45-154	
n-Butylbenzene	ug/kg	54.2	59.0	109	72-137	
n-Propylbenzene	ug/kg	54.2	58.5	108	76-136	
Naphthalene	ug/kg	54.2	67.0	124	68-151	
o-Xylene	ug/kg	54.2	59.2	109	76-141	
p-Isopropyltoluene	ug/kg	54.2	58.2	107	76-140	
sec-Butylbenzene	ug/kg	54.2	58.5	108	79-139	
Styrene	ug/kg	54.2	59.3	109	79-137	
tert-Butylbenzene	ug/kg	54.2	52.8	97	74-143	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

LABORATORY CONTROL SAMPLE: 1858124

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tetrachloroethene	ug/kg	54.2	49.5	91	71-138	
Toluene	ug/kg	54.2	59.8	110	74-131	
trans-1,2-Dichloroethene	ug/kg	54.2	61.3	113	67-135	
trans-1,3-Dichloropropene	ug/kg	54.2	62.8	116	65-146	
Trichloroethene	ug/kg	54.2	61.2	113	67-135	
Trichlorofluoromethane	ug/kg	54.2	63.4	117	59-144	
Vinyl acetate	ug/kg	108	103	95	40-160	
Vinyl chloride	ug/kg	54.2	59.0	109	56-141	
Xylene (Total)	ug/kg	163	178	110	76-137	
1,2-Dichloroethane-d4 (S)	%			118	70-132	
4-Bromofluorobenzene (S)	%			98	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE SAMPLE: 1858924

Parameter	Units	92317912001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	18.6	15.8	85	70-130	
1,1,1-Trichloroethane	ug/kg	ND	18.6	18.1	98	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	ND	18.6	16.9	91	70-130	
1,1,2-Trichloroethane	ug/kg	ND	18.6	17.4	94	70-130	
1,1-Dichloroethane	ug/kg	ND	18.6	18.7	101	70-130	
1,1-Dichloroethene	ug/kg	ND	18.6	19.5	105	49-180	
1,1-Dichloropropene	ug/kg	ND	18.6	18.0	97	70-130	
1,2,3-Trichlorobenzene	ug/kg	ND	18.6	14.4	78	70-130	
1,2,3-Trichloropropane	ug/kg	ND	18.6	18.0	97	70-130	
1,2,4-Trichlorobenzene	ug/kg	ND	18.6	14.2	77	70-130	
1,2,4-Trimethylbenzene	ug/kg	ND	18.6	17.8	96	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	ND	18.6	15.2	82	70-130	
1,2-Dibromoethane (EDB)	ug/kg	ND	18.6	17.9	97	70-130	
1,2-Dichlorobenzene	ug/kg	ND	18.6	17.3	93	70-130	
1,2-Dichloroethane	ug/kg	ND	18.6	19.5	105	70-130	
1,2-Dichloropropane	ug/kg	ND	18.6	17.1	92	70-130	
1,3,5-Trimethylbenzene	ug/kg	ND	18.6	17.8	96	70-130	
1,3-Dichlorobenzene	ug/kg	ND	18.6	16.5	89	70-130	
1,3-Dichloropropane	ug/kg	ND	18.6	17.0	92	70-130	
1,4-Dichlorobenzene	ug/kg	ND	18.6	16.5	89	70-130	
2,2-Dichloropropane	ug/kg	ND	18.6	18.3	99	70-130	
2-Butanone (MEK)	ug/kg	ND	37.1	38.2J	103	70-130	
2-Chlorotoluene	ug/kg	ND	18.6	16.5	89	70-130	
2-Hexanone	ug/kg	ND	37.1	32.1J	86	70-130	
4-Chlorotoluene	ug/kg	ND	18.6	17.4	94	70-130	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	37.1	36.6J	99	70-130	
Acetone	ug/kg	ND	37.1	40.4J	109	70-130	
Benzene	ug/kg	ND	18.6	18.5	100	50-166	
Bromobenzene	ug/kg	ND	18.6	18.0	97	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

MATRIX SPIKE SAMPLE:	1858924						
Parameter	Units	92317912001	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromochloromethane	ug/kg	ND	18.6	19.5	105	70-130	
Bromodichloromethane	ug/kg	ND	18.6	17.8	96	70-130	
Bromoform	ug/kg	ND	18.6	14.1	76	70-130	
Bromomethane	ug/kg	ND	18.6	17.1	92	70-130	
Carbon tetrachloride	ug/kg	ND	18.6	17.0	92	70-130	
Chlorobenzene	ug/kg	ND	18.6	17.2	93	43-169	
Chloroethane	ug/kg	ND	18.6	20.4	110	70-130	
Chloroform	ug/kg	ND	18.6	18.8	102	70-130	
Chloromethane	ug/kg	ND	18.6	19.5	105	70-130	
cis-1,2-Dichloroethene	ug/kg	ND	18.6	18.3	99	70-130	
cis-1,3-Dichloropropene	ug/kg	ND	18.6	16.5	89	70-130	
Dibromochloromethane	ug/kg	ND	18.6	16.6	90	70-130	
Dibromomethane	ug/kg	ND	18.6	18.1	97	70-130	
Dichlorodifluoromethane	ug/kg	ND	18.6	21.2	114	70-130	
Diisopropyl ether	ug/kg	ND	18.6	20.3	109	70-130	
Ethylbenzene	ug/kg	ND	18.6	18.0	97	70-130	
Hexachloro-1,3-butadiene	ug/kg	ND	18.6	14.1	76	70-130	
Isopropylbenzene (Cumene)	ug/kg	ND	18.6	17.8	96	70-130	
m&p-Xylene	ug/kg	ND	37.1	36.2	98	70-130	
Methyl-tert-butyl ether	ug/kg	ND	18.6	20.0	108	70-130	
Methylene Chloride	ug/kg	ND	18.6	23.6	69	70-130 M1	
n-Butylbenzene	ug/kg	ND	18.6	17.3	93	70-130	
n-Propylbenzene	ug/kg	ND	18.6	18.4	99	70-130	
Naphthalene	ug/kg	ND	18.6	16.4	88	70-130	
o-Xylene	ug/kg	ND	18.6	17.7	95	70-130	
p-Isopropyltoluene	ug/kg	ND	18.6	17.4	94	70-130	
sec-Butylbenzene	ug/kg	ND	18.6	18.2	98	70-130	
Styrene	ug/kg	ND	18.6	17.3	93	70-130	
tert-Butylbenzene	ug/kg	ND	18.6	16.3	88	70-130	
Tetrachloroethene	ug/kg	ND	18.6	14.9	81	70-130	
Toluene	ug/kg	ND	18.6	18.4	99	52-163	
trans-1,2-Dichloroethene	ug/kg	ND	18.6	19.4	104	70-130	
trans-1,3-Dichloropropene	ug/kg	ND	18.6	15.9	86	70-130	
Trichloroethene	ug/kg	ND	18.6	16.9	91	49-167	
Trichlorofluoromethane	ug/kg	ND	18.6	20.9	113	70-130	
Vinyl acetate	ug/kg	ND	37.1	20.9J	56	70-130 M1	
Vinyl chloride	ug/kg	ND	18.6	18.9	102	70-130	
1,2-Dichloroethane-d4 (S)	%				114	70-132	
4-Bromofluorobenzene (S)	%				98	70-130	
Toluene-d8 (S)	%				100	70-130	

SAMPLE DUPLICATE: 1858923

Parameter	Units	92317874002	Dup Result	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

SAMPLE DUPLICATE: 1858923

Parameter	Units	92317874002 Result	Dup Result	RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	ND	ND		
1,1,2,2-Tetrachloroethane	ug/kg	ND	ND		
1,1,2-Trichloroethane	ug/kg	ND	ND		
1,1-Dichloroethane	ug/kg	ND	ND		
1,1-Dichloroethene	ug/kg	ND	ND		
1,1-Dichloropropene	ug/kg	ND	ND		
1,2,3-Trichlorobenzene	ug/kg	ND	ND		
1,2,3-Trichloropropane	ug/kg	ND	ND		
1,2,4-Trichlorobenzene	ug/kg	ND	ND		
1,2,4-Trimethylbenzene	ug/kg	ND	ND		
1,2-Dibromo-3-chloropropane	ug/kg	ND	ND		
1,2-Dibromoethane (EDB)	ug/kg	ND	ND		
1,2-Dichlorobenzene	ug/kg	ND	ND		
1,2-Dichloroethane	ug/kg	ND	ND		
1,2-Dichloropropane	ug/kg	ND	ND		
1,3,5-Trimethylbenzene	ug/kg	ND	ND		
1,3-Dichlorobenzene	ug/kg	ND	ND		
1,3-Dichloropropane	ug/kg	ND	ND		
1,4-Dichlorobenzene	ug/kg	ND	ND		
2,2-Dichloropropane	ug/kg	ND	ND		
2-Butanone (MEK)	ug/kg	ND	ND		
2-Chlorotoluene	ug/kg	ND	ND		
2-Hexanone	ug/kg	ND	ND		
4-Chlorotoluene	ug/kg	ND	ND		
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	ND		
Acetone	ug/kg	ND	ND		
Benzene	ug/kg	ND	ND		
Bromobenzene	ug/kg	ND	ND		
Bromochloromethane	ug/kg	ND	ND		
Bromodichloromethane	ug/kg	ND	ND		
Bromoform	ug/kg	ND	ND		
Bromomethane	ug/kg	ND	ND		
Carbon tetrachloride	ug/kg	ND	ND		
Chlorobenzene	ug/kg	ND	ND		
Chloroethane	ug/kg	ND	ND		
Chloroform	ug/kg	ND	ND		
Chloromethane	ug/kg	ND	ND		
cis-1,2-Dichloroethene	ug/kg	ND	ND		
cis-1,3-Dichloropropene	ug/kg	ND	ND		
Dibromochloromethane	ug/kg	ND	ND		
Dibromomethane	ug/kg	ND	ND		
Dichlorodifluoromethane	ug/kg	ND	ND		
Diisopropyl ether	ug/kg	ND	ND		
Ethylbenzene	ug/kg	ND	ND		
Hexachloro-1,3-butadiene	ug/kg	ND	ND		
Isopropylbenzene (Cumene)	ug/kg	ND	ND		
m&p-Xylene	ug/kg	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

SAMPLE DUPLICATE: 1858923

Parameter	Units	92317874002 Result	Dup Result	RPD	Qualifiers
Methyl-tert-butyl ether	ug/kg	ND	ND		
Methylene Chloride	ug/kg	ND	ND		
n-Butylbenzene	ug/kg	ND	ND		
n-Propylbenzene	ug/kg	ND	ND		
Naphthalene	ug/kg	ND	ND		
o-Xylene	ug/kg	ND	ND		
p-Isopropyltoluene	ug/kg	ND	ND		
sec-Butylbenzene	ug/kg	ND	ND		
Styrene	ug/kg	ND	ND		
tert-Butylbenzene	ug/kg	ND	ND		
Tetrachloroethene	ug/kg	ND	ND		
Toluene	ug/kg	ND	ND		
trans-1,2-Dichloroethene	ug/kg	ND	ND		
trans-1,3-Dichloropropene	ug/kg	ND	ND		
Trichloroethene	ug/kg	ND	ND		
Trichlorofluoromethane	ug/kg	ND	ND		
Vinyl acetate	ug/kg	ND	ND		
Vinyl chloride	ug/kg	ND	ND		
Xylene (Total)	ug/kg	ND	ND		
1,2-Dichloroethane-d4 (S)	%	117	110	26	
4-Bromofluorobenzene (S)	%	96	95	20	
Toluene-d8 (S)	%	103	101	22	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

QC Batch:	335373	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV 5035A Volatile Organics
Associated Lab Samples:	92317872004		

METHOD BLANK: 1859105 Matrix: Solid

Associated Lab Samples: 92317872004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	4.7	11/02/16 12:39	
1,1,1-Trichloroethane	ug/kg	ND	4.7	11/02/16 12:39	
1,1,2,2-Tetrachloroethane	ug/kg	ND	4.7	11/02/16 12:39	
1,1,2-Trichloroethane	ug/kg	ND	4.7	11/02/16 12:39	
1,1-Dichloroethane	ug/kg	ND	4.7	11/02/16 12:39	
1,1-Dichloroethene	ug/kg	ND	4.7	11/02/16 12:39	
1,1-Dichloropropene	ug/kg	ND	4.7	11/02/16 12:39	
1,2,3-Trichlorobenzene	ug/kg	ND	4.7	11/02/16 12:39	
1,2,3-Trichloropropane	ug/kg	ND	4.7	11/02/16 12:39	
1,2,4-Trichlorobenzene	ug/kg	ND	4.7	11/02/16 12:39	
1,2,4-Trimethylbenzene	ug/kg	ND	4.7	11/02/16 12:39	
1,2-Dibromo-3-chloropropane	ug/kg	ND	4.7	11/02/16 12:39	
1,2-Dibromoethane (EDB)	ug/kg	ND	4.7	11/02/16 12:39	
1,2-Dichlorobenzene	ug/kg	ND	4.7	11/02/16 12:39	
1,2-Dichloroethane	ug/kg	ND	4.7	11/02/16 12:39	
1,2-Dichloropropane	ug/kg	ND	4.7	11/02/16 12:39	
1,3,5-Trimethylbenzene	ug/kg	ND	4.7	11/02/16 12:39	
1,3-Dichlorobenzene	ug/kg	ND	4.7	11/02/16 12:39	
1,3-Dichloropropane	ug/kg	ND	4.7	11/02/16 12:39	
1,4-Dichlorobenzene	ug/kg	ND	4.7	11/02/16 12:39	
2,2-Dichloropropane	ug/kg	ND	4.7	11/02/16 12:39	
2-Butanone (MEK)	ug/kg	ND	94.3	11/02/16 12:39	
2-Chlorotoluene	ug/kg	ND	4.7	11/02/16 12:39	
2-Hexanone	ug/kg	ND	47.2	11/02/16 12:39	
4-Chlorotoluene	ug/kg	ND	4.7	11/02/16 12:39	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	47.2	11/02/16 12:39	
Acetone	ug/kg	ND	94.3	11/02/16 12:39	
Benzene	ug/kg	ND	4.7	11/02/16 12:39	
Bromobenzene	ug/kg	ND	4.7	11/02/16 12:39	
Bromochloromethane	ug/kg	ND	4.7	11/02/16 12:39	
Bromodichloromethane	ug/kg	ND	4.7	11/02/16 12:39	
Bromoform	ug/kg	ND	4.7	11/02/16 12:39	
Bromomethane	ug/kg	ND	9.4	11/02/16 12:39	
Carbon tetrachloride	ug/kg	ND	4.7	11/02/16 12:39	
Chlorobenzene	ug/kg	ND	4.7	11/02/16 12:39	
Chloroethane	ug/kg	ND	9.4	11/02/16 12:39	
Chloroform	ug/kg	ND	4.7	11/02/16 12:39	
Chloromethane	ug/kg	ND	9.4	11/02/16 12:39	
cis-1,2-Dichloroethene	ug/kg	ND	4.7	11/02/16 12:39	
cis-1,3-Dichloropropene	ug/kg	ND	4.7	11/02/16 12:39	
Dibromochloromethane	ug/kg	ND	4.7	11/02/16 12:39	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

METHOD BLANK: 1859105

Matrix: Solid

Associated Lab Samples: 92317872004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/kg	ND	4.7	11/02/16 12:39	
Dichlorodifluoromethane	ug/kg	ND	9.4	11/02/16 12:39	
Diisopropyl ether	ug/kg	ND	4.7	11/02/16 12:39	
Ethylbenzene	ug/kg	ND	4.7	11/02/16 12:39	
Hexachloro-1,3-butadiene	ug/kg	ND	4.7	11/02/16 12:39	
Isopropylbenzene (Cumene)	ug/kg	ND	4.7	11/02/16 12:39	
m&p-Xylene	ug/kg	ND	9.4	11/02/16 12:39	
Methyl-tert-butyl ether	ug/kg	ND	4.7	11/02/16 12:39	
Methylene Chloride	ug/kg	ND	18.9	11/02/16 12:39	
n-Butylbenzene	ug/kg	ND	4.7	11/02/16 12:39	
n-Propylbenzene	ug/kg	ND	4.7	11/02/16 12:39	
Naphthalene	ug/kg	ND	4.7	11/02/16 12:39	
o-Xylene	ug/kg	ND	4.7	11/02/16 12:39	
p-Isopropyltoluene	ug/kg	ND	4.7	11/02/16 12:39	
sec-Butylbenzene	ug/kg	ND	4.7	11/02/16 12:39	
Styrene	ug/kg	ND	4.7	11/02/16 12:39	
tert-Butylbenzene	ug/kg	ND	4.7	11/02/16 12:39	
Tetrachloroethene	ug/kg	ND	4.7	11/02/16 12:39	
Toluene	ug/kg	ND	4.7	11/02/16 12:39	
trans-1,2-Dichloroethene	ug/kg	ND	4.7	11/02/16 12:39	
trans-1,3-Dichloropropene	ug/kg	ND	4.7	11/02/16 12:39	
Trichloroethene	ug/kg	ND	4.7	11/02/16 12:39	
Trichlorofluoromethane	ug/kg	ND	4.7	11/02/16 12:39	
Vinyl acetate	ug/kg	ND	47.2	11/02/16 12:39	
Vinyl chloride	ug/kg	ND	9.4	11/02/16 12:39	
Xylene (Total)	ug/kg	ND	9.4	11/02/16 12:39	
1,2-Dichloroethane-d4 (S)	%	117	70-132	11/02/16 12:39	
4-Bromofluorobenzene (S)	%	96	70-130	11/02/16 12:39	
Toluene-d8 (S)	%	101	70-130	11/02/16 12:39	

LABORATORY CONTROL SAMPLE: 1859106

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	51.8	56.4	109	74-137	
1,1,1-Trichloroethane	ug/kg	51.8	54.6	105	67-140	
1,1,2,2-Tetrachloroethane	ug/kg	51.8	56.7	110	72-141	
1,1,2-Trichloroethane	ug/kg	51.8	58.9	114	78-138	
1,1-Dichloroethane	ug/kg	51.8	55.0	106	69-134	
1,1-Dichloroethene	ug/kg	51.8	56.6	109	67-138	
1,1-Dichloropropene	ug/kg	51.8	52.6	102	69-139	
1,2,3-Trichlorobenzene	ug/kg	51.8	58.6	113	70-146	
1,2,3-Trichloropropane	ug/kg	51.8	60.9	118	69-144	
1,2,4-Trichlorobenzene	ug/kg	51.8	56.9	110	68-148	
1,2,4-Trimethylbenzene	ug/kg	51.8	56.2	109	74-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

LABORATORY CONTROL SAMPLE: 1859106

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromo-3-chloropropane	ug/kg	51.8	59.1	114	65-140	
1,2-Dibromoethane (EDB)	ug/kg	51.8	59.1	114	77-135	
1,2-Dichlorobenzene	ug/kg	51.8	60.1	116	77-141	
1,2-Dichloroethane	ug/kg	51.8	61.0	118	65-137	
1,2-Dichloropropane	ug/kg	51.8	54.0	104	72-136	
1,3,5-Trimethylbenzene	ug/kg	51.8	55.1	106	76-133	
1,3-Dichlorobenzene	ug/kg	51.8	56.3	109	74-138	
1,3-Dichloropropane	ug/kg	51.8	56.6	109	71-139	
1,4-Dichlorobenzene	ug/kg	51.8	57.0	110	76-138	
2,2-Dichloropropane	ug/kg	51.8	55.9	108	68-137	
2-Butanone (MEK)	ug/kg	104	119	115	58-147	
2-Chlorotoluene	ug/kg	51.8	57.3	111	73-139	
2-Hexanone	ug/kg	104	128	123	62-145	
4-Chlorotoluene	ug/kg	51.8	56.5	109	76-141	
4-Methyl-2-pentanone (MIBK)	ug/kg	104	130	126	64-149	
Acetone	ug/kg	104	142	137	53-153	
Benzene	ug/kg	51.8	56.3	109	73-135	
Bromobenzene	ug/kg	51.8	59.0	114	75-133	
Bromochloromethane	ug/kg	51.8	60.9	118	73-134	
Bromodichloromethane	ug/kg	51.8	60.1	116	71-135	
Bromoform	ug/kg	51.8	58.9	114	66-141	
Bromomethane	ug/kg	51.8	63.1	122	53-160	
Carbon tetrachloride	ug/kg	51.8	54.4	105	60-145	
Chlorobenzene	ug/kg	51.8	55.2	107	78-130	
Chloroethane	ug/kg	51.8	58.2	112	64-149	
Chloroform	ug/kg	51.8	57.2	111	70-134	
Chloromethane	ug/kg	51.8	56.8	110	52-150	
cis-1,2-Dichloroethene	ug/kg	51.8	56.0	108	70-133	
cis-1,3-Dichloropropene	ug/kg	51.8	56.5	109	68-134	
Dibromochloromethane	ug/kg	51.8	61.3	118	71-138	
Dibromomethane	ug/kg	51.8	59.1	114	74-130	
Dichlorodifluoromethane	ug/kg	51.8	56.4	109	40-160	
Diisopropyl ether	ug/kg	51.8	59.2	114	69-141	
Ethylbenzene	ug/kg	51.8	55.6	107	75-133	
Hexachloro-1,3-butadiene	ug/kg	51.8	53.3	103	68-143	
Isopropylbenzene (Cumene)	ug/kg	51.8	55.6	107	76-143	
m&p-Xylene	ug/kg	104	112	109	75-136	
Methyl-tert-butyl ether	ug/kg	51.8	60.3	117	68-144	
Methylene Chloride	ug/kg	51.8	62.5	121	45-154	
n-Butylbenzene	ug/kg	51.8	55.9	108	72-137	
n-Propylbenzene	ug/kg	51.8	55.8	108	76-136	
Naphthalene	ug/kg	51.8	60.9	118	68-151	
o-Xylene	ug/kg	51.8	55.9	108	76-141	
p-Isopropyltoluene	ug/kg	51.8	55.0	106	76-140	
sec-Butylbenzene	ug/kg	51.8	55.7	108	79-139	
Styrene	ug/kg	51.8	57.4	111	79-137	
tert-Butylbenzene	ug/kg	51.8	50.3	97	74-143	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

LABORATORY CONTROL SAMPLE: 1859106

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tetrachloroethene	ug/kg	51.8	45.8	88	71-138	
Toluene	ug/kg	51.8	55.7	108	74-131	
trans-1,2-Dichloroethene	ug/kg	51.8	55.6	107	67-135	
trans-1,3-Dichloropropene	ug/kg	51.8	58.0	112	65-146	
Trichloroethene	ug/kg	51.8	56.4	109	67-135	
Trichlorofluoromethane	ug/kg	51.8	59.3	114	59-144	
Vinyl acetate	ug/kg	104	103	99	40-160	
Vinyl chloride	ug/kg	51.8	50.8	98	56-141	
Xylene (Total)	ug/kg	155	168	108	76-137	
1,2-Dichloroethane-d4 (S)	%			114	70-132	
4-Bromofluorobenzene (S)	%			100	70-130	
Toluene-d8 (S)	%			99	70-130	

MATRIX SPIKE SAMPLE: 1859928

Parameter	Units	92318065004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	23.6	16.7	70	70-130	
1,1,1-Trichloroethane	ug/kg	ND	23.6	21.7	92	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	ND	23.6	20.5	87	70-130	
1,1,2-Trichloroethane	ug/kg	ND	23.6	21.2	89	70-130	
1,1-Dichloroethane	ug/kg	ND	23.6	22.3	94	70-130	
1,1-Dichloroethene	ug/kg	ND	23.6	22.9	97	49-180	
1,1-Dichloropropene	ug/kg	ND	23.6	22.2	94	70-130	
1,2,3-Trichlorobenzene	ug/kg	ND	23.6	15.9	67	70-130	M1
1,2,3-Trichloropropane	ug/kg	ND	23.6	20.6	87	70-130	
1,2,4-Trichlorobenzene	ug/kg	ND	23.6	15.4	65	70-130	M1
1,2,4-Trimethylbenzene	ug/kg	ND	23.6	20.0	84	70-130	
1,2-Dibromo-3-chloropropane	ug/kg	ND	23.6	17.1	72	70-130	
1,2-Dibromoethane (EDB)	ug/kg	ND	23.6	19.5	82	70-130	
1,2-Dichlorobenzene	ug/kg	ND	23.6	19.7	83	70-130	
1,2-Dichloroethane	ug/kg	ND	23.6	23.5	99	70-130	
1,2-Dichloropropane	ug/kg	ND	23.6	21.4	91	70-130	
1,3,5-Trimethylbenzene	ug/kg	ND	23.6	20.0	85	70-130	
1,3-Dichlorobenzene	ug/kg	ND	23.6	18.6	79	70-130	
1,3-Dichloropropane	ug/kg	ND	23.6	20.9	88	70-130	
1,4-Dichlorobenzene	ug/kg	ND	23.6	18.4	78	70-130	
2,2-Dichloropropane	ug/kg	ND	23.6	21.7	92	70-130	
2-Butanone (MEK)	ug/kg	ND	47.4	47.3J	100	70-130	
2-Chlorotoluene	ug/kg	ND	23.6	19.2	81	70-130	
2-Hexanone	ug/kg	ND	47.4	39.1J	83	70-130	
4-Chlorotoluene	ug/kg	ND	23.6	20.1	85	70-130	
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	47.4	46.1J	97	70-130	
Acetone	ug/kg	ND	47.4	60.1J	122	70-130	
Benzene	ug/kg	ND	23.6	22.7	96	50-166	
Bromobenzene	ug/kg	ND	23.6	21.1	89	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

MATRIX SPIKE SAMPLE:	1859928						
Parameter	Units	92318065004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromochloromethane	ug/kg	ND	23.6	24.7	104	70-130	
Bromodichloromethane	ug/kg	ND	23.6	19.6	83	70-130	
Bromoform	ug/kg	ND	23.6	13.8	58	70-130	M1
Bromomethane	ug/kg	ND	23.6	20.8	88	70-130	
Carbon tetrachloride	ug/kg	ND	23.6	18.6	79	70-130	
Chlorobenzene	ug/kg	ND	23.6	20.4	86	43-169	
Chloroethane	ug/kg	ND	23.6	23.5	99	70-130	
Chloroform	ug/kg	ND	23.6	22.4	95	70-130	
Chloromethane	ug/kg	ND	23.6	26.3	111	70-130	
cis-1,2-Dichloroethene	ug/kg	ND	23.6	23.4	99	70-130	
cis-1,3-Dichloropropene	ug/kg	ND	23.6	18.8	79	70-130	
Dibromochloromethane	ug/kg	ND	23.6	16.9	71	70-130	
Dibromomethane	ug/kg	ND	23.6	21.0	89	70-130	
Dichlorodifluoromethane	ug/kg	ND	23.6	28.1	119	70-130	
Diisopropyl ether	ug/kg	ND	23.6	24.1	102	70-130	
Ethylbenzene	ug/kg	ND	23.6	20.8	88	70-130	
Hexachloro-1,3-butadiene	ug/kg	ND	23.6	14.6	62	70-130	M1
Isopropylbenzene (Cumene)	ug/kg	ND	23.6	20.2	85	70-130	
m&p-Xylene	ug/kg	ND	47.4	42.1	89	70-130	
Methyl-tert-butyl ether	ug/kg	ND	23.6	23.1	97	70-130	
Methylene Chloride	ug/kg	ND	23.6	29.9	93	70-130	
n-Butylbenzene	ug/kg	ND	23.6	18.9	80	70-130	
n-Propylbenzene	ug/kg	ND	23.6	21.3	90	70-130	
Naphthalene	ug/kg	ND	23.6	20.4	86	70-130	
o-Xylene	ug/kg	ND	23.6	20.6	87	70-130	
p-Isopropyltoluene	ug/kg	ND	23.6	19.2	81	70-130	
sec-Butylbenzene	ug/kg	ND	23.6	20.0	85	70-130	
Styrene	ug/kg	ND	23.6	18.8	80	70-130	
tert-Butylbenzene	ug/kg	ND	23.6	18.1	76	70-130	
Tetrachloroethene	ug/kg	ND	23.6	17.0	72	70-130	
Toluene	ug/kg	ND	23.6	21.9	92	52-163	
trans-1,2-Dichloroethene	ug/kg	ND	23.6	22.8	96	70-130	
trans-1,3-Dichloropropene	ug/kg	ND	23.6	17.8	75	70-130	
Trichloroethene	ug/kg	ND	23.6	19.9	84	49-167	
Trichlorofluoromethane	ug/kg	ND	23.6	23.8	101	70-130	
Vinyl acetate	ug/kg	ND	47.4	18.5J	39	70-130	M1
Vinyl chloride	ug/kg	ND	23.6	24.0	101	70-130	
1,2-Dichloroethane-d4 (S)	%				120	70-132	
4-Bromofluorobenzene (S)	%				96	70-130	
Toluene-d8 (S)	%				103	70-130	

SAMPLE DUPLICATE: 1859927

Parameter	Units	92318065001 Result	Dup Result	RPD	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

SAMPLE DUPLICATE: 1859927

Parameter	Units	92318065001 Result	Dup Result	RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	ND	ND		
1,1,2,2-Tetrachloroethane	ug/kg	ND	ND		
1,1,2-Trichloroethane	ug/kg	ND	ND		
1,1-Dichloroethane	ug/kg	ND	ND		
1,1-Dichloroethene	ug/kg	ND	ND		
1,1-Dichloropropene	ug/kg	ND	ND		
1,2,3-Trichlorobenzene	ug/kg	ND	ND		
1,2,3-Trichloropropane	ug/kg	ND	ND		
1,2,4-Trichlorobenzene	ug/kg	ND	ND		
1,2,4-Trimethylbenzene	ug/kg	ND	ND		
1,2-Dibromo-3-chloropropane	ug/kg	ND	ND		
1,2-Dibromoethane (EDB)	ug/kg	ND	ND		
1,2-Dichlorobenzene	ug/kg	ND	ND		
1,2-Dichloroethane	ug/kg	ND	ND		
1,2-Dichloropropene	ug/kg	ND	ND		
1,3,5-Trimethylbenzene	ug/kg	ND	ND		
1,3-Dichlorobenzene	ug/kg	ND	ND		
1,3-Dichloropropane	ug/kg	ND	ND		
1,4-Dichlorobenzene	ug/kg	ND	ND		
2,2-Dichloropropane	ug/kg	ND	ND		
2-Butanone (MEK)	ug/kg	ND	ND		
2-Chlorotoluene	ug/kg	ND	ND		
2-Hexanone	ug/kg	ND	ND		
4-Chlorotoluene	ug/kg	ND	ND		
4-Methyl-2-pentanone (MIBK)	ug/kg	ND	ND		
Acetone	ug/kg	ND	ND		
Benzene	ug/kg	ND	ND		
Bromobenzene	ug/kg	ND	ND		
Bromochloromethane	ug/kg	ND	ND		
Bromodichloromethane	ug/kg	ND	ND		
Bromoform	ug/kg	ND	ND		
Bromomethane	ug/kg	ND	ND		
Carbon tetrachloride	ug/kg	ND	ND		
Chlorobenzene	ug/kg	ND	ND		
Chloroethane	ug/kg	ND	ND		
Chloroform	ug/kg	ND	ND		
Chloromethane	ug/kg	ND	ND		
cis-1,2-Dichloroethene	ug/kg	ND	ND		
cis-1,3-Dichloropropene	ug/kg	ND	ND		
Dibromochloromethane	ug/kg	ND	ND		
Dibromomethane	ug/kg	ND	ND		
Dichlorodifluoromethane	ug/kg	ND	ND		
Diisopropyl ether	ug/kg	ND	ND		
Ethylbenzene	ug/kg	ND	ND		
Hexachloro-1,3-butadiene	ug/kg	ND	ND		
Isopropylbenzene (Cumene)	ug/kg	ND	ND		
m&p-Xylene	ug/kg	ND	ND		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

SAMPLE DUPLICATE: 1859927

Parameter	Units	92318065001 Result	Dup Result	RPD	Qualifiers
Methyl-tert-butyl ether	ug/kg	ND	ND		
Methylene Chloride	ug/kg	ND	ND		
n-Butylbenzene	ug/kg	ND	ND		
n-Propylbenzene	ug/kg	ND	ND		
Naphthalene	ug/kg	ND	2.1J		
o-Xylene	ug/kg	ND	ND		
p-Isopropyltoluene	ug/kg	ND	ND		
sec-Butylbenzene	ug/kg	ND	ND		
Styrene	ug/kg	ND	ND		
tert-Butylbenzene	ug/kg	ND	ND		
Tetrachloroethene	ug/kg	ND	ND		
Toluene	ug/kg	ND	ND		
trans-1,2-Dichloroethene	ug/kg	ND	ND		
trans-1,3-Dichloropropene	ug/kg	ND	ND		
Trichloroethene	ug/kg	ND	ND		
Trichlorofluoromethane	ug/kg	ND	ND		
Vinyl acetate	ug/kg	ND	ND		
Vinyl chloride	ug/kg	ND	ND		
Xylene (Total)	ug/kg	ND	ND		
1,2-Dichloroethane-d4 (S)	%	115	118	2	
4-Bromofluorobenzene (S)	%	97	92	10	
Toluene-d8 (S)	%	101	101	4	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

QC Batch: 335136 Analysis Method: ASTM D2974-87

QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 92317872001, 92317872002, 92317872003, 92317872004

SAMPLE DUPLICATE: 1857839

Parameter	Units	92317879001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	14.4	15.2	5	

SAMPLE DUPLICATE: 1857840

Parameter	Units	92317874003 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	17.6	18.0	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-C Pace Analytical Services - Charlotte

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: PARCEL 167 39049.1.1

Pace Project No.: 92317872

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92317872001	167-SB-1-8-10	EPA 8260	335217		
92317872002	167-SB-2-8-10	EPA 8260	335217		
92317872003	167-SB-3-8-10	EPA 8260	335217		
92317872004	167-SB-4-8-10	EPA 8260	335373		
92317872001	167-SB-1-8-10	ASTM D2974-87	335136		
92317872002	167-SB-2-8-10	ASTM D2974-87	335136		
92317872003	167-SB-3-8-10	ASTM D2974-87	335136		
92317872004	167-SB-4-8-10	ASTM D2974-87	335136		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Document Name:
Sample Condition Upon Receipt(SCUR)

Document Revised: Sept. 21, 2016
Page 1 of 2

Document No.:
F-CAR-CS-033-Rev.01

Issuing Authority:
Pace Quality Office

Laboratory receiving samples:

Asheville

Eden

Greenwood

Huntersville

Raleigh

Mechanicsville

Sample Condition Upon Receipt

Client Name: *Solutions IES*

Project

WO# : 92317872



92317872

Courier: FedEx UPS USPS Client
 Commercial Pace Other: _____

Custody Seal Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags None Other: _____

Thermometer: IR Gun ID: *T1505* Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Correction Factor: Cooler Temp Corrected (°C): *42* Biological Tissue Frozen? Yes No N/A

Temp should be above freezing to 6°C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)? Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

				Comments/Discrepancy:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	1.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	2.
Short Hold Time Analysis (<72 hr.)?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	3.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	5.
Correct Containers Used? -Pace Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	6.
Containers Intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	7.
Samples Field Filtered?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	8. Note if sediment is visible in the dissolved container
Sample Labels Match COC? -Includes Date/Time/ID/Analysis Matrix:	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	9.
Headspace in VOA Vials (>5-6mm)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	10.
Trip Blank Present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	11.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted:

Date/Time:

Comments/Sample

Discrepancy:

Project Manager SCURF Review:

Date: *11/1/16*

Project Manager SRF Review:

Date: *11/1/16*

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers)

15.50 H.P. Pace Analytical®

Sample Condition Upon Receipt(SCUR)

Document No.:
F-CAR-CS-033-Rev.01

Page 2 of 2
Issuing Authority:
Pace Quality Office

*Check mark top half of box if pH and/or dechlorination is verified and within the acceptance range for preservation samples.

**Bottom half of box is to list number of bottles

Project #

WO# : 92317872

PM: PTE Due Date: 11/09/16
CLIENT: 92-SOLUTIONS

Item#	BP4U-125 mL Plastic Unpreserved (N/A) (Cl-)	BP3U-250 mL Plastic Unpreserved (N/A)	BP2U-500 mL Plastic Unpreserved (N/A)	BP1U-1 liter Plastic Unpreserved (N/A)	BP3N-250 mL Plastic H ₂ SO ₄ (pH < 2) (Cl-)	BP3S-250 mL plastic HNO ₃ (pH < 2)	BP3Z-250 mL Plastic ZN Acetate & NaOH (>9)	WGFL-Wide-mouthed Glass jar Unpreserved	AG1U-1 liter Amber Unpreserved (N/A) (Cl-)	AG1H-1 liter Amber HCl (pH < 2)	AG3U-250 mL Amber Unpreserved (N/A) (Cl-)	AG1S-1 liter Amber H ₂ SO ₄ (pH < 2)	AG3S-250 mL Amber H ₂ SO ₄ (pH < 2)	AG3A(DG3A)-250 mL Amber NH ₄ Cl (N/A)(Cl-)	DG9H-40 mL VOA HCl (N/A)	VG9T-40 mL VOA Na ₂ SO ₃ (N/A)	VG9U-40 mL VOA Unp (N/A)	DG9P-40 mL VOA H ₃ PO ₄ (N/A)	VGAK (6 vials per kit) -VPH/Gas kit (N/A)	V/GK (3 vials per kit) -VPH/Gas kit (N/A)	SP5T-125 mL Sterile Plastic (N/A – lab)	SP2T-250 mL Sterile Plastic (N/A – lab)	BP3A-250 mL Plastic (NH ₂) ₂ SO ₄ (9.3-9.7)	Cubitainer	VSGU-20 mL Scintillation vials (N/A)	GN
1	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
2	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
3	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
4	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
5	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
6	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
7	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
8	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
9	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
10	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
11	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				
12	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/				

pH Adjustment Log for Preserved Samples

Sample ID	Type of Preservative	pH upon receipt	Date preservation adjusted	Time preservation adjusted	Amount of Preservative added	Lot #

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A

Required Client Information:

Company: SEPARATIONS INC
Address: 1101 WENCHEL RD
PALETTED NO 2 HALL
Email To: INR@SEPARATIONS-IES.COM
Phone: (919) 843-1000 Fax: (919) 843-1001

Requested Due Date/TAT: SP

Section B

Required Project Information:

Report To: WILLIE BARKER
Copy To:
Purchase Order No.:
Project Name: NCDES FRAMPTONVILLE PLANT 164
Project Number: 2010 004-NDC

Section C

Invoice Information:

Attention: NCDES WB: 39049.L.1
Company Name:
Address:
Pace Quote Reference:
Pace Project Manager: Taylor Cull
Pace Profile #:

Page: 1 of 1

2035090

Page 31 of 31

ITEM #	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Y/N	Analysis Test	VOCs 8240	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.	Requested Analysis Filtered (Y/N)	
		DATE	TIME	DATE	TIME										COMPOSITE START
1	164-SB-1-8-10	10/24/16	22:00	6											
2	164-SB-2-8-10	10/24/16	22:25	6											
3	164-SB-3-8-10	10/24/16	22:40	6											
4	164-SB-4-8-10	10/24/16	22:45	6											
5															
6															
7															
8															
9															
10															
11															
12															
ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS					
<u>NO SAMPLING</u>		<u>SP</u>		10/31/16	05:52	<u>SP</u>		10/31/16	05:52						
<u>CH 3000</u>		<u>SP Pace</u>		10/31/16	05:50	<u>SP Pace</u>		10/31/16	05:50	42 ✓ N					
SAMPLER NAME AND SIGNATURE															
<u>Samuel Muniz</u>															
PRINT Name of SAMPLER: <u>Samuel Muniz</u>															
SIGNATURE OF SAMPLER: <u>Samuel Muniz</u>															
DATE Signed (MM/DD/YY): <u>10/31/2016</u>															
Temp in °C		Received on Ice (Y/N)		Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)										