

PROJECT REFERENCE NO.	SHEET NO.
U-4405	EC-14/CONST.11
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER


NOTES: ANY DEVIATION FROM OPTIONS GIVEN WILL REQUIRE PRIOR APPROVAL BY ENGINEER.

ADDITIONAL EROSION CONTROL DEVICES MAY NEED TO BE INSTALLED AS DIRECTED.


NOTE: PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B AND TEMPORARY ROCK SILT CHECKS TYPE - A AT DRAINAGE OUTLETS.

CLEARING AND GRUBBING EROSION CONTROL FOR CONSTRUCTION SHEET 11

INSTALL FABRIC INSERT INLET PROTECTION DEVICE IN LIEU OF ROCK INLET SEDIMENT TRAP TYPE 'C' AS DIRECTED TO AVOID PONDING OF RUNOFF IN ROADWAY OPEN TO PUBLIC TRAFFIC



FROM STA. 12+00 TO STA. 12+50 -Y9- LT



MATCHLINE SEE SHEET 10
-L- STA 101+50

MATCHLINE SEE SHEET 12
-L- STA 115+00

8/17/99
10:25:20 AM
R:\Environmental\Design\4405.REU.EC.psh.11.C.dgn
11/10/2011 10:25:20 AM

★ PROPOSED SIGNAL
██ PROP CONC SIDEWALK

** A DESIGN EXCEPTION FOR LANE WIDTH IS REQUIRED FOR -L- STA. 38+95.00 TO -L- 319+95.00

NOTE: SEE SHEET 36 FOR -L- PROFILE
SEE SHEET 47 FOR -Y9- PROFILE
SEE SHEET 47 FOR -Y10- PROFILE

