


PLAN OF ROOF SLAB
INLET - PHASE III

REMOVE EXISTING CONCRETE (1'-6") AND SPLICE NEW WITH EXISTING REINFORCING STEEL IN SLABS AND WALLS, EXISTING LONGITUDINAL REINFORCING TO REMAIN. THE MINIMUM SPLICE LENGTH FOR LONGITUDINAL REINFORCING STEEL SHALL BE 1'-3".

PROJECT NO. U-4405
CUMBERLAND COUNTY
STATION: 137+99.59 -L-

SHEET 8 OF 18

STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
RALEIGH
CULVERT EXTENSION
QUADRUPLE 10 FT. X 12 FT.
CONCRETE BOX CULVERT
PLAN OF ROOF SLAB - INLET



DocuSigned by:
Jacob H. Duke
6/12/2018 1:26:37 PM PDT
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

REVISIONS						SHEET NO.	
NO.	BY:	DATE:	NO.	BY:	DATE:	C1-8	
1			3			TOTAL SHEETS	18
2			4				

KCA 4800 SIX FORKS ROAD SUITE 120
KISINGER CAMPO & ASSOCIATES RALEIGH, NC 27609
(919) 882-7839

DRAWN BY : DIEGO A. AGUIRRE DATE : 5-18-18
CHECKED BY : JACOB H. DUKE DATE : 5-22-18
DESIGN ENGINEER OF RECORD : JACOB H. DUKE DATE : 5-25-18