


8/17/19


PAVEMENT SCHEDULE FINAL PAVEMENT DESIGN	
C1	2 1/2" S9.5B
C2	VAR. S9.5B
C3	1 1/2" S9.5C
C4	3" S9.5C
C5	VAR. S9.5C
D1	2 1/2" I19.0C
D2	4" I19.0C
D3	VAR. I19.0C
E1	4 1/2" B25.0C
E2	5" B25.0C
E3	4" B25.0C
E4	5 1/2" B25.0C
E5	VAR. B25.0C
J1	6" ABC
J2	8" ABC
K	K LIME OR CEMENT
N	GEOTEXTILE PVMT. STAB.
P	PRIME COAT
R1	1'-6" C & G
R2	2'-6" C & G
R3	2'-9" C & G
R4	EXPRESSWAY GUTTER
R5	SHOULDER BERM GUTTER
R6	5" CONC. ISLAND
S	4" CONC. SIDEWALK
T	EARTH MATERIAL
U	EXISTING PAVEMENT
W1	WEDGING DETAIL No. 1
W2	WEDGING DETAIL No. 2

NOTE: PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE
TRENCH SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE




TYPICAL SECTION NO. 17

USE TYPICAL SECTION NO. 17
AT THE FOLLOWING LOCATION:
-Y13- STA. 14+83.74 TO STA. 24+21.09
-Y13- STA. 25+05.65 TO STA. 31+48.30




TYPICAL SECTION NO. 17A

USE TYPICAL SECTION NO. 17A IN
CONJUNCTION WITH TYPICAL SECTION NO. 17,
AT THE FOLLOWING LOCATIONS:
-Y13- STA. 16+58.24 TO STA. 23+86.23
-Y13- STA. 25+27.28 TO STA. 29+30.81



USE INSET A IN CONJUNCTION WITH TYPICAL
SECTION NO. 17 AT THE FOLLOWING LOCATIONS:
-Y13- STA. 14+83.74 TO 21+15.09 LT.
-Y13- STA. 14+83.74 TO 16+26.90 RT.
-Y13- STA. 29+46.55 TO 31+48.30 RT.




TYPICAL SECTION NO. 18

USE TYPICAL SECTION NO. 18
AT THE FOLLOWING LOCATION:
-Y13- STA. 31+48.30 TO STA. 35+70.00

-DRW1-, -DRW2-, -DRW3-, -DRW7-, -DRW8-,
-DRW9-, -DRW10-, -DRW11-, -DRW12-, -DRW15-,
-DRW16-, -DRW17-, -DRW18-, -DRW23-

USE TYPICAL SECTION NO. 19
AT THE FOLLOWING LOCATION:

LINE	*	**
-DRW1-	10+34.00	TO 10+94.57
-DRW2-	10+45.00	TO 10+94.50
-DRW3-	10+35.50	TO 10+97.00
-DRW7-	10+35.50	TO 10+93.00
-DRW8-	10+35.50	TO 11+29.03
-DRW9-	10+35.50	TO 10+94.00
-DRW10-	10+35.50	TO 10+94.00
-DRW11-	10+36.00	TO 10+84.50
-DRW12-	10+35.50	TO 10+74.09
-DRW15-	10+56.45	TO 11+04.80
-DRW16-	10+14.53	TO 10+55.00
-DRW17-	10+37.38	TO 10+88.00
-DRW18-	10+38.35	TO 10+63.00
-DRW23-	10+12.00	TO 10+95.63



TYPICAL SECTION NO. 19

LINE	*	**
-DRW1-	8'	1'
-DRW2-	8'	1'
-DRW3-	8'	1'
-DRW7-	8'	1'
-DRW8-	8'	1'
-DRW9-	8'	1'
-DRW10-	8'	1'
-DRW11-	8'	1'
-DRW12-	8'	1'
-DRW15-	8'	1'
-DRW16-	8'	1'
-DRW17-	8'	1'
-DRW18-	10'	2'
-DRW23-	12'	2'

Prepared by
URS
URS Corporation - North Carolina
1600 Perimeter Park Drive
Morrisville, North Carolina 27560
TELEPHONE (919) 461-1100 FAX (919) 461-1415
NO. L10266E • C-2242

PROJECT REFERENCE NO. R-3825B	SHEET NO. 2A-8
R/W SHEET NO.	PAVEMENT DESIGN ENGINEER
ROADWAY DESIGN ENGINEER	PAVEMENT DESIGN ENGINEER
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

REVISIONS

8/17/2018
R:\Roadway\Pro\NR3825B_rdy_tjpb.dgn
tjpb