


8/17/99

**PAVEMENT SCHEDULE
FINAL PAVEMENT DESIGN**


C1	2 1/2" S9.5B
C2	VAR. S9.5B
C3	1 1/2" S9.5C
C4	3" S9.5C
C5	VAR. S9.5C
D1	2 1/2" I19.0C
D2	4" I19.0C
D3	VAR. I19.0C
E1	4 1/2" B25.0C
E2	5" B25.0C
E3	4" B25.0C
E4	5 1/2" B25.0C
E5	VAR. B25.0C
J1	6" ABC
J2	8" ABC
K	K LIME OR CEMENT
N	GEOTEXTILE PVMT. STAB.
P	PRIME COAT
R1	1'-6" C & G
R2	2'-6" C & G
R3	2'-9" C & G
R4	EXPRESSWAY GUTTER
R5	SHOULDER BERM GUTTER
R6	5" CONC. ISLAND
S	4" CONC. SIDEWALK
T	EARTH MATERIAL
U	EXISTING PAVEMENT
W1	WEDGING DETAIL No. 1
W2	WEDGING DETAIL No. 2

NOTE: PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE
TRENCH SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE



TYPICAL SECTION NO. 11

USE TYPICAL SECTION NO. 11
AT THE FOLLOWING LOCATION:
-Y9- STA. 14+37.69 TO STA. 17+62.94




TYPICAL SECTION NO. 12

NOTE: ONLY Y11A REQUIRES THE REPLACEMENT OF EXISTING SIDEWALK

USE TYPICAL SECTION NO. 12
AT THE FOLLOWING LOCATION:
-Y10A- STA. 11+10.00 TO STA. 11+77.50
-Y10B- STA. 12+16.46 TO STA. 12+77.97
-Y10C- STA. 12+05.00 TO STA. 14+05.57
** -Y11A- STA. 11+67.96 TO STA. 12+85.00
-Y11B- STA. 10+84.79 TO STA. 11+76.00
-Y11C- STA. 11+56.79 TO STA. 12+17.42

TABLE 4	
LINE	*
-Y10A-	RT VAR 14'-11" TO 16'-0" LT VAR 14'-11" TO 16'-0"
-Y10B-	RT 12'-0" LT 12'-0"
-Y10C-	RT VAR 12'-0" TO 21'-10" LT VAR 12'-0" TO 20'-6"
-Y11A-	LT VAR 28'-10" TO 27'-7" RT VAR 32'-3" TO 27'-6"
-Y11B-	RT 16'-0" LT 16'-0"
-Y11C-	RT VAR 11'-0" TO 14'-0" LT VAR 11'-0" TO 14'-0"



TYPICAL SECTION NO. 13

USE TYPICAL SECTION NO. 13
AT THE FOLLOWING LOCATION:
-Y10A- STA. 11+77.50 TO STA. 12+61.81
-Y11B- STA. 28+46.41 TO STA. 10+84.79
-DRW24- STA. 10+46.18 TO STA. 10+98.17
-DRW25- STA. 10+45.50 TO STA. 11+00.21
-DRW26- STA. 10+45.50 TO STA. 10+98.66
-DRW27- STA. 10+22.85 TO STA. 10+76.44

TABLE 5	
LINE	*
-Y10A-	RT 16'-0" LT 20'-0"
-Y11B-	RT 16'-0" LT 16'-0"
-DRW24-	RT VAR 15'-0" TO 23'-6" LT VAR 15'-0" TO 23'-6"
-DRW25-	RT VAR 22'-0" TO 35'-6" LT VAR 35'-0" TO 38'-0"
-DRW26-	RT 17'-0" LT VAR 17'-0" TO 19'-0"
-DRW27-	RT VAR 27'-0" TO 39'-0" LT VAR 19'-6" TO 36'-0"

REVISIONS

8/17/2018
R:\Roadway\Pro\NR3825b_rdy_tjpb.dgn
Tjpb

Prepared by
URS
URS Corporation - North Carolina
1600 Perimeter Park Drive
Morrisville, North Carolina 27560
TELEPHONE (919) 461-1100 FAX (919) 461-1415
NO. L10266E • C-2242

PROJECT REFERENCE NO. R-3825B	SHEET NO. 2A-6
RW SHEET NO.	
ROADWAY DESIGN ENGINEER <i>[Signature]</i>	PAVEMENT DESIGN ENGINEER <i>[Signature]</i>
<i>[Professional Seal]</i>	<i>[Professional Seal]</i>
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	