


PLANS

30' x 15' x 3'
1.5 inch Skimmer
with 0.50 inch
Orifice Diameter
4 ft. weir
ID 13.2


ENVIRONMENTALLY SENSITIVE AREA
SEE PROJECT SPECIAL PROVISIONS







NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS TYPE - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.

Construct Proposed Berm Ditch
according to Detail 66 from
-L- Sta. 137+50 RT to -L- Sta. 140+50 RT
During the Clearing and Grubbing Phase

INSTALL INLET PROTECTION IN
ACCORDANCE WITH ENGINEER'S
RECOMMENDATIONS



74' x 37' x 3'
1.5 inch Skimmer
with 1.5 inch
Orifice Diameter
10 ft. weir
ID 13.4




MATCHLINE -L- STA. 127+00.00 SEE PLAN SHEET EC-12

MATCHLINE -L- STA. 140+00.00 SEE PLAN SHEET EC-14




24' x 12' x 3'
1.5 inch Skimmer
with 0.375 inch
Orifice Diameter
4 ft. weir
ID 13.1

45' x 16' x 2'
1.5 inch Skimmer
with 0.5 inch
Orifice Diameter
4 ft. weir
ID 13.5

40' x 12' x 2'
1.5 inch Skimmer
with 0.50 inch
Orifice Diameter
4 ft. weir
ID 13.6



64' x 32' x 3'
1.5 inch Skimmer
with 1.250 inch
Orifice Diameter
7 ft. weir
ID 13.3



NOTE:
PERIMETER EROSION CONTROL MEASURES SHALL BE
INSTALLED DURING CLEARING AND GRUBBING PHASE.

INSTALL PIPE(S) IN JURISDICTIONAL AREAS WITHOUT IMPACTING STREAM UNTIL
AREA STABILIZED AND ACCORDING TO NCDOT BEST MANAGEMENT
PRACTICES FOR CONSTRUCTION AND MAINTENANCE ACTIVITIES MANUAL.

CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET 13

FOR -L- PROFILE SEE SHEET 28
FOR -Y100- PROFILE SEE SHEET 35
FOR -Y11- PROFILE SEE SHEET 35

REVISIONS

DATE/TIME: 9/25/17 AM
2016: P:\E\Region\Center\3825B_rwl_EC_13\13.dgn