




PROJECT REFERENCE NO. R-5735	SHEET NO. EC-05/CONST.05
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER




**CLEARING AND GRUBBING
EROSION CONTROL FOR
CONSTRUCTION SHEET _5_**

NOTE:
PLACE TEMPORARY ROCK SEDIMENT DAMS - B
AND TEMPORARY ROCK SILT CHECKS TYPE - A AT
DRAINAGE OUTLETS.





-L-

Pls Sta 38+33.88 θs = 1°20'59.6" Ls = 135.00' LT = 90.00' ST = 45.00'	Pls Sta 45+71.28 Δ = 27°10'22.9" (LT) D = 1°59'59.5" L = 1,358.75' T = 692.40' R = 2,865.00' Ds = 50 mph SE = 0.03 RUNOFF = 90'	Pls Sta 52+82.63 θs = 1°20'59.6" Ls = 135.00' LT = 90.00' ST = 45.00'
---	---	---



-Y2-

Pls Sta 10+40.30 Δ = 6°38'29.4" (RT) D = 8°15'00.0" L = 80.50' T = 40.30' R = 694.49'
--



FOR -L- PROFILE SEE SHEET 10

REVISIONS

8/17/99