


PLAN - TOP OF CAP



ELEVATION - SPAN C VIEW

NOTES:

SHOTCRETE REPAIRS MAY BE REPLACED WITH CONCRETE REPAIRS WITH THE APPROVAL OF THE ENGINEER.

REPAIR LOCATIONS AND ESTIMATE OF QUANTITIES ARE BASED ON THE BEST INFORMATION AVAILABLE. IF ADDITIONAL REPAIRS NOT SHOWN ON THE DRAWINGS ARE DEEMED NECESSARY BY THE ENGINEER, THE ENGINEER WILL NOTE ON THE DRAWINGS THE APPROXIMATE LOCATIONS AND DESCRIPTION OF THE REPAIRS AND ENTER THE ACTUAL QUANTITIES INTO THE AS-BUILT REPAIR QUANTITY TABLE.

FOR CAP REPAIRS, SEE "TYPICAL CAP AND COLUMN REPAIR DETAILS" SHEET.

FOR SHOTCRETE REPAIRS, SEE SPECIAL PROVISIONS.

FOR CONCRETE REPAIRS, SEE SPECIAL PROVISIONS.

CLEAN AND REMOVE DEBRIS FROM THE TOP OF THE CAP AND APPLY EPOXY PROTECTIVE COATING. EPOXY COATING SHALL BE APPLIED TO THE TOP SURFACE OF THE CAP. THE CONTRACTOR SHALL NOT COAT THE AREA OF THE CAP BENEATH THE MASONRY PLATES. FOR EPOXY COATING, SEE SPECIAL PROVISIONS.



SHOTCRETE AREA



CONCRETE AREA



ERI - EPOXY RESIN INJECTION


AS-BUILT REPAIR QUANTITY TABLE								
BENT 2 REPAIRS	QUANTITIES							
DENT 2 KELATIVS	ESTIMATE		ACTUAL					
SHOTCRETE REPAIRS	AREA SF	VOLUME CF	AREA SF	VOLUME CF				
CAP	0.0	0.0						
COLUMN	1.2	0.6						
CONCRETE REPAIRS	AREA SF	VOLUME CF	AREA SF	VOLUME CF				
CAP	0.0	0.0						
EPOXY RESIN INJECTI	ON	LN. FT.		LN. FT.				
CAP		0.0						
COLUMN		0.0						
EPOXY COATING		AREA SF		AREA SF				
TOP OF CAP (BENTS 1 & 2)	520 . 6							

VALUES IN CHART REPRESENT ESTIMATED REPAIR TOTALS AFTER REMOVAL OF UNSOUND CONCRETE, MINIMUM OF 1"BEHIND REBAR AND MINIMUM 2"CLEARANCE TO SAWCUT. FOR REPAIR DETAILS, SEE "TYPICAL CAP AND COLUMN FOR REPAIR DETAILS" SHEET.

PROJECT NO. I-5795

FORSYTH COUNTY

BRIDGE NO. 330449



DEPARTMENT OF TRANSPORTATION
RALEIGH

SUBSTRUCTURE BENT 2 SPAN C FACE

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED 2

REVISIONS					SHEET NO
BY:	DATE:	NO.	BY:	DATE:	S19-06
		<u></u>			TOTAL SHEETS
		A			6

DRAWN BY: A. SORSENGINH DATE: 4/2018
CHECKED BY: M. G. SHAIKH DATE: 6/2018