
# TRANSPORTATION MANAGEMENT PLAN

# EDGECOMBE COUNTY






LOCATION: BRIDGE NO. 87 OVER SWIFT CREEK ON NC 97 OFFSITE DETOUR ROUTE

TYPE OF WORK: GRADING, DRAINAGE, PAVING, AND STRUCTURE

WORK ZONE SAFETY & MOBILITY "from the MOUNTAINS to the COAST"

1561 MAIL SERVICE CENTER (MSC) RALEIGH, NC 27699-1561
750 N. GREENFIELD PARKWAY, GARNER, NC 27529 (DELIVERY)
PHONE: (919) 773-2800 FAX: (919) 771-2745 J.E. HUMMER, PHD, PE STATE TRAFFIC MANAGEMENT ENGINEER STEVE KITE, P.E. TRAFFIC CONTROL PROJECT ENGINEER SPENCER JENNINGS TRAFFIC CONTROL PROJECT DESIGN ENGINEER WILLIAM DEBREW TRAFFIC CONTROL DESIGN ENGINEER

N.C.D.O.T. WORK ZONE TRAFFIC CONTROL



## INDEX OF SHEETS

SHEET NO. <u>TITLE</u>

TMP-1 TITLE SHEET, VICINITY MAP, AND INDEX OF SHEETS

LIST OF APPLICABLE ROADWAY STANDARD DRAWINGS AND LEGEND TMP-1A

TRANSPORTATION OPERATIONS PLAN: (MANAGEMENT STRATEGIES, GENERAL NOTES, LOCAL NOTES, AND

TEMPORARY TRAFFIC CONTROL PHASING)

TMP-2 NO SHEET

TMP-1B

TMP-3 OFFSITE DETOUR

> **DOCUMENT NOT CONSIDERED FINAL** UNLESS ALL SIGNATURES COMPLETED



RALEIGH, NORTH CAROLINA 27609

SEAL

*DATE*:\_\_\_\_\_2/4/2020

TMP-1

APPROVED:\_

PROJ. REFERENCE NO. SHEET NO. B-5671 TMP-1A

## ROADWAY STANDARD DRAWINGS

THE FOLLOWING ROADWAY STANDARDS AS SHOWN IN "ROADWAY STANDARD DRAWINGS" - PROJECT SERVICES UNIT - N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

## STD. NO. <u>TITLE</u>

1101.01	WORK ZONE ADVANCE WARNING SIGNS
1101.02	TEMPORARY LANE CLOSURES
1101.03	TEMPORARY ROAD CLOSURES
1101.04	TEMPORARY SHOULDER CLOSURES
1101.05	WORK ZONE VEHICLE ACCESSES
1101.11	TRAFFIC CONTROL DESIGN TABLES
1110.01	STATIONARY WORK ZONE SIGNS
1110.02	PORTABLE WORK ZONE SIGNS
1115.01	FLASHING ARROW BOARDS
1130.01	DRUM
1135.01	CONES
1145.01	BARRICADES
1150.01	FLAGGING DEVICES
1160.01	TEMPORARY CRASH CUSHION
1165.01	WORK VEHICLE LIGHTING SYSTEMS AND TMA DELINEATION
1170.01	POSITIVE PROTECTION
1180.01	SKINNY-DRUM
1205.01	PAVEMENT MARKINGS - LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS - TWO-LANE AND MULTI-LANE ROADWAYS
1205.04	PAVEMENT MARKINGS - INTERSECTIONS
1205.05	PAVEMENT MARKINGS - TURN LANES
1205.08	PAVEMENT MARKINGS - SYMBOLS AND WORD MESSAGES
1205.12	PAVEMENT MARKINGS - BRIDGES
1250.01	RAISED PAVEMENT MARKERS - INSTALLATION SPACING
1251.01	RAISED PAVEMENT MARKERS - PERMANENT AND TEMPORARY
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL END DELINEATION
1264.01	OBJECT MARKERS - TYPES
1264.02	OBJECT MARKERS - INSTALLATION

## **LEGEND**

#### **GENERAL**

DIRECTION OF TRAFFIC FLOW

---- EXIST. PVMT.

NORTH ARROW

— PROPOSED PVMT.

WORK AREA

REMOVAL

## PAVEMENT MARKINGS

——EXISTING LINES
——TEMPORARY LINES

### TRAFFIC CONTROL DEVICES

BARRICADE (TYPE III)

DRU

\_\_\_ FLAGGER

### TEMPORARY SIGNING

PORTABLE SIGN

- STATIONARY SIGN

STATIONARY OR PORTABLE SIGN

### PAVEMENT MARKERS

CRYSTAL/CRYSTAL

CRYSTAL/RED

YELLOW/YELLOW

PAVEMENT MARKING SYMBOLS

PAVEMENT MARKING SYMBOLS

DATE: 2/4/2020

SEAL

SEAL

CARO

SINGLE

CARO

SINGLE

CARO



ROADWAY STANDARD DRAWINGS & LEGEND

Engineers • Planners • Scientists • Construction Manage 4505 Falls of Neuse Road, Suite 400 Raleigh, NC 27609-6270 Phone (919) 783-9214 • Fax (919) 783-9266

DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED

PROJ. REFERENCE NO.	SHEET NO.
B-5671	TMP-1B

## MANAGEMENT STRATEGIES

- 1. CLOSE NC 97 AND DETOUR TRAFFIC OFF-SITE VIA TREE FARM RD, W LOGSBORO RD, AND NC 33.
- 2. LOCAL ACCESS TO ALL RESIDENCES AND BUSINESSES WILL BE MAINTAINED BETWEEN CLOSURE POINTS AT ALL TIMES DURING CONSTRUCTION.

## LOCAL NOTES

1. NOTIFY EDGECOMBE COUNTY EMERGENCY SERVICES (252)641-7835 AND EDGECOMBE COUNTY PUBLIC SCHOOLS (252)641-2600 AT LEAST ONE MONTH PRIOR TO ROAD CONSTRUCTION.

### GENERAL NOTES

CHANGES MAY BE REQUIRED WHEN PHYSICAL DIMENSIONS IN THE DETAIL DRAWINGS, STANDARD DETAILS, AND ROADWAY DETAILS ARE NOT ATTAINABLE TO MEET FIELD CONDITIONS OR RESULT IN DUPLICATE OR UNDESIRED OVERLAPPING OF DEVICES. MODIFICATION MAY INCLUDE: MOVING, SUPPLEMENTING, COVERING, OR REMOVAL OF DEVICES AS DIRECTED BY THE ENGINEER.

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT EXCEPT WHEN OTHERWISE NOTED IN THE PLAN OR DIRECTED BY THE ENGINEER.

#### TRAFFIC PATTERN ALTERATIONS

A) NOTIFY THE ENGINEER THIRTY (30) CALENDAR DAYS PRIOR TO ANY TRAFFIC PATTERN ALTERATION.

#### SIGNING

- B) PROVIDE SIGNING AND DEVICES REQUIRED TO CLOSE THE ROAD ACCORDING TO THE ROADWAY STANDARD DRAWINGS AND TRAFFIC MANAGEMENT PLANS.
  - PROVIDE SIGNING REQUIRED FOR THE OFF-SITE DETOUR ROUTE AS SHOWN IN THE TRAFFIC MANAGEMENT PLANS.
- C) COVER OR REMOVE ALL SIGNS AND DEVICES REQUIRED TO CLOSE THE ROAD WHEN ROAD CLOSURE IS NOT IN OPERATION.
  - COVER OR REMOVE ALL SIGNS REQUIRED FOR THE OFF-SITE DETOUR WHEN THE DETOUR IS NOT IN OPERATION.
- D) ENSURE ALL NECESSARY SIGNING IS IN PLACE PRIOR TO ALTERING ANY TRAFFIC PATTERN.

#### TRAFFIC CONTROL DEVICES

E) PLACE TYPE III BARRICADES WITH "ROAD CLOSED" SIGN R11-2 ATTACHED OF SUFFICIENT LENGTH TO CLOSE ENTIRE ROADWAY.

#### PAVEMENT MARKINGS AND MARKERS

- F) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS SHOWN IN THE FINAL PAVEMENT MARKING PLAN.
- G) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.

## **PHASING**

NOTE: BEFORE BEGINNING CONSTRUCTION THE CONTRACTOR SHALL PLACE ADVANCE WORK ZONE WARNING SIGNS ALONG NC 97, (SEE RSD 1101.01, SHEET 3 OF 3)

- STEP 1) USING ROADWAY STD. DRAWING 1101.03, SHEET 1 OF 9, CLOSE NC 97 AND DETOUR TRAFFIC OFF-SITE AS SHOWN ON TMP-3.
- STEP 2) REMOVE THE EXISTING STRUCTURE.
- STEP 3) CONSTRUCT THE PROPOSED STRUCTURE AND ROADWAY -L- UP TO BUT NOT INCLUDING THE FINAL LIFT OF SURFACE COURSE.
- STEP 4) PLACE THE FINAL LIFT OF SURFACE COURSE.
- STEP 5) PLACE FINAL PAVEMENT MARKINGS AND MARKERS ACCORDING TO THE FINAL PAVEMENT MARKING PLANS.
- STEP 6) REMOVE ALL WORK ZONE TRAFFIC CONTROL DEVICES AND SIGNING. OPEN NC 97 AND PLACE TRAFFIC ONTO THE FINAL PATTERN.

