# TIP PROIECT: B-49

# VTRACT: C204518

# STATE OF NORTH CAROLINA DIVISION OF HIGHWAYS

# PAVEMENT MARKING PLAN

# EDGECOMBE COUNTY

LOCATION: BRIDGE NO. 22 OVER TOWN CREEK ON US 258

PROJ. REFERENCE NO. B-4931		SHEET	
APPROVED:			
DATE:	2/21/2020		
SEAL	CAROL PERSONS BASED OF THE SECOND SEC	446.	

Engineers • Planners • Scientists • Construction Manag 4601 Six Forks Road, Landmark Center II, Suite 220 Raleigh, NC 27609-5210 Phone (919) 783-9214 • Fax (919) 783-9266

### PAVEMENT MARKING SCHEDULE

### SYMBOL DESCRIPTION FINAL PAVEMENT MARKINGS THERMOPLASTIC (4", 90 MILS) WHITE EDGELINE THERMOPLASTIC (4", 90 MILS) YELLOW DOUBLE CENTER THERMOPLASTIC (4", 90 MILS) YELLOW SINGLE CENTER THERMOPLASTIC (4", 90 MILS) 10 FT. YELLOW SKIP THERMOPLASTIC (4", 90 MILS) 3 FT.-9 FT./SP WHITE MINISKIP 10 FT. YELLOW SKIP COLD APPLIED (4", TYPE 2) COLD APPLIED (4", TYPE 2) YELLOW SINGLE CENTER

### ROADWAY STANDARD DRAWING

COLD APPLIED (4", TYPE 2)

WHITE EDGELINE

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS" – N.C. DEPARTMENT OF TRANSPORTATION – RALEIGH, N.C., DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	<u>TITLE</u>
1205.01	PAVEMENT MARKINGS – LINE TYPES AND OFFSETS
1205.02	PAVEMENT MARKINGS – TWO-LANE AND MULTILANE ROADWAYS
1205.12	PAVEMENT MARKINGS – BRIDGES
1261.01	GUARDRAIL AND BARRIER DELINEATORS - INSTALLATION SPACING
1261.02	GUARDRAIL AND BARRIER DELINEATORS - TYPES AND MOUNTING
1262.01	GUARDRAIL AND DELINEATION

### GENERAL NOTES

THE FOLLOWING GENERAL NOTES APPLY AT ALL TIMES FOR THE DURATION OF THE CONSTRUCTION PROJECT, EXCEPT WHEN OTHERWISE NOTED IN THE PLAN, OR DIRECTED BY THE ENGINEER.

A) INSTALL PAVEMENT MARKINGS AND PAVEMENT MARKERS ON THE FINAL SURFACE AS FOLLOWS:

ROAD NAMEMARKINGMARKER-L- US 258THERMOPLASTICNONE-BRIDGE-COLD-APPLIED (TYPE 2)NONE

- B) TIE PROPOSED PAVEMENT MARKING LINES TO EXISTING PAVEMENT MARKING LINES.
- C) REMOVE/REPLACE ANY CONFLICTING/DAMAGED PAVEMENT MARKINGS AND MARKERS.
- D) PASSING ZONES WILL BE DETERMINED IN THE FIELD AND MUST BE APPROVED BY THE ENGINEER.
- E) REMOVE ALL RESIDUE AND SURFACE LAITANCE BY ACCEPTABLE METHODS ON THE BRIDGE DECK(s) PRIOR TO PLACING COLD APPLIED PLASTIC PAVEMENT MARKINGS.
- F) TYPE III COLD APPLIED PLASTIC MAY BE USED IN LIEU OF TYPE II COLD APPLIED PLASTIC. IF TYPE III COLD APPLIED PLASTIC IS USED, IT SHALL BE PAID FOR USING THE TYPE II COLD APPLIED PLASTIC PAY ITEM.

### *INDEX*

### SHEET NO.

### **DESCRIPTION**

PMP-1

PAVEMENT MARKING PLAN TITLE AND

SCHEDULE SHEET

*PMP*–2

PAVEMENT MARKING DETAIL

NAD 83NA 2011

PROJ. REFERENCE NO. SHEET NO.

B-4931 PMP-2

APPROVED:

2/4/2020


DATE:

SEAL

CAROLER SHEET NO.

Engineers • Planners • Scientists • Construction Manag 4601 Six Forks Road, Landmark Center II, Suite 220 Raleigh, NC 27609-5210 Phone (919) 783-9214 • Fax (919) 783-9266





## PAVEMENT MARKING SCHEDULE

- TA THERMOPLASTIC (4", 90 MILS)
  WHITE EDGELINE (4")
- CA COLD APPLIED (4", TYPE 2)
  WHITE EDGELINE
- THERMOPLASTIC (4", 90 MILS)
  YELLOW DOUBLE CENTER (4")
- COLD APPLIED (4", TYPE 2)

  CH YELLOW SINGLE CENTER
- THERMOPLASTIC (4", 90 MILS)
  YELLOW SINGLE CENTER (4")
- CF COLD APPLIED (4", TYPE 2)
  10 FT. YELLOW SKIP
- THERMOPLASTIC (4", 90 MILS)
  10 FT. YELLOW SKIP (4")

PAVEMENT MARKING DETAIL AND SCHEDULE